





1. Transfer Conveyor Support




Top View



Isometric View




Side View




Front View


2. By-Pass Conveyor Support




Isometric View



Top View




Front View



Side View



3. Take-Away Conveyor Support



Isometric View



Top View



Front View



Side View




Conveyor Detail


3 UNITS CONVEYOR

- 1. Transfer Conveyor : L= 13.5' (4.2 m)
- 2. By-Pass Conveyor : L= 15.5' (4.8 m)
- 3. Take-away Conveyor : L= 17.5' (5.3 m)


Note:
Motors and Belt are to be supplied by DMPI




Top View
(Typical)




Side View
(Typical)



Front View (Typical)



Body Section (Typical)



Stiffener Plate
material: SS Plate, $\frac{1}{8}$ " thk






Plate Detail (SS Plate, $\frac{1}{8}$ " thk)
(Typical)


Carry Roller Detail




Return Roller Detail




DRIVE PULLEY DETAIL




FRONT VIEW



SECTION THRU C-C'




ITEM No.1




ITEM No.2


DRIVEN PULLEY DETAIL




FRONT VIEW




SECTION THRU C-C'




ITEM No.3




ITEM No.4



ITEM No.5



ITEM No.6



ITEM No.7

PULLEYS	
ITEM	DESCRIPTION
1	Pipe, SS, Sch. 40, Ø 6"
2	Pipe, SS, Sch. 40, Ø 6"
3	Shafting, SS, Ø 1 1/2"
4	Shafting, SS, Ø 1 1/2" x 19 1/2" L
5	Plate, SS, 1/4" thk x Ø 6 1/2"
6	Round Bar, SS, Ø 3" x 3" L
7	Square Bar, 1/2" x 1/2" x 3 1/2" L
8	Set Screw, SS, Socket Head, Ø 5/8" x 1 1/4"