




Side Frame Detail Isometric View Front View Side Frame -80.000"--80.000"-Bore to fit Ø 1 Bolt Bore to fit Ø¹ "Cap Screw Bore to fit Ø ½" Threaded Shafting Bore to fit Ø 1 Threaded Shafting Side View

Top Plate Detail 0.43" SS Plate ga. 16 Isometric View Top View 1.047" 8.016" 12.016" For Drive and Driven Side Top Plate 0.461" Bore to fit Ø¹/₄" Cap Screw Side View Front View

Drive Frame Detail










Stiffener Plate

Gusset Plate









Motor Side Drive Frame Detail

Motor Side Doubler Plate


Non-Motor Side Drive Frame Detail

Non-Motor Side Doubler Plate





Carry Roller Detail



Carry Roller Assembly



Carry Roller Detail




-Ø1.88"

─Ø0.531"

Ø2" Ø1.25"


Ø1.88"

Carry Shaft Detail



Roller Hub Detail

Return Roller Detail




Return Roller Assembly



Return Roller Detail




Return Shaft Detail




Return Roller Hanger Detail

Pulley Detail




Drive Pulley Assembly




Drive Pulley Detail



Drive Shaft Detail



Pulley Hub Detail




Driven Pulley Assembly



Drive Pulley Detail



Drive Shaft Detail



Pulley Stiffener Detail