Republic of the Philippines
Department of Health
CENTRAL VISAYAS CENTER FOR HEALTH DEVELOPMENT

# DOH - Central Visayas Clinical Laboratory

Osmeña Boulevard, Sambag II, Cebu City, Cebu, Philippines
License To Operate: 07-116-26-CL-1
Issued: 01 January 2026; Valid Until: 31 December 2026

BAGONG PILIPINAS

## LABORATORY TEST RESULTS

| Laboratory ID No.: | Patient ID No.: | Date & Time of Requisition: *dd/mmm/yyyy hh:mm* |
|---|---|---|

| *Patient's Last Name* | *Patient's First Name* | *Patient's Middle Name* |
|---|---|---|

| Date of Birth: *dd/mmm/yyyy* | Age: | Sex: | Name of Requesting Phyisician: |
|---|---|---|---|

| Date & Time Performed: *dd/mmm/yyyy hh:mm* | Date & Time Released: *dd/mmm/yyyy hh:mm* | Location: |
|---|---|---|

## HEMATOLOGY

### COMPLETE BLOOD COUNT

| TEST PARAMETER | RESULT | FLAG | UNIT | REFERENCE RANGE |
|---|---|---|---|---|
| **BLOOD COUNT AND INDICES** | | | | |
| White Blood Cell **(WBC)** | | | x10^9/L | 7.1 - 15 |
| Red Blood Cell **(RBC)** | | | x10^12/L | 2.9 - 4.2 |
| Hemoglobin | | | g/dL | 8.9 - 12.7 |
| Hematocrit | | | % | 27.0 - 38.0 |
| MCV | | | fL | 83.0 - 96.0 |
| MCH | | | pg | 28.0 - 32.0 |
| MCHC | | | % | 32.3 - 34.9 |
| RDW | | | % | <16.1 |
| **PLATELET COUNT** | | | | |
| Platelet Count | | | x10^9/L | 229.0 - 597.0 |
| MPV | | | fL | 9.2 - 11.1 |

| TEST PARAMETER | RESULT RELATIVE COUNT | FLAG | REFERENCE RANGE | RESULT ABSOLUTE COUNT | FLAG | REFERENCE RANGE |
|---|---|---|---|---|---|---|
| **WBC DIFFERENTIAL COUNT** | | | | | | |
| Neutrophil | % | | 50.0 - 70.0 | x10^9/L | | 1.0 - 4.7 |
| Lymphocyte | % | | 20.0 - 60.0 | x10^9/L | | 2.3 - 9.1 |
| Monocyte | % | | 3.0 - 12.0 | x10^9/L | | 0.3 - 1.2 |
| Eosinophil | % | | 0.5 - 5.0 | x10^9/L | | 0.0 - 0.6 |
| Basophil | % | | 0.0 - 1.0 | x10^9/L | | 0.0 - 0.1 |
| Immature Granulocyte | % | | 0.0 - 1.0 | x10^9/L | | 0.0 - 0.1 |

*This is an electronically generated result. Please correlate the results clinically.*

**REMARKS:**

***Performed:***

**PHILL JUSTIN G. GALAROZA, RMT**
Medical Technologist
Lic. No. 0068902

***Verified:***

**ROLDAN A. CUBILLO, RMT, MPH, MMHoA**
Chief Medical Technologist
Lic. No. 0032751

***Approved:***

**ALMA E. MALILONG, MD, FPSP**
Pathologist
Lic. No. 0045935