Republic of the Philippines
Department of Health
CENTRAL VISAYAS CENTER FOR HEALTH DEVELOPMENT

DOH - Central Visayas Clinical Laboratory

Osmeña Boulevard, Sambag II, Cebu City, Cebu, Philippines
License To Operate: 07-116-26-CL-1
Issued: 01 January 2026; Valid Until: 31 December 2026

BAGONG PILIPINAS

LABORATORY TEST RESULTS

Laboratory ID No.:	Patient ID No.:	**Date & Time of Requisition:** ***dd/mmm/yyyy hh:mm***

Patient's Last Name	*Patient's First Name*	*Patient's Middle Name*

Date of Birth: *dd/mmm/yyyy*	Age:	Sex:	Name of Requesting Phyisician:

Date & Time Performed: *dd/mmm/yyyy hh:mm*	Date & Time Released: *dd/mmm/yyyy hh:mm*	Location:

MICROBIOLOGY

GRAM STAIN

TEST PARAMETER	RESULT

This is an electronically generated result. Please correlate the results clinically.

REMARKS:

Performed:	***Verified:***	***Approved:***
PHILL JUSTIN G. GALAROZA, RMT	**ROLDAN A. CUBILLO, RMT, MPH, MMHoA**	**ALMA E. MALILONG, MD, FPSP**
Medical Technologist	Chief Medical Technologist	Pathologist
Lic. No. 0068902	Lic. No. 0032751	Lic. No. 0045935