


Teledatics TD-HALOC

◁CLK
◁MISO
◁MOSI




PCM_IN (12) -> PCM_OUT
PCM_OUT (14) -> PCM_IN
UART_RXD (22) -> UART_TXD
UART_TXD (32) -> UART_RXD
UART_CTS (34) -> UART_RTS
PETp0 (35) -> PERp0
UART_RTS (36) -> UART_CTS
PETn0 (37) -> PERn0
VENDOR_DEFINED (38) -> SPI_MOSI
VENDOR_DEFINED (40) -> SPI_MISO
PERp0 (41) -> PETp0
VENDOR_DEFINED (42) -> SPI_SCK
PERn0 (43) -> PETn0
COEX2 (46) -> SWDCLK / GPIO 11
COEX1 (48) -> SWDIO / GPIO 10
W_DISABLE2 (54) -> MODE
W_DISABLE1 (56) -> RESET
I2C_DATA (58) -> I2C_SDA
SPI_INT (62) -> ALERT
RESERVED (64) -> SPI_CS
RESERVED/PERp1 (65) -> VDDIO

Add 3.3V (72)
Add 3.3V (74)
Add 3.3V (4)

Heltec HT-HC01P

◁CLK
◁MISO
◁MOSI
◁3v3
◁CS

This is not the same pin->footprint mapping as the datasheet!!



Sheet: /Radio/
File: m2-mpcie-radio.kicad_sch


Title:


Size: A4 Date:

KiCad E.D.A. 9.0.6

Rev:

Id: 5/7





Sheet: /Audio/ File: audio.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 9.0.6	Id: 7/7	