

Operational Evidence Checklist

Document field	Value
Document owner	FortVault
Classification	Confidential
Status	Collection checklist
Date	August 28, 2026

This checklist covers evidence that source code cannot establish. Do not include credentials, raw secrets, private keys, MPC shares, or customer data in the evidence package.

1. Cloud Hosting and Configuration

Collect a sanitized record for every production and non-production environment in scope:

- cloud provider and account/project identifier;
- region(s) and data-location decision;
- deployed services, databases, caches, object storage, secret store, monitoring, and networking services;
- a deployment/network diagram showing public ingress, private subnets, security groups/firewalls, and service-to-service access;
- identity and access management roles for deployment, operations, and application workloads;
- production change/deployment process and source of infrastructure configuration;
- cloud audit-log service and retention setting; and
- security monitoring, vulnerability scanning, and alerting configuration.

2. Backup and Restore

For Backend PostgreSQL, Custody Processing PostgreSQL, Listener PostgreSQL, Exchange Processing PostgreSQL where deployed, MPC node storage, and any critical object storage:

- backup method and service;
- schedule, retention, and immutable/cross-account or cross-region protection where used;
- encryption setting and key ownership;
- access control for backup creation, modification, deletion, and restore;
- RPO and RTO approved for the service;
- most recent successful restore-test evidence, scope, result, and corrective actions; and
- owner of the backup and restore procedure.

MPC recovery material requires a separate procedure. Do not include key shares or recovery material in this package.

3. Central Logging and Monitoring

Collect:

- central log platform and log sources;
- log retention, archival, and deletion policy;
- access-control roles and access-review evidence;
- time-synchronization source and timezone handling;
- alert rules for availability, authorization failures, provider failures, and security-relevant events;
- incident-ticket or alert examples with sensitive data redacted; and
- confirmation of the log-scrubbing/redaction standard for tokens, passwords, private keys, MPC shares, and customer data.

4. TLS and Encryption at Rest

Collect:

- public ingress/load-balancer or reverse-proxy configuration showing the enforced TLS versions and certificate management;
- evidence of HTTP-to-HTTPS redirect and secure-cookie settings where applicable;
- database, disk/volume, object-storage, cache, and backup encryption-at-rest settings;
- cloud KMS or equivalent key-management configuration, rotation policy, and access control; and
- exception register for any internal or legacy connection not using the standard TLS policy.

Do not state a TLS version until it is verified from the production ingress or equivalent configuration.

5. Endpoint Operating Systems and Updates

Clarify whether this request covers workforce/admin endpoints, production servers, or both. For each included endpoint class, collect:

- supported operating systems and minimum versions;
- device/endpoint inventory;
- automatic update and patch-deadline policy;
- device-management and compliance reporting;
- full-disk encryption and screen-lock policy;
- endpoint-protection/EDR configuration where used;
- administrator privilege policy; and
- sample compliance report or patch-status export, sanitized of personal details.

6. Release-Specific Test and Health Evidence

For the release/environment presented to the ISO partner, collect:

- CI or local test results for Backend, Custody Processing, MPC, and the health-audit tool;
- build/version identifiers and release approval record;
- a sanitized health-audit output showing live, ready, configuration, dependency, partner/policy, and stream checks; and
- any known degraded checks, remediation owner, and target completion date.

Evidence Register Fields

Track every collected artifact with these fields:

Field	Required value
Control area	Cloud, backup, logging, TLS/encryption, endpoint, testing, or health
Environment	Production, staging, development, or another approved label
Evidence title	Clear description of the screenshot, export, record, or document
Source system	AWS, Google Cloud, device-management tool, CI, monitoring platform, or controlled repository
Collected by	Named FortVault control owner
Date collected	Date and timezone
Review status	Draft, reviewed, approved, or superseded
Redaction check	Confirmed before external sharing