## NAME

**0x0** - interface with **https://0x0.st**

## SYNOPSIS

**0x0 file** *filename*
**0x0 url** *URL*
**0x0 shorten** *URL*

## DESCRIPTION

The **0x0** utility is an interface to the **https://0x0.st** file hosting and URL shortening service.

The following commands are available.

**file** *filename*

> Upload the local file *filename*. If *filename* is -, input will be read from stdin.

**url** *URL*

> Upload the remote file at *URL*.  Supported protocols are http and https.

**shorten** *URL*

> Shorten *URL*, i.e return a short URL that redirects to *URL* when opened.  Supported protocols are http and https.

## EXIT STATUS

The 0x0 utility exits 0 on upload/shortening, and 1 if an error occurs.

## EXAMPLES

Upload the source code of **0x0**:

> $ 0x0 file "$(which 0x0)"
> **https://0x0.st/iU8B.bin**

Upload a diff:

> $ diff old new | 0x0 file -
> **https://0x0.st/iU8L.txt**

Upload a remote file:

> $ 0x0 url http://www.openbsd.org/art/puffy/ppuf800X725.gif

**https://0x0.st/iU8n.gif**

Shorten a URL:

$ 0x0 shorten https://why-openbsd.rocks
**https://0x0.st/PmsW**

## SEE ALSO
curl(1)

**https://0x0.st/**

## AUTHORS
Olav Fosse *<fosseolav@gmail.com>*