

NAME

0x0 - interface with **https://0x0.st**

SYNOPSIS

0x0 file *filename*

0x0 url *URL*

0x0 shorten *URL*

DESCRIPTION

The **0x0** utility is an interface to the **https://0x0.st** file hosting and URL shortening service.

The following commands are available.

file *filename*

Upload the local file *filename*. If *filename* is a directory, a tarball of the directory is uploaded. If *filename* is -, stdin is uploaded.

url *URL*

Upload the remote file at *URL*. Supported protocols are http and https.

shorten *URL*

Shorten *URL*, i.e return a short URL that redirects to *URL* when opened. Supported protocols are http and https.

EXIT STATUS

The **0x0** utility exits 0 on upload/shortening, and 1 if an error occurs.

EXAMPLES

Upload the source code of **0x0**:

```
$ 0x0 file "$(which 0x0)"
https://0x0.st/iU8B.bin
```

Upload a diff:

```
$ diff old new | 0x0 file -
https://0x0.st/iU8L.txt
```

Upload a remote file:

```
$ 0x0 url http://www.openbsd.org/art/puffy/ppuf800X725.gif  
https://0x0.st/iU8n.gif
```

Shorten a URL:

```
$ 0x0 shorten https://why-openbsd.rocks  
https://0x0.st/PmsW
```

SEE ALSO

curl(1), tar(1)

<https://0x0.st>, <https://github.com/olav35/0x0>

AUTHORS

Olav Fosse <*fosseolav@gmail.com*>