
Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
PRINT
MENUS
SAVE/RECALL
MEASURE
ACQUIRE
UTILITY
CURSOR
DISPLAY
HELP
SINGLE SEQ
RUN/STOP
VERTICAL
HORIZONTAL
TRIGGER
POSITION
POSITION
POSITION
LEVEL
CH 1 MENU
MATH MENU
CH 2 MENU
HORIZ MENU
SET TO ZERO
SET TO 50%
AUTO SET
TRIG MENU
FORCE TRIG
TRIG VIEW
VOLTS/DIV
VOLTS/DIV
SEC/DIV
EXT TRIG
Tek
Trig'd
M Pos: 0.000s
AUTOSET
Undo
Autoset
Mean 33.9mV
Freq 1.000kHz
Pk-Pk 5.52V
Period 1.000ms
CH1 2.00V
CH2 50.0mV
M 500µs
CH1 -21.2mV
1.00000kHz
PROGRAMMABLE
POWER
LOCAL
REMOTE
FUNCTION
GATE/ TRIG INPUT
GATE
TRIG


Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
PRINT
MENUS
SAVE/RECALL
MEASURE
ACQUIRE
UTILITY
CURSOR
DISPLAY
HELP
RUN/STOP
SINGLE SEQ
VERTICAL
HORIZONTAL
TRIGGER
POSITION
LEVEL
CH 1 MENU
MATH MENU
CH 2 MENU
HORIZ MENU
SET TO ZERO
TRIG MENU
SET TO 50%
FORCE TRIG
TRIG VIEW
VOLTS/DIV
SEC/DIV
EXT TRIG
CH 1
CH 2
Tek
Trig'd
M Pos: 0.000s
AUTOSET
Undo
Autoset
Pk-Pk 5.52V
Period 1.000ms
Mean 33.8mV
Freq 1.000kHz
CH1 2.00V
CH2 50.0mV
M 500µs
CH1 -21.2mV
1.00000kHz
PROGRAMMABLE
POWER
LOCAL
REMOTE
FUNCTION
GATED
GATE/ TRIG INPUT


Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
PRINT
SAVE/RECALL
MEASURE
ACQUIRE
UTILITY
CURSOR
DISPLAY
MENUS
VERTICAL
HORIZONTAL
POSITION
CH 1 MENU
MATH MENU
CH 2 MENU
VOLTS/DIV
SEC/DIV
EXT TRIG
Tek
Trig'd
M Pos: 0.000s
AUTOSET
Undo
Autoset
Pk-Pk 5.52V
Period 333.9µs
Mean 33.5mV
Freq 1.000kHz
CH1 2.00V
CH2 50.0mV
M 500µs
CH1 -21.2mV
1.00000kHz


Tektronix
TDS 1002
AUTOSET
VOLTS/DIV
VOLTS/DIV
POSITION
POSITION
SEC/DIV
LEVEL
EXT TRIG
Undo
Autoset
DEL
AC


Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
PRINT
SAVE/RECALL
MEASURE
ACQUIRE
UTILITY
CURSOR
DISPLAY
MENUS
VERTICAL
HORIZONTAL
TRIGGER
POSITION
LEVEL
CH 1 MENU
MATH MENU
CH 2 MENU
VOLTS/DIV
SEC/DIV
EXT TRIG
CH 1
CH 2
RUN/STOP
AUTOSET
Tek
Trig'd
M Pos: 0.000s
Undo
Autoset
CH1 100mV
CH2 200mV
M 500µs
Period 1.000ms
Freq 1.000kHz
1.00000kHz


Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
Tek
Trig'd
M Pos: 0.000s
AUTOSET
CH2
Period 1.000ms
Mean -2.03mV
Freq 1.000kHz
Undo
Autoset
CH1 100mV
CH2 200mV
M 500µs
CH2 -2.09mV
1.00000kHz
PRINT
MENUS
SAVE/RECALL
MEASURE
ACQUIRE
UTILITY
CURSOR
DISPLAY
HELP
SINGLE SEQ
VERTICAL
HORIZONTAL
TRIGGER
POSITION
LEVEL
CH 1 MENU
MATH MENU
CH 2 MENU
HORIZ MENU
SET TO ZERO
SET TO 50%
FORCE TRIG
TRIG VIEW
VOLTS/DIV
SEC/DIV
EXT TRIG


Tektronix TDS 1002 TWO CHANNEL DIGITAL STORAGE OSCILLOSCOPE
60 MHz 1 GS/s
SAVE/RECALL
MEASURE
ACQUIRE
UTILITY
CURSOR
DISPLAY
MENUS
VERTICAL
HORIZONTAL
TRIGGER
POSITION
VOLTS/DIV
SEC/DIV
LEVEL
EXT TRIG
Trig'd
M Pos: 0.000s
AUTOSET
CH2
Period 1.000ms
CH1 2.00V
CH2 200mV
M 500µs
Freq 1.000kHz
Undo
Autoset
MENU SETUP
DEL
AC


Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
SAVE/RECALL
MEASURE
ACQUIRE
UTILITY
CURSOR
DISPLAY
MENUS
VERTICAL
HORIZONTAL
TRIGGER
POSITION
VOLTS/DIV
SEC/DIV
LEVEL
EXT TRIG
Trig'd
M Pos: 0.000s
AUTOSET
CH2
Period 1.000ms
Mean -1.12mV
Freq 1.000kHz
CH1 2.00V
CH2 200mV
M 500µs
CH2 -3.00µV
393.39Hz
Undo
Autoset
DEL
AC


5.00
*Bu deneyin ön hazırlık kısmı bitir
Adı Soyadı


47n J63
A B C D E
F G H I J
5 10 15 20 25 30 35 40 45 50 55


PROGRAMMABLE FUNCTION GENERATOR
1.0000kHz 10.0V


1.0000kHz 10.0V


Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
Ready
M Pos: 0.000s
MATH
Operation
CH1-CH2
CH2-CH1
M 500µs
CH1 20.0V
CH1 -851mV
VOLTS/DIV
CASIO
fx-991EX
CLASSWIZ


Tektronix
TDS 1002


Tektronix
TDS 1002
AUTOSET
Undo
Autoset




Tektronix TDS 1002 TWO CHANNEL DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
PRINT
SAVE/RECALL
MEASURE
ACQUIRE
UTILITY
CURSOR
DISPLAY
MENUS
VERTICAL
HORIZONTAL
POSITION
VOLTS/DIV
Trig'd
M Pos: 0.000s
AUTOSET
CH1
Mean
141mV
CH1
Pk-Pk
20.0V
Undo
Autoset
CH1 -321mV
M 500µs
CH1 333.98Hz
CH1 5.00V
V ve offset 5V) ve frekansı
ranında söz konusu işareti
kurunuz. (Devreyi kurmadan
ğiminin dalga formu,
n oluştuğu için bu
e gelince


Tektronix TDS 1002 TWO CHANNEL DIGITAL STORAGE OSCILLOSCOPE
60 MHz 1 GS/s
SAVE/RECALL
MEASURE
ACQUIRE
PRINT
UTILITY
CURSOR
DISPLAY
MENUS
VERTICAL
HORIZONTAL
TRIGGER
POSITION
VOLTS/DIV
Trig'd
M Pos: 0.000s
AUTOSET
CH1
Mean
19.8mV
CH1
Pk-Pk
20.2V
Undo
Autoset
CH1 -321mV
M 500µs
CH1 5.00V
393.983Hz


Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
PRINT
MENUS
Tek
Trig'd
M Pos: 0.000s
MATH
Operation
CH1-CH2
CH2-CH1
CH1 10.0V
CH2 500mV
M 500µs
CH1 -428mV
999.988Hz
VOLTS/D


Tektronix TDS 1002 TWO CHANNEL DIGITAL STORAGE OSCILLOSCOPE
60 MHz 1 GS/s
PRINT
MENUS
Tek
Trig'd
M Pos: 0.000s
MATH
Operation
CH1−CH2
CH2−CH1
CH1 10.0V
CH2 500mV
M 500µs
CH1 -428mV
999.988Hz
VOLTS/D




Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
PRINT
SAVE/RECALL
MEASURE
UTILITY
CURSOR
MENUS
VERTICAL
POSITION
CH 1
MENU
MATH
MENU
VOLTS/DIV
Tek
Trig'd
M Pos: 0.000s
CH2
Coupling
AC
BW Limit
OFF
60MHz
Volts/Div
Coarse
Probe
10X
Invert
OFF
CH1 5.00V
CH2 5.00V
M 250µs
CH2 ∕ -165mV
999.989Hz


Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
PRINT
SAVE/RECALL
MEASURE
UTILITY
CURSOR
MENUS
VERTICAL
POSITION
POSITION
CH 1
MENU
MATH
MENU
CH 2
MENU
VOLTS/DIV
VOLTS/DIV
Tek
Trig'd
M Pos: 0.000s
CH2
Coupling
AC
BW Limit
Off
60MHz
Volts/Div
Coarse
Probe
10X
Invert
Off
CH1 5.00V
CH2 5.00V
M 250µs
CH2 -165mV
999.983Hz


30
35
40
5
C
A B C D E
F G H I J
+
-
+
-


Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
Tek
Trig'd
M Pos: 0.000s
CH2
Coupling
AC
BW Limit
Off
60MHz
Volts/Div
Coarse
Probe
10X
Invert
Off
CH1 10.0V
CH2 5.00V
M 500µs
CH1
-428mV
999.989Hz


Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
Tek
Trig'd
M Pos: 0.000s
CH2
Coupling
AC
BW Limit
Off
60MHz
Volts/Div
Coarse
Probe
10X
Invert
Off
CH1 10.0V
CH2 5.00V
M 500µs
CH1 -428mV
999.989Hz


Tektronix
TDS 1002
Trig'd
M Pos: 0.000s
AUTOSET
CH1
Mean
446mV
CH1
Pk-Pk
20.0V
Undo
Autoset
CH1 10.0V
CH2 5.00V
M 500µs
CH1 -536mV
Unknown signal detected on CH1


Tektronix
TDS 1002
Tek
Trig'd
M Pos: 0.000s
AUTOSET
CH1
Mean
440mV
CH1
Pk-Pk
20.8V
Undo
Autoset
CH1 535mV
CH1 10.0V
CH2 5.00V
M 500µs
Unknown signal detected on CH1
SAVE/RECALL
MEASURE
ACQUIRE
VERTICAL
HORIZONTAL
TRIGGER
POSITION
VOLTS/DIV
SEC/DIV
EXT TRIG


Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
PRINT
SAVE/RECALL
UTILITY
MENUS
POSITION
CH 1
MENU
VOLTS/DIV
Tek
Trig'd
M Pos: 0.000s
MATH
Operation
CH1-CH2
CH2-CH1
CH1 5.00V
CH2 5.00V
M 500µs
CH1 ⁄ -535mV
999.989Hz


Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
PRINT
SAVE/RECALL
UTILITY
MENUS
POSITION
VOLTS/DIV
CH 1
MENU
MATH
MENU
Tek
Trig'd
M Pos: 0.000s
CURSOR
Type
Time
Source
MATH
Delta
220.0µs
4.545kHz
Cursor 1
0.000s
Cursor 2
220.0µs
CH1 5.00V
CH2 5.00V
M 250µs
CH1
-535mV
999.988Hz


Tektronix
TDS 1002
TWO CHANNEL
DIGITAL STORAGE OSCILLOSCOPE
60 MHz
1 GS/s
PRINT
SAVE/RECALL
MEASURE
UTILITY
CURSOR
MENUS
VERTICAL
POSITION
CH 1
MENU
MATH
MENU
VOLTS/DIV
Tek
Trig'd
M Pos: 0.000s
CURSOR
Type
Time
Source
MATH
Delta
220.0µs
4.545kHz
Cursor 1
0.000s
Cursor 2
220.0µs
CH1 -535mV
CH1 5.00V
CH2 5.00V
M 250µs
999.988Hz


C 44.292nF
R 23.96 kΩ
TESTING
F:1.0000 kHz
V:1.000 V
AUTO MANU
R.H OFF
C.V OFF
INT.B ON
SPEED
FAST
DISPLAY
VALUE
MODE
C/R
CIRCUIT
PARALL
MENU
GW INSTEK
LCR METER
LCR-819
LFORCE
LSENSE
HSENSE
TEST


C 44.292nF
R 23.96 kΩ
TESTING
F:1.0000 kHz
V:1.000 V
AUTO MANU
R.H OFF
C.V OFF
INT.B ON
SPEED
FAST
DISPLAY
VALUE
MODE
C/R
CIRCUIT
PARALL
MENU
GW INSTEK
LCR METER
LCR-819
LFORCE
LSENSE
HSENSE
TEST LEA