✔ APP SCORES

Security Score 55/100

Trackers Detection 1/432

📦 FILE INFORMATION

File Name ca.agencemobilitedurable.mobicite.apk

Size 42.1MB

MD5 3a9da587ed26be12d0330533dd266a4d

SHA1 c8473beb63b6cb6c0bd330814f14d4f774a7cebe

SHA256 173fe4051bd02ec0455db724a0b676b5f310c63f79c7e35d7499a146df545b4d

ℹ APP INFORMATION

App Name Mobicité

Package Name ca.agencemobilitedurable.mobicite

Main Activity
ca.agencemobilitedurable.mobicite.LaunchActivity

Target SDK 35 **Min SDK** 29 **Max SDK**

Android Version Name 1.2.0 **Android Version Code** 54

▶ PLAYSTORE INFORMATION

Title Mobicité

Score 4.3333335 **Installs** 100,000+ **Price** 0 **Android Version Support** **Category** Tools **Play Store URL** ca.agencemobilitedurable.mobicite

Developer Agence de mobilité durable de Montréal, **Developer ID** Agence+de+mobilit%C3%A9+durable+de+Montr%C3%A9al

Developer Address None

Developer Website https://www.agencemobilitedurable.ca/

Developer Email sac@agencemobilitedurable.ca

Release Date Jun 6, 2025 **Privacy Policy** Privacy link

Description

Mobicité is the best way to pay for parking remotely in Montréal, wherever you may be!
Enjoy its many advantages:
pay for your parking space on the spot.

• Information on applicable regulations: Consult the parking rates and regulations before paying.

• Parking map: View a map of the Agence de mobilité durable de Montréal's entire on- and off-street paid parking offer.

• Account management: You can add more than one credit card to your account, and view or download your transaction history at any time with the option of filtering it by date or period.

• End-of-parking notification: Receive an alert 10 minutes before the end of your parking session.

It's simple, fast and secure!

Questions or comments? Write to us at sac@agencemobilitedurable.ca

• Remote payment: Use a credit card to

1 / 7

EXPORTED ACTIVITIES

View All ⊕

2 / 11

EXPORTED SERVICES

View All ⊕

3 / 12

EXPORTED RECEIVERS

View All ⊕

0 / 7

EXPORTED PROVIDERS

View All ⊕

⚙ **SCAN OPTIONS**

📄 **DECOMPILED CODE**

✹ **SIGNER CERTIFICATE**

```
Binary is signed
v1 signature: False
v2 signature: False
v3 signature: True
v4 signature: False
X.509 Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2025-05-26 18:18:12+00:00
Valid To: 2055-05-26 18:18:12+00:00
Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android
Serial Number: 0xdf0eb7a0c14e5aa3b4fd1ebe9ad210dc7e20b9d2
Hash Algorithm: sha256
md5: b47ed4f7fb3f0c30e1b63794c7133377
sha1: 752f4ba677afddb5579c6f259168432b98f56957
sha256: 7dfeec5d402aa55eb23228fc7943a89f8a2615f1802e2603c1966cdfd56d5354
sha512:
8be19070ab4e07030c3b2217d04cc4ec8fd37eee3227301284402a81fc3f13a2e4ba7a11dafab4daada3c122d5d424d04727ad773215ebb5fa7b40bef46a0593
PublicKey Algorithm: rsa
Bit Size: 4096
Fingerprint: 963cea9a994d90f20c8769d6f912a64d06d9444ce5f06f929dc4c716ec3cd2df
Found 1 unique certificates
```

☰ APPLICATION PERMISSIONS

Search: [   ]

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.	
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.	

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.	
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.	
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications	
android.permission.READ_APP_BADGE	normal	show app notification	Allows an application to show app icon badges.	
android.permission.READ_PHONE_STATE	dangerous	read phone state and identity	Allows the application to access the phone features of the device. An application with this permission can determine the phone number and serial number of this phone, whether a call is active, the number that call is connected to and so on.	
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.	
android.permission.SCHEDULE_EXACT_ALARM	normal	permits exact alarm scheduling for background work.	Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.	

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone.	

Showing 1 to 10 of 34 entries

Previous 1 2 3 4 Next

🤖 ANDROID API

Search:

API	FILES
Android Notifications	
Base64 Decode	
Base64 Encode	
Content Provider	
Crypto	
Get Installed Applications	
Get Network Interface information	
Get Running App Processes	
Get SIM Operator Name	

API	FILES
Get SIM Provider Details	

Showing 1 to 10 of 29 entries

Previous | 1 | 2 | 3 | Next

📑 BROWSABLE ACTIVITIES

Search:

ACTIVITY	INTENT
ca.agencemobilitedurable.mobicite.MainActivity	**Schemes**: mobicite://,

Showing 1 to 1 of 1 entries

Previous | 1 | Next

🔒 NETWORK SECURITY

Search:

NO	SCOPE	SEVERITY	DESCRIPTION
No data available in table			

Showing 0 to 0 of 0 entries

Previous | Next

📇 CERTIFICATE ANALYSIS

	HIGH	WARNING	INFO
	0	0	1

Search: [   ]

TITLE ⬍	SEVERITY ⬍	DESCRIPTION ⬍
Signed Application	info	Application is signed with a code signing certificate

Showing 1 to 1 of 1 entries

Previous | 1 | Next

🔍 MANIFEST ANALYSIS

	HIGH	WARNING	INFO	SUPPRESSED
	0	7	0	0

Search: [   ]

NO ⬍	ISSUE ⬍	SEVERITY ⬍	DESCRIPTION ⬍	OPTIONS ⬍
1	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.	
2	**Activity** (ca.agencemobilitedurable.mobicite.MainActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	

NO	ISSUE	SEVERITY	DESCRIPTION	OPTIONS
3	**Service** (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. **Permission:** android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.	
4	**Broadcast Receiver** (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. **Permission:** android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.	

NO	ISSUE	SEVERITY	DESCRIPTION	OPTIONS
5	**Broadcast Receiver** (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. **Permission:** com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.	
6	**Service** (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. **Permission:** com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.	

NO ⬍	ISSUE ⬍	SEVERITY ⬍	DESCRIPTION ⬍	OPTIONS ⬍
7	**Broadcast Receiver** (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. **Permission:** android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.	

Showing 1 to 7 of 7 entries

Previous   1   Next

</> **CODE ANALYSIS**

HIGH	WARNING	INFO	SECURE	SUPPRESSED
1	6	1	1	0

Search:

NO ⬍	ISSUE ⬍	SEVERITY ⬍	STANDARDS ⬍	FILES ⬍	OPTIONS ⬍
1	The App logs information. Sensitive information should never be logged.	info	**CWE:** CWE-532: Insertion of Sensitive Information into Log File **OWASP MASVS:** MSTG-STORAGE-3		

NO ⬍	ISSUE ⬍	SEVERITY ⬍	STANDARDS ⬍	FILES ⬍	OPTIONS ⬍
2	The App uses an insecure Random Number Generator.	warning	**CWE:** CWE-330: Use of Insufficiently Random Values **OWASP Top 10:** M5: Insufficient Cryptography **OWASP MASVS:** MSTG-CRYPTO-6	expo/modules/updates/UpdatesUtils.java	
3	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	**CWE:** CWE-312: Cleartext Storage of Sensitive Information **OWASP Top 10:** M9: Reverse Engineering **OWASP MASVS:** MSTG-STORAGE-14		
4	IP Address disclosure	warning	**CWE:** CWE-200: Information Exposure **OWASP MASVS:** MSTG-CODE-2	expo/modules/updates/codesigning/CertificateChain.java expo/modules/updates/codesigning/CertificateChainKt.java	
5	This App may have root detection capabilities.	secure	**OWASP MASVS:** MSTG-RESILIENCE-1	expo/modules/device/DeviceModule.java	
6	App creates temp file. Sensitive information should never be written into a temp file.	warning	**CWE:** CWE-276: Incorrect Default Permissions **OWASP Top 10:** M2: Insecure Data Storage **OWASP MASVS:** MSTG-STORAGE-2	com/reactnativecommunity/webview/RNCWebViewModuleImpl.java com/rnmaps/maps/FileUtil.java com/rnmaps/maps/MapModule.java	

NO ⬍	ISSUE ⬍	SEVERITY ⬍	STANDARDS ⬍	FILES ⬍	OPTIONS ⬍
7	MD5 is a weak hash known to have hash collisions.	warning	**CWE:** CWE-327: Use of a Broken or Risky Cryptographic Algorithm **OWASP Top 10:** M5: Insufficient Cryptography **OWASP MASVS:** MSTG-CRYPTO-4		
8	App can read/write to External Storage. Any App can read data written to External Storage.	warning	**CWE:** CWE-276: Incorrect Default Permissions **OWASP Top 10:** M2: Insecure Data Storage **OWASP MASVS:** MSTG-STORAGE-2	com/reactnativecommunity/webview/RNCWebViewModuleImpl.java io/invertase/firebase/utils/ReactNativeFirebaseUtilsModule.java	
9	Remote WebView debugging is enabled.	high	**CWE:** CWE-919: Weaknesses in Mobile Applications **OWASP Top 10:** M1: Improper Platform Usage **OWASP MASVS:** MSTG-RESILIENCE-2	com/reactnativecommunity/webview/RNCWebViewManagerImpl.java	

Showing 1 to 9 of 9 entries

Previous | 1 | Next

🏴 **SHARED LIBRARY BINARY ANALYSIS**

No Shared Objects found.

Search: [   ]

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
				No data available in table					

Showing 0 to 0 of 0 entries

Previous   Next

NIAP ANALYSIS v1.3

Search:

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
		No data available in table		

Showing 0 to 0 of 0 entries

Previous   Next

FILE ANALYSIS

Search:

NO	ISSUE	FILES
1	Certificate/Key files hardcoded inside the app.	assets/expo-root.pem

Showing 1 to 1 of 1 entries

Previous   1   Next

🗄 FIREBASE DATABASE ANALYSIS

Search: [   ]

TITLE	SEVERITY	DESCRIPTION
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/222580997994/namespaces/firebase:fetch?key=AIzaSyBxueMhrPV5HyQ183OGid0lRwgkuvsuTdM. This is indicated by the response: {'state': 'NO_TEMPLATE'}

Showing 1 to 1 of 1 entries

Previous | 1 | Next

🚫 MALWARE LOOKUP

👁 VirusTotal Report   👁 Triage Report   👁 MetaDefender Report   👁 Hybrid Analysis Report

📶 APKiD ANALYSIS

Search: [   ]

DEX ⬍	DETECTIONS ⬍
classes.dex	Search: [ ]

FINDINGS ⬍	DETAILS ⬍
Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
Compiler	unknown (please file detection issue!)
yara_issue	yara issue - dex file recognized by apkid but not yara module

Showing 1 to 3 of 3 entries

Previous | 1 | Next

classes2.dex	Search: [ ]

FINDINGS ⬍	DETAILS ⬍
Compiler	dexlib 2.x

Showing 1 to 1 of 1 entries

Previous | 1 | Next

DEX ⬍	DETECTIONS ⬍
classes3.dex	Search:

FINDINGS ⬍	DETAILS ⬍
Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check possible Build.SERIAL check Build.TAGS check
Compiler	unknown (please file detection issue!)
yara_issue	yara issue - dex file recognized by apkid but not yara module

Showing 1 to 3 of 3 entries

Previous | 1 | Next

DEX	DETECTIONS

classes4.dex

Search:

FINDINGS	DETAILS
Anti Debug Code	Debug.isDebuggerConnected() check
Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check Build.TAGS check SIM operator check network operator name check possible VM check
Compiler	unknown (please file detection issue!)
yara_issue	yara issue - dex file recognized by apkid but not yara module

Showing 1 to 4 of 4 entries

Previous | 1 | Next

DEX ⬍	DETECTIONS ⬍
classes5.dex	Search: [_____]

FINDINGS ⬍	DETAILS ⬍
Compiler	unknown (please file detection issue!)
yara_issue	yara issue - dex file recognized by apkid but not yara module

Showing 1 to 2 of 2 entries

Previous | 1 | Next

Showing 1 to 5 of 5 entries

Previous | 1 | Next

⛬ BEHAVIOUR ANALYSIS

Search: [_____]

RULE ID ⬍	BEHAVIOUR ⬍	LABEL ⬍	FILES ⬍
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	com/rnmaps/maps/ImageUtil.java com/rnmaps/maps/MapTileProvider.java
00004	Get filename and put it to JSON object	file collection	com/airbnb/lottie/LottieCompositionFactory.java
00005	Get absolute path of file and put it to JSON object	file	com/airbnb/lottie/LottieCompositionFactory.java expo/modules/updates/UpdatesUtils.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	me/leolin/shortcutbadger/impl/SamsungHomeBadger.java

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	
00014	Read file into a stream and put it into a JSON object	file	expo/modules/updates/UpdatesUtils.java
00022	Open a file from given absolute path of the file	file	
00024	Write file after Base64 decoding	reflection file	com/airbnb/lottie/LottieCompositionFactory.java expo/modules/filesystem/FileSystemModule.java
00028	Read file from assets directory	file	com/caverock/androidsvg/SimpleAssetResolver.java
00030	Connect to the remote server through the given URL	network	com/airbnb/lottie/network/DefaultLottieNetworkFetcher.java com/bumptech/glide/load/data/HttpUrlFetcher.java

Showing 1 to 10 of 32 entries

Previous   1   2   3   4   Next

⠿ABUSED PERMISSIONS

Top Malware Permissions   **8**/25

android.permission.INTERNET,
android.permission.READ_PHONE_STATE,
android.permission.SYSTEM_ALERT_WINDOW,
android.permission.VIBRATE,
android.permission.ACCESS_NETWORK_STATE,
android.permission.ACCESS_WIFI_STATE,
android.permission.RECEIVE_BOOT_COMPLETED,
android.permission.WAKE_LOCK

Other Common Permissions   **3**/44

android.permission.FOREGROUND_SERVICE,
com.google.android.c2dm.permission.RECEIVE,
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions are the top permissions that are widely abused by known malware.
Other Common Permissions are permissions that are commonly abused by known malware.

🌐 SERVER LOCATIONS

This app may communicate with the following OFAC sanctioned list of countries.

Search: [   ]

DOMAIN	COUNTRY/REGION
No data available in table	

Showing 0 to 0 of 0 entries

Previous Next

🔍 DOMAIN MALWARE CHECK

Search: [   ]

DOMAIN	STATUS	GEOLOCATION
.css	ok	No Geolocation information available.
.jpg	ok	No Geolocation information available.
docs.expo.dev	ok	**IP:** 104.18.4.104 **Country:** United States of America **Region:** California **City:** San Francisco **Latitude:** 37.775700 **Longitude:** -122.395203 **View:** **Google Map**
docs.swmansion.com	ok	**IP:** 172.64.80.1 **Country:** United States of America **Region:** California **City:** San Francisco **Latitude:** 37.775700 **Longitude:** -122.395203 **View:** **Google Map**
expo.dev	ok	**IP:** 104.18.5.104 **Country:** United States of America **Region:** California **City:** San Francisco **Latitude:** 37.775700 **Longitude:** -122.395203 **View:** **Google Map**
filesystem.local	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
github.com	ok	**IP:** 140.82.112.4 **Country:** United States of America **Region:** California **City:** San Francisco **Latitude:** 37.775700 **Longitude:** -122.395203 **View:** **Google Map**
shopify.github.io	ok	**IP:** 185.199.111.153 **Country:** United States of America **Region:** Pennsylvania **City:** California **Latitude:** 40.065632 **Longitude:** -79.891708 **View:** **Google Map**
www.a	ok	No Geolocation information available.
www.c	ok	No Geolocation information available.

Showing 1 to 10 of 28 entries

Previous | 1 | 2 | 3 | Next

🌐 URLS

Search:

URL	FILE
data:image	com/bumptech/glide/load/model/DataUrlLoader.java
file:///	expo/modules/filesystem/FileSystemModuleKt.java

URL	FILE
file:///android_asset/	com/bumptech/glide/load/model/AssetUriLoader.java
file:///android_res/	expo/modules/asset/ResourceAssetKt.java
file:///android_res/ file:///android_asset/	expo/modules/updates/utils/AndroidResourceAssetUtils.java
http://filesystem.local file:///android_asset/	expo/modules/fetch/OkHttpFileUrlInterceptor.java
http://filesystem.local file:///android_asset/	expo/modules/fetch/OkHttpFileUrlInterceptorKt.java
http://xml.org/sax/properties/lexical-handler http://xml.org/sax/features/external-general-entities http://xml.org/sax/features/external-parameter-entities http://www.w3.org/2000/svg http://xmlpull.org/v1/doc/features.html#process-docdecl http://xmlpull.org/v1/doc/features.html#process-namespaces http://www.w3.org/1999/xlink http://www.w3.org/tr/svg11/feature#	com/caverock/androidsvg/SVGParser.java
https://docs.expo.dev/push-notifications/fcm-credentials/	expo/modules/notifications/tokens/PushTokenModule.java
https://docs.swmansion.com/react-native-gesture-handler/docs/guides/migrating-off-rnghenabledroot	com/swmansion/gesturehandler/react/RNGestureHandlerEnabledRootView.java

Showing 1 to 10 of 20 entries

Previous | 1 | 2 | Next

✉ **EMAILS**

🏛 TRACKERS

TRACKER NAME ⬍	CATEGORIES ⬍	URL ⬍
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27

Showing 1 to 1 of 1 entries

Previous | 1 | Next

🔑 POSSIBLE HARDCODED SECRETS

▶ Show all **397** secrets

𝐀 STRINGS

From APK Resource

▶ Show all **275** strings

From Code

▶ Show all **55687** strings

From Shared Objects

🔤 ACTIVITIES

▼ Showing all **7** activities

ca.agencemobilitedurable.mobicite.MainActivity
ca.agencemobilitedurable.mobicite.LaunchActivity
expo.modules.notifications.service.NotificationForwarderActivity

com.google.android.gms.auth.api.signin.internal.SignInHubActivity

com.google.android.gms.common.api.GoogleApiActivity

com.google.android.play.core.common.PlayCoreDialogWrapperActivity

com.pairip.licensecheck.LicenseActivity

⚙️ SERVICES

▼ Showing all **11** services

com.google.firebase.components.ComponentDiscoveryService

expo.modules.notifications.service.ExpoFirebaseMessagingService

androidx.work.impl.background.systemalarm.SystemAlarmService

androidx.work.impl.background.systemjob.SystemJobService

androidx.work.impl.foreground.SystemForegroundService

androidx.room.MultiInstanceInvalidationService

com.google.firebase.messaging.FirebaseMessagingService

com.google.firebase.sessions.SessionLifecycleService

com.google.android.gms.auth.api.signin.RevocationBoundService

com.google.android.datatransport.runtime.backends.TransportBackendDiscovery

com.google.android.datatransport.runtime.scheduling.jobscheduling.JobInfoSchedulerService

🎧 RECEIVERS

▼ Showing all **12** receivers

expo.modules.notifications.service.NotificationsService

androidx.work.impl.utils.ForceStopRunnable$BroadcastReceiver

androidx.work.impl.background.systemalarm.ConstraintProxy$BatteryChargingProxy

androidx.work.impl.background.systemalarm.ConstraintProxy$BatteryNotLowProxy

androidx.work.impl.background.systemalarm.ConstraintProxy$StorageNotLowProxy

androidx.work.impl.background.systemalarm.ConstraintProxy$NetworkStateProxy

androidx.work.impl.background.systemalarm.RescheduleReceiver

androidx.work.impl.background.systemalarm.ConstraintProxyUpdateReceiver

androidx.work.impl.diagnostics.DiagnosticsReceiver

com.google.firebase.iid.FirebaseInstanceIdReceiver

androidx.profileinstaller.ProfileInstallReceiver

com.google.android.datatransport.runtime.scheduling.jobscheduling.AlarmManagerSchedulerBroadcastReceiver

⛁ PROVIDERS

▼ Showing all **7** providers

com.reactnativecommunity.webview.RNCWebViewFileProvider

io.invertase.firebase.crashlytics.ReactNativeFirebaseCrashlyticsInitProvider

io.invertase.firebase.app.ReactNativeFirebaseAppInitProvider

expo.modules.filesystem.FileSystemFileProvider

androidx.startup.InitializationProvider

com.google.firebase.provider.FirebaseInitProvider

com.pairip.licensecheck.LicenseContentProvider

⪢ LIBRARIES

▼ Showing all **1** libraries

org.apache.http.legacy

▤ SBOM

▼ Showing all **72** Versioned Packages

androidx.activity:activity-ktx@1.8.0

androidx.activity:activity@1.8.0

androidx.annotation:annotation-experimental@1.4.0

androidx.appcompat:appcompat-resources@1.7.0

androidx.appcompat:appcompat@1.7.0

androidx.arch.core:core-runtime@dynamic

androidx.asynclayoutinflater:asynclayoutinflater@1.0.0

androidx.autofill:autofill@1.1.0

androidx.biometric:biometric@1.1.0

androidx.browser:browser@1.6.0

androidx.cardview:cardview@1.0.0

androidx.coordinatorlayout:coordinatorlayout@1.2.0

androidx.core:core-ktx@1.13.1

androidx.core:core-splashscreen@1.2.0-alpha02

androidx.core:core@1.13.1

androidx.cursoradapter:cursoradapter@1.0.0

androidx.customview:customview@1.1.0

androidx.datastore:datastore-core@1.1.3

androidx.datastore:datastore-preferences@1.1.3

androidx.datastore:datastore@1.1.3

androidx.documentfile:documentfile@1.0.0

androidx.drawerlayout:drawerlayout@1.1.1

androidx.dynamicanimation:dynamicanimation-ktx@1.0.0-alpha03

androidx.dynamicanimation:dynamicanimation@1.1.0-alpha03

androidx.emoji2:emoji2-views-helper@1.3.0

androidx.emoji2:emoji2@1.3.0

androidx.exifinterface:exifinterface@1.3.6

androidx.fragment:fragment-ktx@1.6.1

androidx.fragment:fragment@1.6.1

androidx.interpolator:interpolator@1.0.0

androidx.legacy:legacy-support-core-ui@1.0.0

androidx.legacy:legacy-support-core-utils@1.0.0

androidx.legacy:legacy-support-v4@1.0.0

androidx.lifecycle:lifecycle-livedata-core-ktx@dynamic

androidx.lifecycle:lifecycle-livedata-core@dynamic

androidx.lifecycle:lifecycle-livedata@dynamic

androidx.lifecycle:lifecycle-process@dynamic

androidx.lifecycle:lifecycle-runtime-ktx@dynamic

androidx.lifecycle:lifecycle-runtime@dynamic

androidx.lifecycle:lifecycle-service@dynamic

androidx.lifecycle:lifecycle-viewmodel-ktx@dynamic

androidx.lifecycle:lifecycle-viewmodel-savedstate@dynamic

androidx.lifecycle:lifecycle-viewmodel@dynamic

androidx.loader:loader@1.1.0

androidx.localbroadcastmanager:localbroadcastmanager@1.0.0

androidx.media:media@1.0.0

androidx.print:print@1.0.0

androidx.profileinstaller:profileinstaller@1.3.1

androidx.recyclerview:recyclerview@1.1.0

androidx.room:room-ktx@2.6.1

androidx.room:room-runtime@2.6.1

androidx.savedstate:savedstate-ktx@1.2.1

androidx.savedstate:savedstate@1.2.1

androidx.slidingpanelayout:slidingpanelayout@1.0.0

androidx.sqlite:sqlite-framework@2.4.0

androidx.sqlite:sqlite@2.4.0

androidx.startup:startup-runtime@1.1.1

androidx.swiperefreshlayout:swiperefreshlayout@1.1.0

androidx.tracing:tracing-ktx@1.2.0

androidx.tracing:tracing@1.2.0

androidx.transition:transition@1.5.0

androidx.vectordrawable:vectordrawable-animated@1.1.0

androidx.vectordrawable:vectordrawable@1.1.0

androidx.versionedparcelable:versionedparcelable@1.1.1

androidx.viewpager2:viewpager2@1.0.0

androidx.viewpager:viewpager@1.0.0

androidx.webkit:webkit@1.4.0

androidx.work:work-runtime@2.7.1

com.google.android.material:material@1.12.0

org.jetbrains.kotlinx:kotlinx-coroutines-android@1.7.3

org.jetbrains.kotlinx:kotlinx-coroutines-core@1.7.3

org.jetbrains.kotlinx:kotlinx-coroutines-play-services@1.7.3

▼ Showing all **45** Packages

a.a

bolts

ca.agencemobilitedurable.mobicite

com.airbnb.android.react.lottie

com.airbnb.lottie

com.bumptech.glide

com.caverock.androidsvg

com.github.penfeizhou.animation

com.henninghall.date_picker

com.horcrux.svg

com.ibits.react_native_in_app_review

com.klarna.vectordrawable

com.mkuczera

com.mrousavy.mmkv

com.pairip.licensecheck

com.reactnativecommunity.netinfo

com.reactnativecommunity.picker

com.reactnativecommunity.webview

com.reactnativekeyboardcontroller

com.rnmaps.maps

com.shopify.reactnative.flash_list

com.swmansion.common

com.swmansion.gesturehandler

com.swmansion.reanimated

com.swmansion.rnscreens

com.swmansion.worklets

com.th3rdwave.safeareacontext

com.zoontek.rnedgetoedge

expo.core

expo.modules

io.invertase.firebase

javax.annotation

javax.inject

jp.wasabeef.glide.transformations

me.leolin.shortcutbadger

net.time4j

okio

org.aomedia.avif.android

org.brotli.dec

org.checkerframework.checker.nullness.compatqual

org.codehaus.mojo.animal_sniffer

org.intellij.lang.annotations

org.jetbrains.annotations

org.linusu

third_party.libavif

🗇 FILES

▶ Show all **2275** files

Version v4.4.3