

❖ APP SCORES



Security Score **50/100**
Trackers Detection **2/432**

❖ FILE INFORMATION

File Name base.apk
Size 47.0MB
MD5 20c1fdcaf3cb4c591b658cf44b0f6220
SHA1 d46e7dfbef3405c3653897b1b546f7833eaccf39
SHA256 71650ba07ba3bb462ce90fd3d4bd894a0d37c1c8f0f2102bfab98e8e2a356ffa

❖ APP INFORMATION

App Name Transit
Package Name com.thetransitapp.droid
Main Activity
Target SDK 36 Min SDK 24 Max SDK
Android Version Name 6.0.10 Android Version Code 5124082

► PLAYSTORE INFORMATION

Title Transit • Subway & Bus Times
Score 4.5781727 Installs 10,000,000+ Price 0 Android Version Support Category Maps & Navigation Play Store URL [com.thetransitapp.droid](https://play.google.com/store/apps/details?id=com.thetransitapp.droid)
Developer Transit, Inc., Developer ID 5688185120427149899
Developer Address None
Developer Website https://transitapp.com?utm_source=googleplay&utm_medium=store
Developer Email info@transitapp.com
Release Date Jul 29, 2013 Privacy Policy [Privacy link](#)
Description

Transit is your real-time urban travel companion. Open the app to instantly see accurate next departure times, track buses and trains near you on the map, and see upcoming transit schedules. Use the trip planner to quickly compare trips - including options like bus and bike, or metro and subway. Get alerted about service disruptions and delays for your favorite lines, and save frequently used locations for trip directions in a tap.

HERE'S WHAT THEY'RE SAYING

"Gives you the best route to where you want to go" - New York Times

"You won't realize how much time you can save planning until you use this app" - LA Times

"Killer app" - Wall Street Journal

"MBTA has a favorite transit app – and it's called Transit" - Boston Globe

"A one-stop-shop" - Washington Post

6 GREAT THINGS ABOUT TRANSIT:

1) The best real-time data.

The app uses the best transit agency data sources like MTA Bus Time, MTA Train Time, NJ Transit MyBus, SF MUNI Next Bus, CTA Bus Tracker, WMATA Next Arrivals, SEPTA Real-Time and many more. We combine that data with our fancy ETA prediction engine so that you get the most accurate real-time info possible for all transit modes - including buses, subways, trains, streetcars, metros, ferries, ridehail and more. Prefer to travel on two wheels? With GPS, you can see live bikeshare and scooter locations right on the map.

2) Travel offline

Bus schedules, stop locations, subway maps and even our trip planner are available offline.

3) Powerful trip planning

See fast and easy trips combining buses, subways and trains - the app even suggests routes that combine multiple options in one trip like bus + bike or scooter + metro. You'll find great trip plans that you never even considered! Don't like to walk a lot or use a certain mode or transit agency? Personalize your travel in the settings.

4) GO: our step-by-step navigator*

Receive departure alarms to catch your bus or train, and get alerted when it's time to get off or transfer. When using GO, you'll also crowdsource more accurate info and real-time ETAs for other passengers- and rack up points and thank yous for being the most helpful rider on your line.

5) User Reports

See what other riders have to say! With millions of users contributing, you'll get helpful info on crowding levels, on-time performance, the closest subway exits, and more.

6) Easy Payments

Pay your transit fare and buy bikeshare passes directly in the app in over 75 cities.

900+ CITIES INCLUDING:

Atlanta, Austin, Baltimore, Boston, Buffalo, Charlotte, Chicago, Cincinnati, Cleveland, Columbus, Dallas, Denver, Detroit, Hartford, Honolulu, Houston, Kansas City, Las Vegas, Los Angeles, Louisville, Madison, Miami, Milwaukee, Minneapolis, Nashville, New Orleans, New York City, Orlando, Philadelphia, Phoenix, Pittsburgh, Providence, Portland, Sacramento, Salt Lake City, San Antonio, San Diego, San Francisco, St. Louis, Tampa,

Washington D.C.

1000+ PUBLIC TRANSIT AGENCIES INCLUDING:

AC Transit, Atlanta Streetcar (MARTA), Bee-Line, Big Blue Bus, Caltrain, Cap Metro, CATS, CDTA, CTA, CT Transit, DART, DC Metro (WMATA), DDOT, GCRTA, HART, Houston Metro, KCATA, King County Metro Transit, LA DOT, LA Metro, LBT, LIRR, Lynx, MCTS, MDOT MTA, Metra, Metrolink, MetroNorth, Miami Dade Transit, MTA BUS, NCTD, New Jersey Transit (NJT), NFTA, NICE, NYC MTA Subway, OCTA, PACE, Pittsburgh Regional Transit (PRT), Ride-On, RTD, SEPTA, SF BART, SF Muni, Sound Transit, SORTA (Metro), St. Louis Metro, TANK, TheBus, Tri-Met, UTA, Valley Metro, VIA

SEE ALL SUPPORTED CITIES & COUNTRIES: TRANSITAPP.COM/REGION

--

Questions or feedback? Browse our help pages: help.transitapp.com, email us: info@transitapp.com, or find us on X: @transitapp

299 / 29

EXPORTED ACTIVITIES

[View All](#) 

2 / 15

EXPORTED SERVICES

[View All](#) 

5 / 14

EXPORTED RECEIVERS

[View All](#) 

0 / 6

EXPORTED PROVIDERS

[View All](#) 

 **SCAN OPTIONS**

 **DECOMPILED CODE**

SIGNER CERTIFICATE

```
Binary is signed
v1 signature: False
v2 signature: True
v3 signature: True
v4 signature: False
X.509 Subject: C=CA, ST=Qc, L=Montreal, O=The Transit App, OU=Unknown, CN=Samuel Dionne
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2013-05-03 22:21:04+00:00
Valid To: 2040-09-18 22:21:04+00:00
Issuer: C=CA, ST=Qc, L=Montreal, O=The Transit App, OU=Unknown, CN=Samuel Dionne
Serial Number: 0x7a1bd445
Hash Algorithm: sha256
md5: 8b9725a904abe9f3bc93fdc0a7bf43b3
sha1: 0c8f819b33472d78065d61219b2e1eb1c63fd8fe
sha256: a055a86a4f7538d3ee2d575c06743281b813052373dea5bfff10d201581551341
sha512: fde66c2f57173546244babefb3d041eeeea3f8e5ec43825d3bde9f13551ba15881bd8f5ebc9ade213f1a12b3d06bfbdb9ca9c7953f56b317ca0785ff0e9a21231
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: 37b4297f88d9f4458425d6a38733e2bfcf765057c0f89e64a626214d8d458c50
Found 1 unique certificates
```

APPLICATION PERMISSIONS

Search:

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
.permission.MAPS_RECEIVE	unknown	Unknown permission	Unknown permission from android reference	

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.	
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.	
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.	
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.	
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.	
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.	
android.permission.FOREGROUND_SERVICE_LOCATION	normal	allows foreground services with location use.	Allows a regular application to use Service.startForeground with the type "location".	

PERMISSION	STATUS	INFO	DESCRIPTION	CODE MAPPINGS
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.	
android.permission.MODIFY_AUDIO_SETTINGS	normal	change your audio settings	Allows application to modify global audio settings, such as volume and routing.	

Showing 1 to 10 of 28 entries

[Previous](#) [1](#) [2](#) [3](#) [Next](#)

ANDROID API

Search:

API	FILES
Android Notifications	
Base64 Decode	
Base64 Encode	
Certificate Handling	
Content Provider	
Crypto	
Dynamic Class and Dexloading	
Get Android Advertising ID	

API	FILES
Get Installed Applications	
Get Network Interface information	

Showing 1 to 10 of 35 entries

[Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

BROWSABLE ACTIVITIES

Search:

ACTIVITY	INTENT
com.google.firebaseio.auth.internal.GenericIdpActivity	Schemes: genericidp://, Hosts: firebase.auth, Paths: /,
com.google.firebaseio.auth.internal.RecaptchaActivity	Schemes: recaptcha://, Hosts: firebase.auth, Paths: /,
com.thetransitapp.droid.shared.deeplink.GeoLaunchActivity	Schemes: geo://,
com.thetransitapp.droid.shared.deeplink.TransitLaunchActivity	Schemes: http://, https://, transit://, transit-x://, transit-a://, transit-uat://, transit-pr://, Hosts: transitapp.com, *, Path Prefixes: /deep-links,

Showing 1 to 4 of 4 entries

[Previous](#) [1](#) [Next](#)

NETWORK SECURITY

Search:

NO	SCOPE	SEVERITY	DESCRIPTION
No data available in table			

Showing 0 to 0 of 0 entries

[Previous](#) [Next](#)

CERTIFICATE ANALYSIS

HIGH
0

WARNING
0

INFO
1

Search:

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

Showing 1 to 1 of 1 entries

[Previous](#) [1](#) [Next](#)



MANIFEST ANALYSIS

HIGH
1

WARNING
309

INFO
0

SUPPRESSED
0

Search:

NO	ISSUE	SEVERITY	DESCRIPTION	OPTIONS
1	App can be installed on a vulnerable unpatched Android version Android 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.	
2	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.	
3	Activity-Alias (com.thetransitapp.droid.shared.activity.SplashActivityiconyrt) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
4	Activity-Alias (com.thetransitapp.droid.shared.activity.SplashActivityiconxmas) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
5	Activity-Alias (com.thetransitapp.droid.shared.activity.SplashActivityiconwpbgo) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	

NO	ISSUE	SEVERITY	DESCRIPTION	OPTIONS
6	Activity-Alias (com.thetransitapp.droid.shared.activity.SplashActivityiconwatava) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
7	Activity-Alias (com.thetransitapp.droid.shared.activity.SplashActivityiconvta) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
8	Activity-Alias (com.thetransitapp.droid.shared.activity.SplashActivityiconviamt) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
9	Activity-Alias (com.thetransitapp.droid.shared.activity.SplashActivityiconvermont) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	
10	Activity-Alias (com.thetransitapp.droid.shared.activity.SplashActivityvancouvertranslinkyellow) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.	

Showing 1 to 10 of 310 entries

CODE ANALYSIS

HIGH
2

WARNING
7

INFO
3

SECURE
2

SUPPRESSED
0

Search:

NO	ISSUE	SEVERITY	STANDARDS	FILES	OPTIONS
1	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14		
2	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3		
3	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6		
4	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	com/revenuecat/purchases/common/SharedPreferencesManager.java	

NO	ISSUE	SEVERITY	STANDARDS	FILES	OPTIONS
5	The file or SharedPreference is World Writable. Any App can write to the file	high	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/thetransitapp/droid/shared/util/u0.java xi/b.java	
6	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality		
7	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2		
8	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/revenuecat/purchases/paywalls/FontLoader.java com/revenuecat/purchases/storage/DefaultFileCache.java io/ably/lib/http/HttpAuth.java	

NO	ISSUE	SEVERITY	STANDARDS	FILES	OPTIONS
9	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4		
10	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	com/masabi/justride/sdk/platform/AndroidPlatformModule2.java	

Showing 1 to 10 of 14 entries

[Previous](#) [1](#) [2](#) [Next](#)

FLAG SHARED LIBRARY BINARY ANALYSIS

No Shared Objects found.

Search:

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
No data available in table									

Showing 0 to 0 of 0 entries

[Previous](#) [Next](#)

NIAP ANALYSIS v1.3

Search:

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
No data available in table				

Showing 0 to 0 of 0 entries

[Previous](#) [Next](#)

FILE ANALYSIS

Search:

NO	ISSUE	FILES
No data available in table		

Showing 0 to 0 of 0 entries

[Previous](#) [Next](#)

FIREBASE DATABASE ANALYSIS

Search:

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://transit-firebase-production.firebaseio.com

TITLE	SEVERITY	DESCRIPTION
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firbaseremoteconfig.googleapis.com/v1/projects/62431455148/namespaces.firebaseio:fetch?key=AlzaSyA8LFm-ORWSE5M-UXT5xgOwKlbQt8yXg1g. This is indicated by the response: {'state': 'NO_TEMPLATE'}

Showing 1 to 2 of 2 entries

[Previous](#) 1 [Next](#)

MALWARE LOOKUP

 [VirusTotal Report](#)

 [Triage Report](#)

 [MetaDefender Report](#)

 [Hybrid Analysis Report](#)

APKID ANALYSIS

Search:

DEX	DETECTIONS						
classes.dex	<table border="1"> <thead> <tr> <th>FINDINGS</th><th>DETAILS</th></tr> </thead> <tbody> <tr> <td>Anti-VM Code</td><td> Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check SIM operator check network operator name check device ID check </td></tr> <tr> <td>Compiler</td><td>r8</td></tr> </tbody> </table> <p>Showing 1 to 2 of 2 entries</p> <p style="text-align: right;">Previous 1 Next</p>	FINDINGS	DETAILS	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check SIM operator check network operator name check device ID check	Compiler	r8
FINDINGS	DETAILS						
Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check SIM operator check network operator name check device ID check						
Compiler	r8						
classes2.dex	<table border="1"> <thead> <tr> <th>FINDINGS</th><th>DETAILS</th></tr> </thead> <tbody> <tr> <td>Compiler</td><td>r8</td></tr> </tbody> </table> <p>Showing 1 to 1 of 1 entries</p> <p style="text-align: right;">Previous 1 Next</p>	FINDINGS	DETAILS	Compiler	r8		
FINDINGS	DETAILS						
Compiler	r8						

DEX	DETECTIONS								
classes3.dex	<p>Search: <input type="text"/></p> <table border="1"> <thead> <tr> <th>FINDINGS</th><th>DETAILS</th></tr> </thead> <tbody> <tr> <td>Anti Debug Code</td><td>Debug.isDebuggerConnected() check</td></tr> <tr> <td>Anti-VM Code</td><td>Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check Build.TAGS check possible VM check</td></tr> <tr> <td>Compiler</td><td>r8</td></tr> </tbody> </table> <p>Showing 1 to 3 of 3 entries</p> <p style="text-align: right;">Previous 1 Next</p>	FINDINGS	DETAILS	Anti Debug Code	Debug.isDebuggerConnected() check	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check Build.TAGS check possible VM check	Compiler	r8
FINDINGS	DETAILS								
Anti Debug Code	Debug.isDebuggerConnected() check								
Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check Build.TAGS check possible VM check								
Compiler	r8								
classes4.dex	<p>Search: <input type="text"/></p> <table border="1"> <thead> <tr> <th>FINDINGS</th><th>DETAILS</th></tr> </thead> <tbody> <tr> <td>Anti-VM Code</td><td>Build.FINGERPRINT check possible Build.SERIAL check</td></tr> <tr> <td>Compiler</td><td>r8</td></tr> </tbody> </table> <p>Showing 1 to 2 of 2 entries</p> <p style="text-align: right;">Previous 1 Next</p>	FINDINGS	DETAILS	Anti-VM Code	Build.FINGERPRINT check possible Build.SERIAL check	Compiler	r8		
FINDINGS	DETAILS								
Anti-VM Code	Build.FINGERPRINT check possible Build.SERIAL check								
Compiler	r8								

Showing 1 to 4 of 4 entries

[Previous](#) 1 [Next](#)

BEHAVIOUR ANALYSIS

Search:

RULE ID	BEHAVIOUR	LABEL	FILES
00004	Get filename and put it to JSON object	file collection	com/thetransitapp/droid/shared/data/TransitLib.java rd/c.java uc/a.java
00005	Get absolute path of file and put it to JSON object	file	com/thetransitapp/droid/shared/data/TransitLib.java nc/h.java uc/a.java
00009	Put data in cursor to JSON object	file	
00012	Read data and put it into a buffer stream	file	b4/g.java
00013	Read file and put it into a stream	file	
00014	Read file into a stream and put it into a JSON object	file	io/ktor/client/plugins/cookies/c.java nc/h.java rd/c.java
00016	Get location info of the device and put it to JSON object	location collection	
00022	Open a file from given absolute path of the file	file	
00023	Start another application from current application	reflection control	com/thetransitapp/droid/shared/layer/DefaultActionablePlacemarkService.java

RULE ID	BEHAVIOUR	LABEL	FILES
00028	Read file from assets directory	file	p4/a.java

Showing 1 to 10 of 31 entries

[Previous](#) 1 [2](#) [3](#) [4](#) [Next](#)

ABUSED PERMISSIONS

Top Malware Permissions

android.permission.RECEIVE_BOOT_COMPLETED,
 android.permission.ACCESS_NETWORK_STATE,
 android.permission.INTERNET,
 android.permission.WRITE_EXTERNAL_STORAGE,
 android.permission.READ_EXTERNAL_STORAGE,
 android.permission.ACCESS_COARSE_LOCATION,
 android.permission.ACCESS_FINE_LOCATION,
 android.permission.VIBRATE, android.permission.READ_CONTACTS,
 android.permission.WAKE_LOCK, android.permission.CAMERA,
 android.permission.SYSTEM_ALERT_WINDOW,
 android.permission.RECORD_AUDIO

13/25 Other Common Permissions


android.permission.BLUETOOTH,
 android.permission.MODIFY_AUDIO_SETTINGS,
 android.permission.READ_CALENDAR,
 android.permission.FOREGROUND_SERVICE,
 com.google.android.c2dm.permission.RECEIVE

5/44

Malware Permissions are the top permissions that are widely abused by known malware.

Other Common Permissions are permissions that are commonly abused by known malware.

SERVER LOCATIONS



This app may communicate with the following OFAC sanctioned list of countries.

Search:

DOMAIN	COUNTRY/REGION
No data available in table	

Showing 0 to 0 of 0 entries

[Previous](#) [Next](#)

Search:

DOMAIN	STATUS	GEOLOCATION
api.transitapp.com	ok	IP: 34.102.188.182 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
play.google.com	ok	IP: 192.178.192.138 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
stats.transitapp.com	ok	IP: 35.207.50.51 Country: United States of America Region: South Carolina City: North Charleston Latitude: 32.888561 Longitude: -80.007507 View: Google Map
transit-firebase-production.firebaseio.com	ok	IP: 35.190.39.113 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map

DOMAIN	STATUS	GEOLOCATION
transitapp.com	ok	IP: 104.26.4.47 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

Showing 1 to 5 of 5 entries

[Previous](#) [1](#) [Next](#)

🌐 URLs

Search:

URL	FILE
https://transit-firebase-production.firebaseio.com https://play.google.com/store/apps/details?%1\$ https://api.transitapp.com https://transitapp.com/download https://stats.transitapp.com/dump	Android String Resource

Showing 1 to 1 of 1 entries

[Previous](#) [1](#) [Next](#)

✉️ EMAILS

Search:

EMAIL	FILE
info@transitapp.com s@transit.app	Android String Resource

Showing 1 to 1 of 1 entries

[Previous](#) 1 [Next](#)

⚠ TRACKERS

Search:

TRACKER NAME	CATEGORIES	URL
Amplitude	Profiling, Analytics	https://reports.exodus-privacy.eu.org/trackers/125
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27

Showing 1 to 2 of 2 entries

[Previous](#) 1 [Next](#)

🔑 POSSIBLE HARDCODED SECRETS

▼ Showing all **10** secrets

```
"android.credentials.TYPE_PASSWORD_CREDENTIAL" : "Password"
"androidx.credentials.TYPE_PUBLIC_KEY_CREDENTIAL" : "Passkey"
"api_url" : "https://api.transitapp.com"
"com.google.firebaseio.crashlytics.mapping_file_id" : "dd4c5d00bf5647928da9050ae3de98a3"
"firebase_database_url" : "https://transit-firebase-production.firebaseio.com"
"google_api_key" : "AlzaSyA8LFm-ORWSE5M-UXT5xgOwKlbQt8yXg1g"
"google_crash_reporting_api_key" : "AlzaSyA8LFm-ORWSE5M-UXT5xgOwKlbQt8yXg1g"
"location_key" : "Key"
```

```
"password" : "Password"  
"username" : "Username"
```

A STRINGS

From APK Resource

- ▶ Show all **3996** strings

From Code

From Shared Objects

A ACTIVITIES

- ▼ Showing all **29** activities

[com.thetransitapp.droid.shared.activity.SplashActivityDefault](#)
[com.thetransitapp.droid.shared.activity.TransitActivity](#)
[com.thetransitapp.droid.shared.deeplink.TransitLaunchActivity](#)
[com.thetransitapp.droid.shared.deeplink.GeoLaunchActivity](#)
[com.thetransitapp.droid.shared.deeplink.GoogleMapsShareActivity](#)
[com.masabi.justride.sdk.ui.features.universalticket.UniversalTicketActivity](#)
[com.masabi.justride.sdk.ui.features.ticket.TicketActivity](#)
[com.masabi.justride.sdk.ui.features.ticket_info.TicketInfoActivity](#)
[io.intercom.android.sdk.lightbox.LightBoxActivity](#)
[io.intercom.android.sdk.activities.IntercomPostActivity](#)
[io.intercom.android.sdk.post.PostActivityV2](#)
[io.intercom.android.sdk.activities.IntercomNoteActivity](#)
[io.intercom.android.sdk.activities.IntercomSheetActivity](#)
[io.intercom.android.sdk.activities.IntercomCarouselActivity](#)
[io.intercom.android.sdk.helpcenter.articles.IntercomArticleActivity](#)
[io.intercom.android.sdk.survey.ui.IntercomSurveyActivity](#)
[io.intercom.android.sdk.helpcenter.search.IntercomArticleSearchActivity](#)
[io.intercom.android.sdk.m5.IntercomRootActivity](#)
[io.intercom.android.sdk.m5.bubble.IntercomBubbleActivity](#)

[com.revenuecat.purchases.amazon.purchasing.ProxyAmazonBillingActivity](#)
[io.intercom.android.sdk.ui.preview.ui.IntercomPreviewActivity](#)
[com.google.firebaseio.auth.internal.GenericIdpActivity](#)
[com.google.firebaseio.auth.internal.RecaptchaActivity](#)
[androidx.credentials.playservices.HiddenActivity](#)
[com.google.android.gms.auth.api.signin.internal.SignInHubActivity](#)
[com.android.billingclient.api.ProxyBillingActivity](#)
[com.android.billingclient.api.ProxyBillingActivityV2](#)
[com.google.android.gms.common.api.GoogleApiActivity](#)
[com.google.android.play.core.common.PlayCoreDialogWrapperActivity](#)

⚙ SERVICES

▼ Showing all **15** services

[com.thetransitapp.droid.shared.service.GoService](#)
[io.intercom.android.sdk.fcm.IntercomFcmMessengerService](#)
[androidx.camera.core.impl.MetadataHolderService](#)
[com.google.mlkit.common.internal.MlKitComponentDiscoveryService](#)
[com.google.firebaseio.components.ComponentDiscoveryService](#)
[androidx.credentials.playservices.CredentialProviderMetadataHolder](#)
[com.google.android.gms.auth.api.signin.RevocationBoundService](#)
[com.google.android.gms.metadata.ModuleDependencies](#)
[com.google.firebaseio.messaging.FirebaseMessagingService](#)
[androidx.work.impl.background.systemalarm.SystemAlarmService](#)
[androidx.work.impl.background.systemjob.SystemJobService](#)
[androidx.work.impl.foreground.SystemForegroundService](#)
[com.google.android.datatransport.runtime.backends.TransportBackendDiscovery](#)
[androidx.room.MultilInstanceInvalidationService](#)
[com.google.android.datatransport.runtime.scheduling.jobscheduling.JobInfoSchedulerService](#)

👂 RECEIVERS

▼ Showing all **14** receivers

[com.thetransitapp.droid.shared.core.broadcast.TransitBroadcastReceiver](#)
[com.thetransitapp.droid.shared.deeplink.DeeplinkReceiver](#)
[io.intercom.android.sdk.m5.push.ConversationReplyReceiver](#)
[com.google.firebaseio.iid.FirebaseInstanceIdReceiver](#)
[androidx.work.impl.utils.ForceStopRunnable\\$BroadcastReceiver](#)
[androidx.work.impl.background.systemalarm.ConstraintProxy\\$BatteryChargingProxy](#)
[androidx.work.impl.background.systemalarm.ConstraintProxy\\$BatteryNotLowProxy](#)
[androidx.work.impl.background.systemalarm.ConstraintProxy\\$StorageNotLowProxy](#)
[androidx.work.impl.background.systemalarm.ConstraintProxy\\$NetworkStateProxy](#)
[androidx.work.impl.background.systemalarm.RescheduleReceiver](#)
[androidx.work.impl.background.systemalarm.ConstraintProxyUpdateReceiver](#)
[androidx.work.impl.diagnostics.DiagnosticsReceiver](#)
[androidx.profileinstaller.ProfileInstallReceiver](#)
[com.google.android.datatransport.runtime.scheduling.jobscheduling.AlarmManagerSchedulerBroadcastReceiver](#)

PROVIDERS

▼ Showing all **6** providers

[androidx.core.content.FileProvider](#)
[androidx.startup.InitializationProvider](#)
[io.intercom.android.sdk.IntercomInitializeContentProvider](#)
[io.intercom.android.sdk.IntercomFileProvider](#)
[com.google.mlkit.common.internal.MlKitInitProvider](#)
[com.google.firebaseio.provider.FirebaseInitProvider](#)

LIBRARIES

▼ Showing all **1** libraries

[org.apache.http.legacy](#)

SBOM

► Show all **117** Versioned Packages

► Show all **657** Packages

 **FILES**

► Show all **3116** files