



ANDROID STATIC ANALYSIS REPORT



Android Bird (4.369.0.2)


File Name: Bird_Ride_Electric_4.369.0.2_APKPure.xapk

Package Name: co.bird.android

Scan Date: Nov. 9, 2025, 3:23 a.m.

App Security Score: **55/100 (MEDIUM RISK)**

Grade:



Trackers Detection: **2/432**

FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
1	28	5	3	2

FILE INFORMATION

File Name: Bird_Ride_Electric_4.369.0.2_APKPure.xapk

Size: 108.68MB

MD5: 3060484d75d86dc01b8c371b74446d22

SHA1: 42371dbc0d7673d7b537fa960dc7f2837c98791c

SHA256: bf09e69e69a2f85333bd83d25b7f0ef57388d8376cb9c2b89e773a2e991dfca5

APP INFORMATION

App Name: Bird

Package Name: co.bird.android

Main Activity: co.bird.android.app.feature.main.MainActivity

Target SDK: 35

Min SDK: 28

Max SDK:

Android Version Name: 4.369.0.2

Android Version Code: 907520

■ APP COMPONENTS

Activities: 291

Services: 21

Receivers: 18

Providers: 8

Exported Activities: 6

Exported Services: 2

Exported Receivers: 5

Exported Providers: 0

✿ CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: False

v3 signature: True

v4 signature: False

X.509 Subject: C=01, ST=CA, L=Santa Monica, O=Bird Rides, CN=Bird Ride

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2017-08-20 07:12:23+00:00

Valid To: 2117-07-27 07:12:23+00:00

Issuer: C=01, ST=CA, L=Santa Monica, O=Bird Rides, CN=Bird Ride

Serial Number: 0x513b1ec8

Hash Algorithm: sha256

md5: 3a1e1e72b319d26990627ce2862bd7b0

sha1: 877f6a75ad3cff3ea95e7151e3adf4d412b97b6c

sha256: bd0bc056cb0183837e10d386d8c181b6444fc4174ed8badcd0d7295c204fc91

sha512: a96c90bb2c41d98d946af538adff986abf7d316d71cdbcf1b73cb5db1ece534834b1fb0977d429135b0534460672c3b072f88cb42b2fc5840e1d08bac9d2abcb

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 7e325fee794f11c2390c3cb4ecf5faf938d1a310e7a57767e6f9b210fd01a273

Found 1 unique certificates

☰ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.READ_PHONE_STATE	dangerous	read phone state and identity	Allows the application to access the phone features of the device. An application with this permission can determine the phone number and serial number of this phone, whether a call is active, the number that call is connected to and so on.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
com.google.android.gms.permission.ACTIVITY_RECOGNITION	dangerous	allow application to recognize physical activity	Allows an application to recognize physical activity.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.NFC	normal	control Near-Field Communication	Allows an application to communicate with Near-Field Communication (NFC) tags, cards and readers.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.FOREGROUND_SERVICE_LOCATION	normal	allows foreground services with location use.	Allows a regular application to use Service.startForeground with the type "location".
android.permission.FOREGROUND_SERVICE_DATA_SYNC	normal	permits foreground services for data synchronization.	Allows a regular application to use Service.startForeground with the type "dataSync".
android.permission.FOREGROUND_SERVICE_CONNECTED_DEVICE	normal	enables foreground services with connected device use.	Allows a regular application to use Service.startForeground with the type "connectedDevice".
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.BLUETOOTH_ADMIN	normal	bluetooth administration	Allows applications to discover and pair bluetooth devices.
android.permission.BLUETOOTH_SCAN	dangerous	required for discovering and pairing Bluetooth devices.	Required to be able to discover and pair nearby Bluetooth devices.
android.permission.BLUETOOTH_CONNECT	dangerous	necessary for connecting to paired Bluetooth devices.	Required to be able to connect to paired Bluetooth devices.
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.DOWNLOAD_WITHOUT_NOTIFICATION	unknown	Unknown permission	Unknown permission from android reference
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.FLASHLIGHT	normal	control flashlight	Allows the application to control the flashlight.
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_ADSERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
co.bird.android.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

APKID ANALYSIS

FILE	DETAILS	
	FINDINGS	DETAILS
3060484d75d86dc01b8c371b74446d22.apk	Obfuscator	DexGuard
	Anti Disassembly Code	illegal class name

FILE	DETAILS	
	FINDINGS	DETAILS
classes.dex	yara_issue	yara issue - dex file recognized by apkid but not yara module
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check
	Compiler	unknown (please file detection issue!)
	Anti Disassembly Code	illegal class name

FILE	DETAILS	
	FINDINGS	DETAILS
classes2.dex	yara_issue	yara issue - dex file recognized by apkid but not yara module
	Anti-VM Code	Build.MANUFACTURER check
	Compiler	unknown (please file detection issue!)
	Anti Disassembly Code	illegal class name
classes3.dex	yara_issue	yara issue - dex file recognized by apkid but not yara module
	Anti-VM Code	Build.MODEL check Build.MANUFACTURER check
	Compiler	unknown (please file detection issue!)
	Anti Disassembly Code	illegal class name

FILE	DETAILS	
	FINDINGS	DETAILS
classes4.dex	yara_issue	yara issue - dex file recognized by apkid but not yara module
	Compiler	unknown (please file detection issue!)
classes5.dex	yara_issue	yara issue - dex file recognized by apkid but not yara module
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check SIM operator check
	Compiler	unknown (please file detection issue!)

FILE	DETAILS	
	FINDINGS	DETAILS
	yara_issue	yara issue - dex file recognized by apkid but not yara module
classes6.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check possible VM check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	unknown (please file detection issue!)
	Anti Disassembly Code	illegal class name

FILE	DETAILS	
	FINDINGS	DETAILS
classes7.dex	yara_issue	yara issue - dex file recognized by apkid but not yara module
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check Build.TAGS check network operator name check subscriber ID check emulator file check possible VM check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	unknown (please file detection issue!)

FILE	DETAILS										
	<table border="1"> <thead> <tr> <th data-bbox="745 217 1051 306">FINDINGS</th><th data-bbox="1051 217 1991 306">DETAILS</th></tr> </thead> <tbody> <tr> <td data-bbox="745 306 1051 396">yara_issue</td><td data-bbox="1051 306 1991 396">yara issue - dex file recognized by apkid but not yara module</td></tr> <tr> <td data-bbox="745 396 1051 698">Anti-VM Code</td><td data-bbox="1051 396 1991 698"> Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check possible ro.secure check </td></tr> <tr> <td data-bbox="745 698 1051 788">Anti Debug Code</td><td data-bbox="1051 698 1991 788">Debug.isDebuggerConnected() check</td></tr> <tr> <td data-bbox="745 788 1051 878">Compiler</td><td data-bbox="1051 788 1991 878">unknown (please file detection issue!)</td></tr> </tbody> </table>	FINDINGS	DETAILS	yara_issue	yara issue - dex file recognized by apkid but not yara module	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check possible ro.secure check	Anti Debug Code	Debug.isDebuggerConnected() check	Compiler	unknown (please file detection issue!)
FINDINGS	DETAILS										
yara_issue	yara issue - dex file recognized by apkid but not yara module										
Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check possible ro.secure check										
Anti Debug Code	Debug.isDebuggerConnected() check										
Compiler	unknown (please file detection issue!)										
classes9.dex	<table border="1"> <thead> <tr> <th data-bbox="745 918 1051 1008">FINDINGS</th><th data-bbox="1051 918 1991 1008">DETAILS</th></tr> </thead> <tbody> <tr> <td data-bbox="745 1008 1051 1098">yara_issue</td><td data-bbox="1051 1008 1991 1098">yara issue - dex file recognized by apkid but not yara module</td></tr> <tr> <td data-bbox="745 1098 1051 1237">Anti-VM Code</td><td data-bbox="1051 1098 1991 1237">Build.MODEL check Build.MANUFACTURER check</td></tr> <tr> <td data-bbox="745 1237 1051 1326">Compiler</td><td data-bbox="1051 1237 1991 1326">unknown (please file detection issue!)</td></tr> </tbody> </table>	FINDINGS	DETAILS	yara_issue	yara issue - dex file recognized by apkid but not yara module	Anti-VM Code	Build.MODEL check Build.MANUFACTURER check	Compiler	unknown (please file detection issue!)		
FINDINGS	DETAILS										
yara_issue	yara issue - dex file recognized by apkid but not yara module										
Anti-VM Code	Build.MODEL check Build.MANUFACTURER check										
Compiler	unknown (please file detection issue!)										

BROWSABLE ACTIVITIES

ACTIVITY	INTENT
co.bird.android.app.feature.main.MainActivity	Schemes: @string/deeplink_scheme_https://, @string/deeplink_scheme_http://, @string/deeplink_scheme_bird://, Hosts: @string/deeplink_host_delivery, @string/deeplink_host_qrstuff, @string/deeplink_host_go, @string/deeplink_host_links, @string/deeplink_host_gift, Paths: @string/deeplink_path_qrstuff, Path Prefixes: @string/deeplink_path_prefix_delivery_setup, /, @string/deeplink_path_prefix_navigate, @string/deeplink_path_prefix_place, @string/deeplink_path_prefix_links, @string/deeplink_path_prefix_open, @string/deeplink_path_prefix_motmot, @string/deeplink_path_prefix_map, @string/deeplink_path_prefix_operator_map,
co.bird.android.app.feature.settings.settings.SettingsActivity	Schemes: @string/deeplink_scheme_https://, @string/deeplink_scheme_http://, Hosts: @string/deeplink_host_app, Path Prefixes: @string/deeplink_path_prefix_verify_email,
co.bird.android.feature.payment.paypal.PaypalVaultRequestActivity	Schemes: @string/deeplink_scheme_https://, @string/deeplink_scheme_http://, co.bird.android.dasbraintree://, Hosts: @string/deeplink_host_go, @string/deeplink_host_links, Path Prefixes: /braintree-payments,
co.bird.android.app.feature.magiclink.LoginActivity	Schemes: @string/deeplink_scheme_https://, @string/deeplink_scheme_http://, Hosts: @string/deeplink_host_app, @string/deeplink_host_login, Path Prefixes: @string/deeplink_path_prefix_magic_link, @string/deeplink_path_prefix_request,
com.stripe.android.link.LinkRedirectHandlerActivity	Schemes: link-popup://, Hosts: complete, Paths: /co.bird.android,

ACTIVITY	INTENT
com.stripe.android.payments.StripeBrowserProxyReturnActivity	Schemes: stripesdk://, Hosts: payment_return_url, Paths: /co.bird.android,

🔒 NETWORK SECURITY

HIGH: 0 | WARNING: 0 | INFO: 0 | SECURE: 0

NO	SCOPE	SEVERITY	DESCRIPTION

CRTIFICATE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

MANIFEST ANALYSIS

HIGH: 0 | WARNING: 16 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version Android 9, minSdk=28]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	App has a Network Security Configuration [android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Activity (co.bird.android.app.feature.settings.SettingsActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
4	Activity (co.bird.android.feature.payment.paypal.PaypalVaultRequestActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Activity (co.bird.android.app.feature.magiclink.LoginActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Broadcast Receiver (co.bird.android.app.feature.locale.LocaleChangedReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Activity (co.bird.android.feature.savemoney.SaveMoneyActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
8	TaskAffinity is set for activity (com.chuckerteam.chucker.internal.ui.MainActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
9	Activity (com.stripe.android.link.LinkRedirectHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
10	Activity (com.stripe.android.payments.StripeBrowserProxyReturnActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
11	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
12	TaskAffinity is set for activity (com.braze.push.NotificationTrampolineActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
13	<p>Broadcast Receiver (com.google.firebaseio.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked.</p> <p>Permission: com.google.android.c2dm.permission.SEND [android:exported=true]</p>	warning	<p>A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.</p>
14	<p>Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked.</p> <p>Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]</p>	warning	<p>A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.</p>
15	<p>Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked.</p> <p>Permission: android.permission.DUMP [android:exported=true]</p>	warning	<p>A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.</p>

NO	ISSUE	SEVERITY	DESCRIPTION
16	Broadcast Receiver (no.nordicsemi.android.support.v18.scanner.PendingIntentReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
17	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

CODE ANALYSIS

HIGH: 1 | WARNING: 10 | INFO: 3 | SECURE: 2 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				ch/qos/logback/classic/joran/action/ConfigurationAction.java ch/qos/logback/classic/sift/ContextBasedDiscriminator.java ch/qos/logback/core/CoreConstants.java ch/qos/logback/core/net/ssl/SSL.java ch/qos/logback/core/rolling/helper/DateTokenConverter.java ch/qos/logback/core/rolling/helper/IntegerTokenConverter.java ch/qos/logback/core/rolling/helper/SizeBasedTriggeringPolicy.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				<pre>co/bird/android/app/feature/map/renderer/me stmarker/NestMarkerClusterRenderer.java co/bird/android/manager/bluetooth/internal/ d.java co/bird/android/model/Balance.java co/bird/android/model/IssueSchema.java co/bird/android/model/LegacyRepairType.java co/bird/android/model/SelectedLoggedRepair. java co/bird/android/model/User.java co/bird/android/model/analytics/TraceStart.ja va co/bird/android/model/analytics/TraceStop.ja va co/bird/android/model/contractor/Contractor DataField.java co/bird/android/model/persistence/Bird.java co/bird/android/model/persistence/nestedstru ctures/BountyReason.java co/bird/android/model/persistence/nestedstru ctures/Part.java co/bird/android/model/wire/WireBird.java co/bird/android/model/wire/WireBirdPart.java co/bird/android/model/wire/WireBountyReas on.java co/bird/android/model/wire/WirePart.java co/bird/android/model/wire/WirePromoData.j ava co/bird/android/model/wire/WireSignedUrlUp loadConfigResponse.java co/bird/android/model/wire/WireStripePayme ntAuthResponse.java co/bird/android/model/wire/configs/Config.ja va co/bird/android/model/wire/configs/DeviceVe rificationRecaptchaConfig.java co/bird/android/model/wire/configs/StripePay outConfig.java co/bird/api/request/BankRedirectOneTimeRefi llResponse.java co/bird/api/request/CreateSlackFeedbackBody .</pre>

NO	ISSUE	SEVERITY	STANDARDS	JAVA FILES
				<pre>co/bird/api/response/EphemeralKeyResponse.java co/bird/api/response/ProvisionSmartlockResponse.java co/bird/api/response/ProvisionalKey.java co/bird/api/response/ReservationPaymentResponse.java co/bird/api/response/SmartlockKey.java co/bird/api/response/SmartlockResponse.java co/bird/api/response/StartRidePaymentResponse.java coil/memory/MemoryCache.java com/braze/configuration/BrazeConfig.java com/stripe/android/EphemeralKey.java com/stripe/android/PaymentConfiguration.java com/stripe/android/analytics/SessionSavedStateHandler.java com/stripe/android/auth/PaymentBrowserAuthContract.java com/stripe/android/core/injection/InjectorKt.java com/stripe/android/core/injection/NamedConstantsKt.java com/stripe/android/core/networking/AnalyticsFields.java com/stripe/android/core/networking/ApiRequest.java com/stripe/android/core/networking/NetworkConstantsKt.java com/stripe/android/core/networking/SendAnalyticsRequestV2WorkerKt.java com/stripe/android/customersheet/CustomerSheet.java com/stripe/android/customersheet/CustomerSheetConfigViewModel.java com/stripe/android/customersheet/CustomerSheetContractKt.java com/stripe/android/customersheet/data/CachedCustomerEphemeralKey.java</pre>

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/stripe/android/customersheet/data/Cust merSessionElementsSession.java com/stripe/android/googlepaylauncher/Googl ePayLauncherContract.java com/stripe/android/googlepaylauncher/Googl ePayLauncherViewModel.java com/stripe/android/googlepaylauncher/Googl ePayPaymentMethodLauncherContract.java com/stripe/android/googlepaylauncher/Googl ePayPaymentMethodLauncherViewModel.java com/stripe/android/link/NativeLinkArgs.java com/stripe/android/link/serialization/PopupPa yload.java com/stripe/android/model/AttachConsumerTo LinkAccountSession.java com/stripe/android/model/ConfirmPaymentIn tentParams.java com/stripe/android/model/ConfirmSetupInten tParams.java com/stripe/android/model/ConfirmStripeInten tParams.java com/stripe/android/model/ConsumerSession.j ava com/stripe/android/model/ConsumerSessionL ookup.java com/stripe/android/model/ConsumerSessionS ignup.java com/stripe/android/model/CreateFinancialCon nectionsSessionParams.java com/stripe/android/model/ElementsSession.j ava com/stripe/android/model/ElementsSessionPa rams.java com/stripe/android/model/FinancialConnectio nsSession.java com/stripe/android/model/PaymentIntent.j ava com/stripe/android/model/PaymentMethodCr eateParams.java com/stripe/android/model/RadarSessionWith HCaptcha.java

NO	ISSUE	SEVERITY	STANDARDS	FILES com/stripe/android/model/SetupIntent.java com/stripe/android/model/Source.java com/stripe/android/model/SourceParams.java
1	<u>Files may contain hardcoded sensitive information like usernames, passwords, keys etc.</u>	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/stripe/android/model/Stripe3ds2AuthParams.java com/stripe/android/model/Stripe3ds2Fingerprint.java com/stripe/android/model/StripeIntent.java com/stripe/android/model/parsers/ConsumerSessionJsonParser.java com/stripe/android/model/parsers/ElementsSessionJsonParser.java com/stripe/android/model/parsers/EphemeralKeyJsonParser.java com/stripe/android/model/parsers/FinancialConnectionsSessionJsonParser.java com/stripe/android/model/parsers/NextActionDataParser.java com/stripe/android/model/parsers/PaymentIntentJsonParser.java com/stripe/android/model/parsers/RadarSessionWithHCaptchaJsonParser.java com/stripe/android/model/parsers/SetupIntentJsonParser.java com/stripe/android/model/parsers/SourceJsonParser.java com/stripe/android/payments/PaymentFlowResult.java com/stripe/android/payments/bankaccount/CollectBankAccountForInstantDebitsLauncher.java com/stripe/android/payments/bankaccount/CollectBankAccountLauncher.java com/stripe/android/payments/bankaccount/navigation/CollectBankAccountContract.java com/stripe/android/payments/bankaccount/ui/CollectBankAccountViewEffect.java com/stripe/android/payments/core/authentication/threeds2/Stripe3ds2TransactionContract.java com/stripe/android/payments/paymentlaunch

NO	ISSUE	SEVERITY	STANDARDS	er/PaymentLauncherContract.java FILES com/stripe/android/paymentsheet/ExternalPaymentMethodProxyActivity.java
				com/stripe/android/paymentsheet/IntentConfirmationDefinition.java com/stripe/android/paymentsheet/IntentConfirmationHandler.java com/stripe/android/paymentsheet/IntentConfirmationInterceptor.java com/stripe/android/paymentsheet/PaymentSheet.java com/stripe/android/paymentsheet/PaymentSheetContract.java com/stripe/android/paymentsheet/addresseelement/AddressDetails.java com/stripe/android/paymentsheet/addresseelement/AddressElementActivityContract.java com/stripe/android/paymentsheet/addresseelement/AddressElementNavigator.java com/stripe/android/paymentsheet/addresseelement/AddressLauncher.java com/stripe/android/paymentsheet/flowcontroller/DefaultFlowController.java com/stripe/android/paymentsheet/flowcontroller/FlowControllerActivityResultCaller.java com/stripe/android/paymentsheet/flowcontroller/FlowControllerViewModel.java com/stripe/android/paymentsheet/paymentdatacollection/ach/USBankAccountFormViewModel.java com/stripe/android/paymentsheet/paymentdatacollection/polling/PollingContract.java com/stripe/android/paymentsheet/paymentdatacollection/polling/PollingViewModel.java com/stripe/android/paymentsheet/repositories/CustomerRepository.java com/stripe/android/paymentsheet/state/CustomerState.java com/stripe/android/polling/IntentStatusPoller.java com/stripe/android/stripe3ds2/observability/

NO	ISSUE	SEVERITY	STANDARDS	DefaultSentryConfig.java FILES com/stripe/android/stripe3ds2/transaction/Ac sData.java
				com/stripe/android/stripe3ds2/transaction/AuthenticationRequestParameters.java com/stripe/android/stripe3ds2/transaction/DefaultAcsDataParser.java com/stripe/android/stripe3ds2/transaction/IntentData.java com/stripe/android/stripecardscan/cardimage/verification/CardImageVerificationSheetParams.java com/stripe/android/stripecardscan/cardscan/CardScanFragmentKt.java com/stripe/android/stripecardscan/cardscan/CardScanSheetParams.java com/stripe/android/stripecardscan/framework/api/dto/CardImageVerificationDetailsRequest.java com/stripe/android/stripecardscan/framework/api/dto/ScanStatsCIVRequest.java com/stripe/android/stripecardscan/framework/api/dto/VerifyFramesRequest.java com/stripe/android/uicore/elements/AddressType.java com/stripe/android/view/AddPaymentMethodViewModel.java com/stripe/android/view/PaymentAuthWebViewClient.java com/withpersona/sdk2/inquiry/governmentid/GovernmentId.java com/withpersona/sdk2/inquiry/governmentid/GovernmentIdAnalyzeWorker.java com/withpersona/sdk2/inquiry/governmentid/IdConfig.java com/withpersona/sdk2/inquiry/internal/InquiryState.java com/withpersona/sdk2/inquiry/network/core/ErrorResponse.java com/withpersona/sdk2/inquiry/nfc/PassportNfcReaderConfig.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/withpersona/sdk2/inquiry/ui/UiState.java defpackage/FadeInFadeOutAnimationItem.java defpackage/HcaptchaConfig.java defpackage/HeaderData.java defpackage/KeyDownEvent.java defpackage/PageItemKey.java defpackage/Preference.java defpackage/ProfilingTrace.java defpackage/ReactionTimeTestCompleted.java defpackage/ReplaceConfirmationDialog.java defpackage/RidePassV4DetailsState.java defpackage/RidePassViewModel.java defpackage>ShowConfirmTransferDialog.java defpackage/SlotReader.java defpackage/TextContextMenuMenuItem.java defpackage/TextContextMenuRemoteActionItem.java defpackage/Tweak.java defpackage/VisaCheckoutConfiguration.java defpackage/em5.java defpackage/kae.java defpackage/l0s.java defpackage/mi4.java defpackage/oqo.java defpackage/ou0.java defpackage/pwg.java defpackage/q4d.java defpackage/sz0.java defpackage/vc7.java defpackage/w8j.java defpackage/yfn.java zendesk/core/Constants.java zendesk/core/LegacyIdentityMigrator.java zendesk/core/ZendeskCoreSettingsStorage.java zendesk/core/ZendeskIdentityStorage.java zendesk/core/ZendeskMachineIdStorage.java zendesk/core/ZendeskStorage.java zendesk/support/CreateRequest.java zendesk/support/LegacyRequestMigrator.java zendesk/support/ZendeskArticleVoteStorage.java

NO	ISSUE	SEVERITY	STANDARDS	va FILEs zendesk/support/ZendeskHelpCenterSettingsP rovider.java
				zendesk/support/ZendeskRequestStorage.java zendesk/support/ZendeskSupportSettingsProv ider.java zendesk/support/requestlist/RequestListModel .java zendesk/support/requestlist/RequestListView.j ava
				ch/qos/logback/classic/android/LogcatAppend er.java ch/qos/logback/classic/net/SimpleSocketServe r.java ch/qos/logback/classic/pattern/TargetLengthB asedClassNameAbbreviator.java ch/qos/logback/classic/spi/ThrowableProxy.ja va ch/qos/logback/core/joran/util/Configuratio nWatchListUtil.java ch/qos/logback/core/net/DefaultSocketConnec tor.java ch/qos/logback/core/net/SocketConnectorBas e.java ch/qos/logback/core/recovery/ResilientOutput StreamBase.java ch/qos/logback/core/spi/ContextAwareBase.ja va ch/qos/logback/core/spi/ContextAwareImpl.ja va ch/qos/logback/core/subst/Node.java co/bird/android/widget/cropper/CropImageAc tivity.java co/bird/android/widget/cropper/CropOverlay View.java co/bird/android/widget/cropper/c.java co/bird/android/widget/scan/a.java co/bird/android/widget/viewpager/fixedspeed /ScrollerViewPager.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				<pre>co/bird/android/widget/viewpager/parallax/Fi reSpeedParallaxViewPager.java co/bird/android/widget/viewpager/parallax/Pa rallaxViewPager.java com/afollestad/materialdialogs/list/DialogListE xtKt.java com/afollestad/materialdialogs/list/DialogMult iChoiceExtKt.java com/afollestad/materialdialogs/list/DialogSing leChoiceExtKt.java com/airbnb/lottie/LottieAnimationView.java com/braze/support/BrazeLogger.java com/bumptech/glide/a.java com/bumptech/glide/integration/webp/Webp BitmapFactory.java com/bumptech/glide/load/engine/GlideExcept ion.java com/bumptech/glide/load/resource.bitmap/D efaultImageHeaderParser.java com/caverock/androidsvg/SVGImageView.java com/github/mikephil/charting/charts/BarChart .java com/github/mikephil/charting/charts/BarLine ChartBase.java com/github/mikephil/charting/charts/Chart.jav a com/github/mikephil/charting/charts/Combin edChart.java com/github/mikephil/charting/charts/Horizontal BarChart.java com/github/mikephil/charting/charts/PieRadar ChartBase.java com/github/mikephil/charting/data/PieEntry.ja va com/simplecityapps/recyclerview_fastscroll/vi ews/FastScrollRecyclerView.java com/stripe/android/IssuingCardPinService.jav a com/stripe/android/camera/Camera1Adapter.j ava</pre>

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/stripe/android/camera/CameraAdapter.java com/stripe/android/camera/CameraXAdapter.java ava com/stripe/android/camera/DefaultCameraErrorListener.java com/stripe/android/camera/framework/image/ImageKt.java com/stripe/android/camera/framework/image/NV21ImageKt.java com/stripe/android/camera/scanui/ScanErrorListener.java com/stripe/android/core/Logger.java com/stripe/android/core/storage/SharedPreferencesStorage.java com/stripe/android/core/utils/PluginDetector.java com/stripe/android/stripe3ds2/transaction/Logger.java com/stripe/android/stripecardscan/camera/GetScanCameraAdapterKt.java com/stripe/android/stripecardscan/camera/GetVerifyCameraAdapterKt.java com/stripe/android/stripecardscan/framework/Loader.java com/stripe/android/stripecardscan/framework/WebFetcher\$downloadData\$1.java com/stripe/android/stripecardscan/framework/WebFetcher.java com/stripe/android/stripecardscan/framework/api/LegacyStripeNetwork.java com/stripe/android/stripecardscan/framework/api/NetworkKt.java com/stripe/android/stripecardscan/framework/api/StripeApi\$uploadScanStatsCIV\$1.java com/stripe/android/stripecardscan/framework/api/StripeApi\$uploadScanStatsOCR\$1.java com/stripe/android/stripecardscan/framework/api/StripeNetwork.java com/stripe/android/stripecardscan/framework

NO	ISSUE	SEVERITY	STANDARDS	FILES /ml/TFLAnalyzerFactory.java com/stripe/android/stripecardscan/framework /time/LoggingTimer.java
				com/stripe/android/stripecardscan/scanui/ScanActivity.java com/stripe/android/stripecardscan/scanui/ScanFragment.java com/stripe/android/ui/core/elements/LpmSerializer.java com/stripe/android/uicore/image/ImageLruDiskCache.java com/stripe/android/uicore/image/UiUtilsKt.java com/stripe/hcaptcha/webview/HcaptchaWebView.java defpackage/Cnew.java defpackage/a0l.java defpackage/a5j.java defpackage/al2.java defpackage/al6.java defpackage/atq.java defpackage/aw3.java defpackage/axn.java defpackage/b27.java defpackage/b2a.java defpackage/b4z.java defpackage/bcr.java defpackage/bec.java defpackage/bfc.java defpackage/bhx.java defpackage/bjd.java defpackage/bk2.java defpackage/bl6.java defpackage/bm6.java defpackage/bq4.java defpackage/bq5.java defpackage/bqg.java defpackage/br7.java defpackage/brr.java defpackage/c04.java

NO	ISSUE	SEVERITY	STANDARDS	FILES defpackage/c06.java defpackage/c08.java defpackage/c5r.java
				defpackage/c80.java defpackage/c9.java defpackage/c9s.java defpackage/ck2.java defpackage/cl.java defpackage/cs0.java defpackage/cs20.java defpackage/cu7.java defpackage/cuq.java defpackage/d1c.java defpackage/d1v.java defpackage/d2h.java defpackage/d3v.java defpackage/deq.java defpackage/dgo.java defpackage/diw.java defpackage/dl0.java defpackage/dl6.java defpackage/dr7.java defpackage/dsr.java defpackage/du00.java defpackage/e08.java defpackage/e09.java defpackage/e3z.java defpackage/e710.java defpackage/e8n.java defpackage/e8x.java defpackage/ebm.java defpackage/ebv.java defpackage/eeq.java defpackage/egb.java defpackage/emb.java defpackage/er10.java defpackage/euw.java defpackage/f030.java defpackage/f1v.java defpackage/f65.java

NO	ISSUE	SEVERITY	STANDARDS	FILES defpackage/f80.java defpackage/fa9.java defpackage/fgw.java
				defpackage/fhb.java defpackage/fhx.java defpackage/fln.java defpackage/fnm.java defpackage/ftq.java defpackage/fz7.java defpackage/fzs.java defpackage/g1z.java defpackage/g330.java defpackage/g8r.java defpackage/gdr.java defpackage/geq.java defpackage/ggo.java defpackage/ggz.java defpackage/gi4.java defpackage/gji.java defpackage/gk7.java defpackage/gqi.java defpackage/gri.java defpackage/guc.java defpackage/gz10.java defpackage/h1l.java defpackage/h7n.java defpackage/hbn.java defpackage/her.java defpackage/hes.java defpackage/hgo.java defpackage/hji.java defpackage/hqy.java defpackage/hy5.java defpackage/i14.java defpackage/i3.java defpackage/i5f.java defpackage/i5x.java defpackage/i89.java defpackage/ibr.java defpackage/ieq.java

NO	ISSUE	SEVERITY	STANDARDS	defpackage/ihb.java defpackage/ioa.java defpackage/iqn.java FILES
2	<u>The App logs information. Sensitive information should never be logged.</u>	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	defpackage/iud.java defpackage/iz20.java defpackage/j09.java defpackage/j19.java defpackage/j1l.java defpackage/j2d.java defpackage/j7.java defpackage/j9j.java defpackage/jac.java defpackage/jal.java defpackage/jbn.java defpackage/jbr.java defpackage/jcm.java defpackage/jeq.java defpackage/jer.java defpackage/jfc.java defpackage/jfd.java defpackage/jhb.java defpackage/jjc.java defpackage/jk7.java defpackage/jkd.java defpackage/jkm.java defpackage/jpw.java defpackage/jud.java defpackage/jv20.java defpackage/jvw.java defpackage/jyf.java defpackage/jz0.java defpackage/k1v.java defpackage/k3z.java defpackage/kbo.java defpackage/keq.java defpackage/khu.java defpackage/kkd.java defpackage/kkn.java defpackage/kp2.java defpackage/kp4.java

NO	ISSUE	SEVERITY	STANDARDS	FILES defpackage/kqd.java defpackage/kr3.java defpackage/ksd.java
				defpackage/ksk.java defpackage/ktt.java defpackage/kvn.java defpackage/kx7.java defpackage/kz5.java defpackage/l09.java defpackage/l130.java defpackage/l26.java defpackage/l4n.java defpackage/l5n.java defpackage/l7y.java defpackage/l9j.java defpackage/ldr.java defpackage/leq.java defpackage/lgb.java defpackage/loe.java defpackage/ltt.java defpackage/luw.java defpackage/ma2.java defpackage/mbd.java defpackage/mbm.java defpackage/mj6.java defpackage/mmh.java defpackage/mn9.java defpackage/mnf.java defpackage/mp7.java defpackage/mq20.java defpackage/mr.java defpackage/mw8.java defpackage/mx7.java defpackage/mxb.java defpackage/n230.java defpackage/n3a.java defpackage/n4z.java defpackage/nc7.java defpackage/ngz.java defpackage/nik.java

NO	ISSUE	SEVERITY	STANDARDS	FILES defpackage/nkr.java defpackage/np4.java defpackage/nqr.java
				defpackage/o130.java defpackage/o21.java defpackage/o45.java defpackage/o4j.java defpackage/o80.java defpackage/o8o.java defpackage/oan.java defpackage/obo.java defpackage/oec.java defpackage/oex.java defpackage/ogr.java defpackage/ono.java defpackage/oq10.java defpackage/os8.java defpackage/ost.java defpackage/ou1.java defpackage/oxw.java defpackage/pec.java defpackage/pge.java defpackage/ph7.java defpackage/pkw.java defpackage/pl2.java defpackage/pn8.java defpackage/pqw.java defpackage/pr.java defpackage/ptn.java defpackage/pzg.java defpackage/qax.java defpackage/qbm.java defpackage/qdu.java defpackage/qec.java defpackage/qs2.java defpackage/qs8.java defpackage/qsr.java defpackage/qt1.java defpackage/qtq.java defpackage/qtw.java

NO	ISSUE	SEVERITY	STANDARDS	defpackage/qv8.java defpackage/qz8.java defpackage/r510.java defpackage/r90.java defpackage/rbn.java defpackage/re.java defpackage/rfd.java defpackage/rfs.java defpackage/rgo.java defpackage/rq2.java defpackage/rr0.java defpackage/rs8.java defpackage/rv.java defpackage/rxy.java defpackage/s0.java defpackage/s3a.java defpackage/sbm.java defpackage/sbu.java defpackage/sdr.java defpackage/shw.java defpackage/sid.java defpackage/sik.java defpackage/sl8.java defpackage/spr.java defpackage/src.java defpackage/stq.java defpackage/stx.java defpackage/sw0.java defpackage/szr.java defpackage/t0c.java defpackage/t7r.java defpackage/tad.java defpackage/tcd.java defpackage/te0.java defpackage/tec.java defpackage/tel.java defpackage/tfa.java defpackage/tgb.java defpackage/ti4.java defpackage/tq10.java

NO	ISSUE	SEVERITY	STANDARDS	FILES defpackage/trc.java defpackage/tuw.java defpackage/tv6.java
				defpackage/tww.java defpackage/u14.java defpackage/u5c.java defpackage/u65.java defpackage/u8g.java defpackage/u9j.java defpackage/ubm.java defpackage/uc7.java defpackage/uik.java defpackage/uix.java defpackage/unm.java defpackage/ury.java defpackage/ut8.java defpackage/uvy.java defpackage/uhn.java defpackage/uyy.java defpackage/v7t.java defpackage/vcq.java defpackage/vex.java defpackage/vfh.java defpackage/vi3.java defpackage/vp4.java defpackage/vqy.java defpackage/vtu.java defpackage/vz7.java defpackage/vzu.java defpackage/w2z.java defpackage/w500.java defpackage/w5n.java defpackage/w70.java defpackage/wa9.java defpackage/wch.java defpackage/wdd.java defpackage/wgo.java defpackage/wh00.java defpackage/wj0.java defpackage/wkn.java

NO	ISSUE	SEVERITY	STANDARDS	defpackage/wn20.java defpackage/wp5.java defpackage/wuq.java
				defpackage/wzu.java defpackage/x0e.java defpackage/x1n.java defpackage/x3a.java defpackage/x6s.java defpackage/x7d.java defpackage/x9j.java defpackage/x9n.java defpackage/xec.java defpackage/xex.java defpackage/xpw.java defpackage/xs6.java defpackage/xst.java defpackage/xt5.java defpackage/xw7.java defpackage/xz8.java defpackage/y7d.java defpackage/y830.java defpackage/ye9.java defpackage/yec.java defpackage/yg10.java defpackage/ygm.java defpackage/yid.java defpackage/yp.java defpackage/yqr.java defpackage/yrd.java defpackage/yt1.java defpackage/yt5.java defpackage/yub.java defpackage/yv0.java defpackage/yzu.java defpackage/z6v.java defpackage/z720.java defpackage/zbo.java defpackage/zec.java defpackage/zj2.java defpackage/zk2.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				defpackage/zpw.java defpackage/zq20.java defpackage/zqr.java defpackage/zrd.java me/dm7/barcodescanner/core/CameraPreview.java me/dm7/barcodescanner/zxing/ZXingScannerView.java net/danlew/android/joda/ResUtils.java net/danlew/android/joda/TimeZoneChangedReceiver.java no/nordicsemi/android/ble/BleManagerHandler.java no/nordicsemi/android/ble/b2.java no/nordicsemi/android/ble/c2.java no/nordicsemi/android/ble/l1.java no/nordicsemi/android/ble/p1.java
3	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	no/nordicsemi/android/ble/q1.java defpackage/m1/java/ble/r1.java defpackage/m1/java/ble/s1.java defpackage/m1/java/ble/t1.java defpackage/tz/DateTimeZoneBuilder.java defpackage/low/i/java/NativeInterpreterWrapper.java zendesk/belvedere/BelvedereFileProvider.java zendesk/belvedere/i.java zendesk/messaging/MessagingModel.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	bo/app/a0.java bo/app/c1.java bo/app/e.java bo/app/f6.java bo/app/h5.java bo/app/j0.java bo/app/j1.java bo/app/k0.java bo/app/l0.java bo/app/m.java bo/app/m4.java bo/app/n6.java bo/app/p1.java bo/app/q4.java bo/app/q6.java bo/app/t0.java bo/app/t3.java bo/app/w6.java bo/app/y0.java com/braze/configuration/RuntimeAppConfigurationProvider.java com/braze/managers/BrazeGeofenceManager.java defpackage/a21.java defpackage/qaj.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
5	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	com/stripe/android/stripecardscan/payment/ml/CardDetectModelManager.java com/stripe/android/stripecardscan/payment/ml/SSDOcrModelManager.java defpackage/ShopContext.java defpackage/e2s.java defpackage/g65.java defpackage/iwa.java defpackage/ocs.java defpackage/qx0.java defpackage/tuf.java defpackage/umh.java defpackage/v60.java defpackage/vuf.java defpackage/vv3.java defpackage/wqe.java defpackage/xyd.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
6	<u>The App uses an insecure Random Number Generator.</u>	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	co/bird/android/app/feature/physicallock/smartlock/SmartlockAssociationPresenter.java co/bird/android/app/feature/physicallock/smartlock/SmartlockAssociationV2Presenter.java co/bird/android/app/feature/physicallock/smartlock/SmartlockOperatorUnlockPresenter.java com/braze/support/IntentUtils.java defpackage/a36.java defpackage/ai4.java defpackage/akm.java defpackage/d3v.java defpackage/e9z.java defpackage/fhx.java defpackage/fpi.java defpackage/g1v.java defpackage/g330.java defpackage/gr20.java defpackage/hfn.java defpackage/n9z.java defpackage/ns10.java defpackage/pbi.java defpackage/rv3.java defpackage/wl9.java defpackage/xh4.java
7	<u>The App uses ECB mode in Cryptographic encryption algorithm. ECB mode is known to be weak as it results in the same ciphertext for identical blocks of plaintext.</u>	high	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-2	co/bird/android/app/feature/physicallock/smartlock/SmartlockAssociationPresenter.java co/bird/android/app/feature/physicallock/smartlock/SmartlockAssociationV2Presenter.java co/bird/android/app/feature/physicallock/smartlock/SmartlockOperatorUnlockPresenter.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
8	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	ch/qos/logback/classic/android/SQLiteAppend er.java defpackage/d1l.java defpackage/jhl.java defpackage/lut.java defpackage/sbz.java defpackage/smuf.java defpackage/tk10.java defpackage/tt8.java defpackage/uky.java defpackage/v7v.java
9	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	ch/qos/logback/core/android/AndroidContext Util.java defpackage/gjx.java defpackage/ocs.java defpackage/xcs.java
10	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	co/bird/android/widget/cropper/CropImageAc tivity.java co/bird/android/widget/cropper/c.java defpackage/a0l.java defpackage/e1a.java defpackage/ejg.java defpackage/gk7.java defpackage/hi9.java defpackage/jud.java defpackage/oh9.java defpackage/qu7.java
11	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	defpackage/ocs.java defpackage/p7s.java defpackage/tzy.java defpackage/y030.java defpackage/zpw.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
12	<u>This App may request root (Super User) privileges.</u>	warning	CWE: CWE-250: Execution with Unnecessary Privileges OWASP MASVS: MSTG-RESILIENCE-1	defpackage/bjk.java defpackage/pas.java
13	<u>This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.</u>	secure	OWASP MASVS: MSTG-NETWORK-4	ch/qos/logback/core/net/ssl/SSLContextFactor yBean.java defpackage/ecs.java defpackage/msn.java
14	<u>This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.</u>	info	OWASP MASVS: MSTG-STORAGE-10	defpackage/en3.java defpackage/iu8.java defpackage/l51.java defpackage/r51.java defpackage/z3e.java
15	<u>MD5 is a weak hash known to have hash collisions.</u>	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/braze/support/StringUtils.java defpackage/een.java defpackage/fa9.java defpackage/ns10.java
16	<u>Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.</u>	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	defpackage/mim.java defpackage/mqq.java defpackage/wa9.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------



BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	ch/qos/logback/classic/android/SQLiteAppender.java ch/qos/logback/core/FileAppender.java ch/qos/logback/core/android/AndroidContextUtil.java ch/qos/logback/core/rolling/helper/Compressor.java ch/qos/logback/core/rolling/helper/FileFinder.java ch/qos/logback/core/rolling/helper/RenameUtil.java co/bird/android/manager/identification/IdentificationManagerImpl.java com/braze/support/BrazeImageUtils.java com/braze/support/WebContentUtils.java com/withpersona/sdk2/inquiry/document/a.java com/withpersona/sdk2/inquiry/document/e.java com/withpersona/sdk2/inquiry/document/g.java com/withpersona/sdk2/inquiry/governmentid/b.java com/withpersona/sdk2/inquiry/governmentid/f.java com/withpersona/sdk2/inquiry/selfie/a.java com/withpersona/sdk2/inquiry/selfie/d.java com/withpersona/sdk2/inquiry/selfie/k.java defpackage/a0l.java defpackage/alj.java defpackage/aqj.java defpackage/bqg.java defpackage/cbc.java defpackage/dbc.java defpackage/du00.java defpackage/enm.java defpackage/fhd.java defpackage/flj.java defpackage/ftq.java defpackage/ggz.java defpackage/gjx.java defpackage/gk7.java defpackage/gqc.java

RULE ID	BEHAVIOUR	LABEL	defpackage/jbj.java defpackage/jud.java FILES defpackage/khu.java defpackage/l6a.java
			defpackage/lgi.java defpackage/mcs.java defpackage/mmx.java defpackage/mrq.java defpackage/nu1.java defpackage/oan.java defpackage/oex.java defpackage/oge.java defpackage/qu7.java defpackage/sk6.java defpackage/tk6.java defpackage/tlj.java defpackage/u6c.java defpackage/ut8.java defpackage/uu7.java defpackage/v2e.java defpackage/vtu.java defpackage/vu7.java defpackage/xe2.java defpackage/xge.java defpackage/xnq.java org/tensorflow/lite/a.java zendesk/core/ZendeskSessionStorage.java zendesk/support/request/AttachmentUploadService.java zendesk/support/request/CellAttachmentLoadingUtil.java

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	<pre> co/bird/android/app/push/MyFirebaseMessagingService.java com/braze/Braze.java com/braze/push/BrazeNotificationUtils.java com/braze/ui/inappmessage/views/InAppMessageHtmlBaseView.java com/braze/ui/support/UriUtils.java com/stripe/android/link/LinkActivityResultKt.java com/stripe/android/link/LinkForegroundActivity.java com/stripe/android/payments/StripeBrowserLauncherViewModel.java com/stripe/android/ui/core/elements/AfterpayClearpayElementUIKt.java com/stripe/android/uicore/text/HtmlKt.java com/stripe/android/view/PaymentAuthWebViewActivityViewModel.java com/stripe/android/view/PaymentAuthWebViewClient.java com/withpersona/sdk2/inquiry/launchers/CustomTabsLauncherModuleKt.java defpackage/aw3.java defpackage/bwz.java defpackage/d1c.java defpackage/dv5.java defpackage/e9z.java defpackage/hz.java defpackage/ir7.java defpackage/j2r.java defpackage/jbj.java defpackage/lgg.java defpackage/o30.java defpackage/qv5.java defpackage/s5k.java defpackage/td2.java defpackage/tk10.java defpackage/v2e.java defpackage/ze00.java it/inps/spid/activity/IdentityProviderSelectorActivity.java zendesk/support/guide/ViewArticleActivity.java zendesk/support/request/ComponentInputForm.java zendesk/support/requestlist/RequestListView.java </pre>

RULE ID	BEHAVIOUR	LABEL	FILES
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	co/bird/android/app/push/MyFirebaseMessagingService.java com/stripe/android/link/LinkForegroundActivity.java com/stripe/android/payments/StripeBrowserLauncherViewModel.java com/stripe/android/uicore/text/HtmlKt.java com/withpersona/sdk2/inquiry/launchers/CustomTabsLauncherModuleKt.java defpackage/aw3.java defpackage/j2r.java defpackage/lgg.java defpackage/v2e.java zendesk/support/guide/ViewArticleActivity.java
00036	Get resource file from res/raw directory	reflection	com/braze/push/BrazeNotificationUtils.java com/braze/ui/support/UriUtils.java com/guness/widget/NavigationView.java defpackage/aw3.java defpackage/d1c.java defpackage/i9j.java defpackage/kkn.java defpackage/lgg.java defpackage/ocs.java defpackage/tzy.java defpackage/v2e.java
			bo/app/m0.java ch/qos/logback/core/joran/GenericConfigurator.java ch/qos/logback/core/joran/action/PropertyAction.java ch/qos/logback/core/rolling/helper/Compressor.java ch/qos/logback/core/util/FileUtil.java co/bird/android/model/LocalAsset.java com/braze/support/BrazeImageUtils.java com/braze/support/WebContentUtils.java com/bumptech/glide/integration/webp/WebpBitmapFactory.java com/bumptech/glide/load/a.java com/stripe/android/core/networking/FileUploadRequest.java com/stripe/android/stripecardscan/framework/LoaderKt\$readAssetToByteBuffer\$2

RULE ID	BEHAVIOUR	LABEL	.java com/stripe/android/stripecardscan/framework/LoaderKt\$readFileToByteBuffer\$2.j FILES ava com/stripe/android/stripecardscan/framework/LoaderKt.java
00013	Read file and put it into a stream	file	com/stripe/android/stripecardscan/framework/util/FileKt\$calculateHash\$2.java com/withpersona/sdk2/inquiry/internal/UiStepSavedStateHelper.java defpackage/a0l.java defpackage/aj4.java defpackage/al6.java defpackage/bl6.java defpackage/cu7.java defpackage/dl0.java defpackage/eeq.java defpackage/ejg.java defpackage/enm.java defpackage/f5c.java defpackage/gfh.java defpackage/gk7.java defpackage/k0f.java defpackage/leq.java defpackage/lgi.java defpackage/ni7.java defpackage/o80.java defpackage/oge.java defpackage/orx.java defpackage/qu7.java defpackage/rxy.java defpackage/sk6.java defpackage/tj0.java defpackage/x75.java defpackage/xe2.java defpackage/xge.java defpackage/zpw.java org/joda/time/tz/ZoneInfoProvider.java
00012	Read data and put it into a buffer stream	file	ch/qos/logback/core/rolling/helper/Compressor.java ch/qos/logback/core/util/FileUtil.java com/bumptech/glide/integration/webp/WebpBitmapFactory.java defpackage/gk7.java defpackage/sk6.java

RULE ID	BEHAVIOUR	LABEL	FILES
00053	Monitor data identified by a given content URI changes(SMS, MMS, etc.)	sms	defpackage/ohw.java
00011	Query data from URI (SMS, CALLLOGS)	sms callog collection	defpackage/ohw.java
00123	Save the response to JSON after connecting to the remote server	network command	bo/app/u1.java bo/app/v0.java defpackage/a1v.java defpackage/iz20.java
00091	Retrieve data from broadcast	collection	co/bird/android/app/push/MyFirebaseMessagingService.java com/braze/push/BrazeNotificationUtils.java com/stripe/android/link/LinkForegroundActivity.java com/withpersona/sdk2/inquiry/Inquiry.java defpackage/dyj.java defpackage/ze00.java
00005	Get absolute path of file and put it to JSON object	file	defpackage/mcs.java
00096	Connect to a URL and set request method	command network	com/stripe/android/core/networking/ConnectionFactory.java com/stripe/android/stripe3ds2/transaction/StripeHttpClient.java com/stripe/android/stripecardscan/framework/api/LegacyStripeNetwork.java com/stripe/android/stripecardscan/framework/api/NetworkKt.java defpackage/a16.java defpackage/a1v.java defpackage/brn.java defpackage/dc3.java defpackage/mx7.java defpackage/ovj.java defpackage/rn9.java defpackage/y16.java

RULE ID	BEHAVIOUR	LABEL	FILES
00089	Connect to a URL and receive input stream from the server	command network	bo/app/v0.java com/stripe/android/stripe3ds2/transaction/StripeHttpClient.java com/stripe/android/striepcardscan/framework/api/NetworkKt.java defpackage/a16.java defpackage/a1v.java defpackage/dc3.java defpackage/iz20.java defpackage/mn9.java defpackage/mx7.java defpackage/ojv.java defpackage/pge.java defpackage/rn9.java pl/charmas/android/reactivelocation2/observables/geocode/FallbackReverseGeoco deObservable.java
00030	Connect to the remote server through the given URL	network	bo/app/v0.java com/stripe/android/stripe3ds2/transaction/StripeHttpClient.java defpackage/a16.java defpackage/a1v.java defpackage/iz20.java defpackage/mn9.java defpackage/ojv.java defpackage/y16.java

RULE ID	BEHAVIOUR	LABEL	FILES
00109	Connect to a URL and get the response code	network command	bo/app/v0.java com/stripe/android/payments/core/authentication/RealRedirectResolver.java com/stripe/android/stripe3ds2/transaction/StripeHttpClient.java com/stripe/android/stripecardscan/framework/api/LegacyStripeNetwork.java com/stripe/android/stripecardscan/framework/api/NetworkKt.java defpackage/a16.java defpackage/a1v.java defpackage/brn.java defpackage/dc3.java defpackage/fgw.java defpackage/ilr.java defpackage/iz20.java defpackage/mn9.java defpackage/mx7.java defpackage/ojv.java defpackage/pge.java defpackage/rn9.java
00094	Connect to a URL and read data from it	command network	defpackage/a16.java defpackage/iz20.java
00108	Read the input stream from given URL	network command	defpackage/Ctry.java defpackage/a16.java defpackage/ii00.java defpackage/iz20.java defpackage/o61.java
00075	Get location of the device	collection location	defpackage/vcq.java defpackage/y69.java
00147	Get the time of current location	collection location	defpackage/vcq.java

RULE ID	BEHAVIOUR	LABEL	FILES
00115	Get last known location of the device	collection location	defpackage/vcq.java defpackage/xcs.java
00078	Get the network operator name	collection telephony	bo/app/k0.java com/stripe/android/stripecardscan/framework/util/DeviceKt.java defpackage/mu.java
00034	Query the current data network type	collection network	defpackage/mu.java
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	defpackage/aqj.java defpackage/g55.java defpackage/lu1.java defpackage/xnq.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms callog calendar	defpackage/iid.java defpackage/kbo.java defpackage/oan.java
00183	Get current camera parameters and change the setting.	camera	com/stripe/android/camera/Camera1Adapter.java me/dm7/barcodescanner/core/BarcodeScannerView.java me/dm7/barcodescanner/core/CameraPreview.java
00028	Read file from assets directory	file	defpackage/bu7.java
00062	Query WiFi information and WiFi Mac Address	wifi collection	defpackage/ocs.java
00130	Get the current WIFI information	wifi collection	defpackage/ocs.java defpackage/xcs.java
00009	Put data in cursor to JSON object	file	defpackage/ocs.java

RULE ID	BEHAVIOUR	LABEL	FILES
00116	Get the current WiFi MAC address and put it into JSON	wifi collection	defpackage/ocs.java
00004	Get filename and put it to JSON object	file collection	defpackage/ocs.java defpackage/xcs.java
00076	Get the current WiFi information and put it into JSON	collection wifi	defpackage/ocs.java defpackage/xcs.java
00082	Get the current WiFi MAC address	collection wifi	defpackage/ocs.java
00187	Query a URI and check the result	collection sms callog calendar	defpackage/hny.java defpackage/pkw.java defpackage/ury.java
00024	Write file after Base64 decoding	reflection file	defpackage/gqc.java
00023	Start another application from current application	reflection control	defpackage/v2e.java
00042	Query WiFi BSSID and scan results	collection wifi	defpackage/xcs.java
00137	Get last known location of the device	location collection	defpackage/xcs.java
00139	Get the current WiFi id	collection wifi	defpackage/xcs.java
00066	Query the ICCID number	collection	defpackage/xcs.java
00135	Get the current WiFi id and put it into JSON.	wifi collection	defpackage/xcs.java

RULE ID	BEHAVIOUR	LABEL	FILES
00067	Query the IMSI number	collection	defpackage/xcs.java
00113	Get location and put it into JSON	collection location	defpackage/xcs.java
00016	Get location info of the device and put it to JSON object	location collection	defpackage/xcs.java
00072	Write HTTP input stream into a file	command network file	com/stripe/android/stripecardscan/framework/api/NetworkKt.java
00153	Send binary data over HTTP	http	defpackage/rn9.java
00132	Query The ISO country code	telephony collection	defpackage/btq.java
00014	Read file into a stream and put it into a JSON object	file	defpackage/aj4.java defpackage/ejg.java
00121	Create a directory	file command	co/bird/android/widget/cropper/CropImage.java
00125	Check if the given file path exist	file	co/bird/android/widget/cropper/CropImage.java
00195	Set the output path of the recorded file	record file	defpackage/fhd.java
00199	Stop recording and release recording resources	record	defpackage/fhd.java
00198	Initialize the recorder and start recording	record	defpackage/fhd.java

RULE ID	BEHAVIOUR	LABEL	FILES
00194	Set the audio source (MIC) and recorded file format	record	defpackage/fhd.java
00197	Set the audio encoder and initialize the recorder	record	defpackage/fhd.java
00007	Use absolute path of directory for the output media file path	file	defpackage/fhd.java
00196	Set the recorded file format and output path	record file	defpackage/fhd.java
00189	Get the content of a SMS message	sms	defpackage/oan.java
00188	Get the address of a SMS message	sms	defpackage/oan.java
00200	Query data from the contact list	collection contact	defpackage/oan.java
00201	Query data from the call log	collection callog	defpackage/oan.java
00173	Get bounds in screen of an AccessibilityNodeInfo and perform action	accessibility service	defpackage/j7.java
00191	Get messages in the SMS inbox	sms	defpackage/kkn.java
00202	Make a phone call	control	defpackage/j2r.java
00203	Put a phone number into an intent	control	defpackage/j2r.java

RULE ID	BEHAVIOUR	LABEL	FILES
00029	Initialize class object dynamically	reflection	defpackage/syb.java
00039	Start a web server	control network	ch/qos/logback/classic/net/SimpleSocketServer.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://zigzag-75e51.firebaseio.com/zigzag/fleet2.json
App talks to a Firebase database	info	The app talks to Firebase database at https://birdrides.firebaseio.com
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firbaseremoteconfig.googleapis.com/v1/projects/600683507063/namespaces.firebaseio:fetch?key=AlzaSyDYQgQCZs5WsE8PHGPMHQ44juRZqEuzP_Q . This is indicated by the response: The response code is 403

ABUSED PERMISSIONS

Type	Matches	Permissions
Malware Permissions	12/25	android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_WIFI_STATE, android.permission.READ_PHONE_STATE, android.permission.VIBRATE, android.permission.WAKE_LOCK, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.ACCESS_FINE_LOCATION, android.permission.CAMERA, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.ACCESS_COARSE_LOCATION, android.permission.READ_EXTERNAL_STORAGE
Other Common Permissions	8/44	com.google.android.gms.permission.ACTIVITY_RECOGNITION, android.permission.FOREGROUND_SERVICE, android.permission.BLUETOOTH, android.permission.BLUETOOTH_ADMIN, android.permission.FLASHLIGHT, com.google.android.c2dm.permission.RECEIVE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE, com.google.android.gms.permission.AD_ID

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

Domain	Country/Region

🔍 DOMAIN MALWARE CHECK

Domain	Status	Geolocation
dust.k8s.test-001.d-usw-2.braze.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
go.spin.pm	ok	IP: 199.36.158.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
ppm.stripe.com	ok	IP: 3.228.62.110 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
issuetracker.google.com	ok	IP: 192.178.192.101 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
r.stripe.com	ok	IP: 54.187.159.182 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map

DOMAIN	STATUS	GEOLOCATION
stripe.com	ok	IP: 54.162.8.126 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
xmlpull.org	ok	IP: 185.199.108.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
idp.namirialtsp.com	ok	IP: 185.217.29.13 Country: Italy Region: Marche City: Senigallia Latitude: 43.709259 Longitude: 13.216670 View: Google Map
go.bird.co	ok	IP: 151.101.65.195 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.paypalobjects.com	ok	IP: 146.75.83.1 Country: Sweden Region: Vastra Gotalands lan City: Goteborg Latitude: 57.707161 Longitude: 11.966790 View: Google Map
posteid.poste.it	ok	IP: 4.232.8.16 Country: United States of America Region: Louisiana City: Monroe Latitude: 32.548328 Longitude: -92.045235 View: Google Map
support.stripe.com	ok	IP: 198.137.150.41 Country: United States of America Region: Ohio City: Miamisburg Latitude: 39.630859 Longitude: -84.262108 View: Google Map
s.stage2.birdapp.com	ok	IP: 18.67.39.87 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
b.stats.paypal.com	ok	IP: 35.235.122.5 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
merchant-ui-api.stripe.com	ok	IP: 34.233.255.214 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
identity.infocert.it	ok	IP: 34.248.195.35 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
bird1568736586.zendesk.com	ok	IP: 216.198.53.2 Country: United States of America Region: California City: San Francisco Latitude: 37.773968 Longitude: -122.410446 View: Google Map

DOMAIN	STATUS	GEOLOCATION
id.eht.eu	ok	IP: 185.73.249.78 Country: Italy Region: Lombardia City: Milan Latitude: 45.464272 Longitude: 9.189510 View: Google Map
goo.gle	ok	IP: 67.199.248.13 Country: United States of America Region: New York City: New York City Latitude: 40.739288 Longitude: -73.984955 View: Google Map
cs.android.com	ok	IP: 142.250.139.113 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
link.com	ok	IP: 54.162.8.126 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map

DOMAIN	STATUS	GEOLOCATION
checkout.link.com	ok	IP: 146.75.76.176 Country: Sweden Region: Vastra Gotalands lan City: Goteborg Latitude: 57.707161 Longitude: 11.966790 View: Google Map
firebaseinstallations.googleapis.com	ok	IP: 192.178.192.95 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
c.sandbox.paypal.com	ok	IP: 146.75.83.1 Country: Sweden Region: Vastra Gotalands lan City: Goteborg Latitude: 57.707161 Longitude: 11.966790 View: Google Map
maps.googleapis.com	ok	IP: 192.178.192.95 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.interpretation	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.googleorganizationautocompleterequirementsconservative	ok	No Geolocation information available.
zigzag-75e51.firebaseio.com	ok	IP: 35.201.97.85 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
firebaseappcheck.googleapis.com	ok	IP: 142.250.139.95 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.gooladservices.com	ok	IP: 192.178.192.156 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
javax.xml.xmlconstants	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.google.com	ok	IP: 142.250.139.104 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.wencodeuricomponent	ok	No Geolocation information available.
sondheim.braze.com	ok	IP: 172.64.144.252 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
www.recaptcha.net	ok	IP: 142.250.137.94 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
withpersona.com	ok	IP: 172.66.1.36 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.example.com	ok	IP: 184.150.39.10 Country: Canada Region: Ontario City: Ottawa Latitude: 45.402420 Longitude: -75.653954 View: Google Map
s.stage.birdapp.com	ok	IP: 18.67.39.77 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www.spid.gov.it	ok	IP: 93.147.186.215 Country: Italy Region: Piemonte City: Ivrea Latitude: 45.458061 Longitude: 7.871920 View: Google Map
.css	ok	No Geolocation information available.
xml.apache.org	ok	IP: 151.101.2.132 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
q.stripe.com	ok	IP: 54.187.159.182 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
www.bird.co	ok	IP: 162.159.135.42 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.recent	ok	No Geolocation information available.
www.w3.org	ok	IP: 104.18.23.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
schemas.android.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.qrstuff.com	ok	IP: 18.67.39.120 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
play.google.com	ok	IP: 192.178.192.139 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
c.paypal.com	ok	IP: 151.101.137.21 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
developer.android.com	ok	IP: 142.250.139.113 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.hortcut	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.style	ok	IP: 99.83.155.228 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
www.zendesk.com	ok	IP: 172.64.153.205 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
api.sandbox.braintreegateway.com	ok	IP: 159.242.242.128 Country: United States of America Region: Illinois City: Chicago Latitude: 41.888401 Longitude: -87.635101 View: Google Map
birdrides.firebaseio.com	ok	IP: 35.201.97.85 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.world	ok	IP: 99.83.155.228 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
identity.sieltecloud.it	ok	IP: 185.107.185.52 Country: Italy Region: Sicilia City: Catania Latitude: 37.502129 Longitude: 15.087190 View: Google Map
www.a	ok	No Geolocation information available.
google.com	ok	IP: 142.250.139.101 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
api.stripe.com	ok	IP: 34.204.109.15 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map

DOMAIN	STATUS	GEOLOCATION
firebaseremoteconfig.googleapis.com	ok	IP: 192.178.192.95 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
firebase.google.com	ok	IP: 142.250.139.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
goo.gl	ok	IP: 142.250.137.101 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
link.co	ok	IP: 18.245.104.12 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
loginspid.aruba.it	ok	IP: 217.61.8.3 Country: Italy Region: Toscana City: Arezzo Latitude: 43.461391 Longitude: 11.876910 View: Google Map
www.language	ok	No Geolocation information available.
s.preflight.birdapp.com	ok	IP: 18.67.39.102 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
.jpg	ok	No Geolocation information available.
help.bird.co	ok	IP: 216.198.53.11 Country: United States of America Region: California City: San Francisco Latitude: 37.773968 Longitude: -122.410446 View: Google Map

DOMAIN	STATUS	GEOLOCATION
loginspid.infocamere.it	ok	IP: 80.82.0.35 Country: Italy Region: Veneto City: Padova Latitude: 45.415192 Longitude: 11.881810 View: Google Map
errors.stripe.com	ok	IP: 198.137.150.41 Country: United States of America Region: Ohio City: Miamisburg Latitude: 39.630859 Longitude: -84.262108 View: Google Map
mobilemlaccelerationcompatibility.googleapis.com	ok	IP: 142.250.139.95 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
logback.qos.ch	ok	IP: 31.97.181.89 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Bowness-on-Windermere Latitude: 54.363312 Longitude: -2.918590 View: Google Map

DOMAIN	STATUS	GEOLOCATION
r.android.com	ok	IP: 142.250.139.113 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
clients3.google.com	ok	IP: 142.250.137.139 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
twitter.com	ok	IP: 162.159.140.229 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
s3-us-west-2.amazonaws.com	ok	IP: 52.218.170.88 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map

DOMAIN	STATUS	GEOLOCATION
files.stripe.com	ok	IP: 23.22.133.111 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
s.dev.birdapp.com	ok	IP: 18.245.104.45 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
tools.android.com	ok	IP: 192.178.192.121 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
spid.register.it	ok	IP: 81.88.59.19 Country: Italy Region: Lombardia City: Bergamo Latitude: 45.697979 Longitude: 9.668950 View: Google Map

DOMAIN	STATUS	GEOLOCATION
support.bird.co	ok	IP: 216.198.53.11 Country: United States of America Region: California City: San Francisco Latitude: 37.773968 Longitude: -122.410446 View: Google Map
www.years	ok	No Geolocation information available.
crbug.com	ok	IP: 216.239.32.29 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.c	ok	No Geolocation information available.
appassets.androidplatform.net	ok	No Geolocation information available.
app-measurement.com	ok	IP: 192.178.192.113 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
idp.intesigroup.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
10.0.2.2	ok	IP: 10.0.2.2 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
sdk.iad-01.braze.com	ok	IP: 104.18.39.68 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
webrtc-consumer.withpersona.com	ok	IP: 172.66.1.36 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
inquiry-fallback.withpersona.com	ok	IP: 34.111.150.223 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api-m.paypal.com	ok	IP: 146.75.83.1 Country: Sweden Region: Vastra Gotalands lan City: Goeteborg Latitude: 57.707161 Longitude: 11.966790 View: Google Map
google.github.io	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
gift.bird.co	ok	IP: 151.101.65.195 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.slf4j.org	ok	IP: 159.100.250.151 Country: Switzerland Region: Vaud City: Lausanne Latitude: 46.515999 Longitude: 6.632820 View: Google Map
www.icon	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
login.id.tim.it	ok	IP: 62.77.60.99 Country: Italy Region: Lazio City: Oriolo Romano Latitude: 42.158119 Longitude: 12.137970 View: Google Map
demo.spid.gov.it	ok	IP: 131.1.245.14 Country: Italy Region: Piemonte City: Torino Latitude: 45.070492 Longitude: 7.686820 View: Google Map
console.firebaseio.google.com	ok	IP: 142.250.139.113 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
xml.org	ok	IP: 104.239.142.8 Country: United States of America Region: Texas City: Windcrest Latitude: 29.499678 Longitude: -98.399246 View: Google Map
www.manifestations	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.in	ok	No Geolocation information available.
qrco.de	ok	IP: 3.164.92.91 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www.risktabsprev10pxrise25pxblueding300ballfordearnwildbox.fairlackverspairjunetechifpickevil	ok	No Geolocation information available.
www.css	ok	No Geolocation information available.
developer.paypal.com	ok	IP: 151.101.137.21 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
s.prod.birdapp.com	ok	IP: 18.67.39.25 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www.text-decoration	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
id.lepida.it	ok	IP: 195.62.162.219 Country: Italy Region: Emilia-Romagna City: Bologna Latitude: 44.493809 Longitude: 11.338750 View: Google Map
routes.googleapis.com	ok	IP: 142.250.139.95 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
pagead2.googlesyndication.com	ok	IP: 142.250.137.157 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
static.afterpay.com	ok	IP: 104.16.223.179 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
ns.adobe.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
docs.withpersona.com	ok	IP: 64.239.123.65 Country: Canada Region: Ontario City: Etobicoke Latitude: 43.623768 Longitude: -79.559723 View: Google Map
bird.zendesk.com	ok	IP: 216.198.53.11 Country: United States of America Region: California City: San Francisco Latitude: 37.773968 Longitude: -122.410446 View: Google Map
m.stripe.com	ok	IP: 54.201.67.30 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
dash.bird.co	ok	IP: 18.67.39.77 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api.braintreegateway.com	ok	IP: 159.242.242.192 Country: United States of America Region: Illinois City: Chicago Latitude: 41.888401 Longitude: -87.635101 View: Google Map
hooks.stripe.com	ok	IP: 34.233.255.214 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
static.bird.co	ok	IP: 18.245.104.78 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
material.io	ok	IP: 216.239.38.21 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
spid.teamsystem.com	ok	IP: 176.100.173.43 Country: Ukraine Region: Dnipropetrovska oblast City: Kryvyy Rih Latitude: 47.909660 Longitude: 33.380440 View: Google Map
github.com	ok	IP: 140.82.113.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.braze.com	ok	IP: 104.17.228.60 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
js.hcaptcha.com	ok	IP: 104.19.230.21 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
s.bird.co	ok	IP: 18.67.39.102 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
docs.stripe.com	ok	IP: 3.228.62.110 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map

✉️ EMAILS

EMAIL	FILE
bird@bird.co	defpackage/ks5.java
email@email.com	com/stripe/android/paymentsheet/paymentdatacollection/bacs/ComposableSingletons\$BacsMandateConfirmationFormKt.java
support@stripe.com	com/stripe/android/core/frauddetection/FraudDetectionDataRequest.java
support@stripe.com	com/stripe/android/core/exception/APIConnectionException.java
support@stripe.com	com/stripe/android/core/networking/ApiRequest.java

EMAIL	FILE
theop@email.com	com/stripe/android/link/ui/LinkButtonKt.java
email@me.co	com/stripe/android/link/ui/inline/ComposableSingletons\$LinkInlineSignupKt.java
email@me.co	com/stripe/android/link/ui/inline/ComposableSingletons\$LinkOptionalInlineSignupKt.java
hello@bird.co support@stripe.com	Android String Resource

TRACKERS

TRACKER	CATEGORIES	URL
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49

HARDCODED SECRETS

POSSIBLE SECRETS
"STR_KEY" : "STR_FROM_RESOURCE_VALUE"
"bird_firebase_api_key" : "AlzaSyA55RrEFVqKkUKIFrVoqP82XBph13Lul2M"

POSSIBLE SECRETS

"bird_firebase_application_id" : "1:600683507063:android:56695593f24e078d"

"bird_firebase_project_id" : "birdrides"

"com.google.firebaseio.crashlytics.mapping_file_id" : "5f0177637bf840f6a981d17db5785c94"

"com_braze_firebase_cloud_messaging_sender_id" : "600683507063"

"com_braze_image_is_read_tag_key" : "com_appboy_image_is_read_tag_key"

"com_braze_image_lru_cache_image_url_key" : "com_braze_image_lru_cache_image_url_key"

"com_braze_image_resize_tag_key" : "com_appboy_image_resize_tag_key"

"dialog_private_bird_scanned_cancel_button" : "Close"

"firebase_database_url" : "https://birdrides.firebaseio.com"

"google_api_client" : "gme-birdridesinc"

"google_api_key" : "AlzaSyDYQgQCZs5WsE8PHGPMHQ44juRZqEuzP_Q"

"google_api_secret" : "bImzLyYqVVJlq5ayq9tmxF2n3c="

"google_crash_reporting_api_key" : "AlzaSyDYQgQCZs5WsE8PHGPMHQ44juRZqEuzP_Q"

"google_maps_key" : "AlzaSyBObYMYcSIBUgxG9AT3fPDKKeX7QqqYZlw"

"google_places_key" : "AlzaSyCbYR26kucQxSlo9hIplDD_UI0_ekCM5w"

POSSIBLE SECRETS

"google_routes_key" : "AlzaSyCuUhfd1q1cD3fQpn0SjZ4DP3yfsAJCHM"

"quality_control_pass" : "PASS"

"recaptcha_enterprise_site_key" : "6LeXYz0eAAAAAPKX9-IUoAfq1gxH7LncglpT6fEq"

"smartlock_environment_rekey_warning_alert_negative_button" : "Cancel"

"smartlock_environment_rekey_warning_alert_positive_button" : "Continue"

"stripe_api_version" : "2017-06-05"

"stripe_key_dev" : "pk_test_jkhrWfLaoAQbEt90l0GbLaSt"

"stripe_key_prod" : "pk_live_mwTRv447YpHB62e5BHCbcJoc"

dcb576a3974a4c82d246c9cb801d9bf9

f6a9ce7e540f6572c79adba4cd7540bf

751f64f6ede6009d6dea2be37d2d30bc

1cbd3130fa23b59692c061c594c16cc0

48e44cce8466fbe31a3a15b0d2b556a8

7a8f862d0175776846b028741bf22b0f

ea51ca5c693a4b8733b1cf1a63557a713a13fabf0bcb724385077694e63a51a7

POSSIBLE SECRETS

68647976601306097149819007990813932172694353001433054093944634591855431833976553942450577463332171975329639963713633211138647686124403
80340372808892707005449

470fa2b4ae81cd56ecbcda9735803434cec591fa

312082ac4a200e3aa820a34e9dbf6e7a

ae32244ccd947fac0b7f96f1a227ae45

39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112316

ac72c06b37efb89e6417a7707016d4f5

69c5eb476889230bdafff656d8552117

820c5c30d2324349cc0fe675a398c9fd

b96fd6fead486fcf49ccb93a42b7232c

fca682ce8e12caba26efccf7110e526db078b05edecbcd1eb4a208f3ae1617ae01f35b91a47e6df63413c5e12ed0899bcd132acd50d99151bdc43ee737592e17

6E400001-B5A3-F393-E0A9-E50E24DCCA9E

e9e642599d355f37c97ffd3567120b8e25c9cd43e927b3a9670fbec5d890141922d2c3b3ad2480093799869d1e846aab49fab0ad26d2ce6a22219d470bce7d777d4a21fbe
9c270b57f607002f3cef8393694cf45ee3688c11a8c56ab127a3daf

48439561293906451759052585252797914202762949526041747995844080717082404635286

6aad81697fd58c76b8f8ecb57e95cd6a

6E400002-B5A3-F393-E0A9-E50E24DCCA9E

POSSIBLE SECRETS

802500f9d5240cec3ca6958208ac008b

8b0b7655bd5239dd0418aed5fbc92018

8325710961489029985546751289520108179287853048861315594709205902480503199884419224438643760392947333078086511627871

f6361bd8eef2014dc06186fc2e580c94

f7e1a085d69b3ddecbbcab5c36b857b97994afbbfa3aea82f9574c0b3d0782675159578ebad4594fe67107108180b449167123e84c281613b7cf09328cc8a6e13c167a8b5
47c8d28e0a3ae1e2bb3a675916ea37f0bfa213562f1fb627a01243bcc4f1bea8519089a883dfe15ae59f06928b665e807b552564014c3bfecf492a

5050a6143b134c14c1a03f33d6a1f731

fd7f53811d75122952df4a9c2eece4e7f611b7523cef4400c31e3f80b6512669455d402251fb593d8d58fabfc5f5ba30f6cb9b556cd7813b801d346ff26660b76b9950a5a49f
9fe8047b1022c24fbba9d7feb7c61bf83b57e7c6a8a6150f04fb83f6d3c51ec3023554135a169132f675f3ae2b61d72aeff22203199dd14801c7

a412574c729a185f2c93ffa13c07de2f

258EAFA5-E914-47DA-95CA-C5AB0DC85B11

bfb878262352aff073f73e277e46fd5e

b0b4417601b59cbc9d8ac8f935cadaec4f5fbb2f23785609ae466748d9b5a536

1093849038073734274511123907668055699362075989516837489945863944959531161507350160137087375737596232485921322967063133094384525315910
12912142327488478985984

403e0d33f9730130b72d83c1ddbf2123

POSSIBLE SECRETS

962eddcc369cba8ebb260ee6b6a126d9346e38c5

d1b9ff2840eeb04934c9ea12ba63b8b4

6fa837ea6c2642c7b866185287444faf

0ab7febcb3d1e6d0faa2dda21adf5ec6

f974e55e479e8cb8c5894eed5fea9231

754a54e5-ba02-4f73-8d26-d7b703209abd

ca51e6d87c2a7bf322ff710885e2e824

ecd49dfb-0e35-47c0-aeb6-61a2507b12b1

dcb428fea25c40e7b99f81ae5981ee6a

2926ff64458c0cd84c1808cd543cf7

3613425095674979579858512791958788195661106672985015071877198253568414405109

68647976601306097149819007990813932172694353001433054093944634591855431833976560521225596406614545549772963113914808580371219879997166
4381257402829115057148

115792089237316195423570985008687907852837564279074904382605163141518161494337

oh/AACypu7EhHlzlqtCgyEK8MToFuQ8E7pI07A

6e400002-b5a3-f393-e0a9-e50e24dcca9e

POSSIBLE SECRETS

42debb9da5b3d88cc956e08787ec3f3a09bba5f48b889a74aaf53174aa0fbe7e3c5b8fc7a53bef563b0e98560328960a9517f4014d3325fc7962bf1e049370d76d1314a76
137e792f3f0db859d095e4a5b932024f079ecf2ef09c797452b0770e1350782ed57ddf794979dcef23cb96f183061965c4ebc93c9c71c56b925955a75f94cccf1449ac43d586
d0beee43251b0b2287349d68de0d144403f13e802f4146d882e057af19b6f6275c6676c8fa0e3ca2713a3257fd1b27d0639f695e347d8d1cf9ac819a26ca9b04cb0eb9b7b
035988d15bbac65212a55239fc7e58fae38d7250ab9991ffbc97134025fe8ce04c4399ad96569be91a546f4978693c7a

26617408020502170632287687167233609607298591687569731477066713684188029449964278084915450806277719023520942412250655586621571135455709
16814161637315895999846

6e400001-b5a3-f393-e0a9-e50e24dcca9e

7884b2129e71fcfe62db9daa3e8b36d9

27580193559959705877849011840389048093056905856361568521428707301988689241309860865136260764883745107765439761230575

115792089210356248762697446949407573529996955224135760342422259061068512044369

a8a7f9f2-08da-4a08-ba0b-cb99c1629b04

b869c82b35d70e1b1ff91b28e37a62ecdc34409b

41058363725152142129326129780047268409114441015993725554835256314039467401291

678471b27a9cf44ee91a49c5147db1a9aaf244f05a434d6486931d2d14271b9e35030b71fd73da179069b32e2935630e1c2062354d0da20a6c416e50be794ca4

1abceae7bb6215f43a505d3cdb9b6457

73a9cd7ab6de707729d59f0223093262

xJXZd/zR0io4+XWtcwbtnyYutpO4NX7DhE3xBg4

0ebdf8fb3b0fe5c9d6f5c3471a4d251

POSSIBLE SECRETS

37f4f15f-d73b-4f1e-8f52-5de2782bd447

8456d029823ab20ae41198831d1971f4

d021e50903eec9cbc308ef1325e340c5

a70b1841a05694f746087779f5a5c887

281ec93684cecaf282de755dba54f93c

8d5155894229d5e689ee01e6018a237e2cae64cd

91074fb7c1038e2e05539447e5b0b5a2

12760fa2-628c-41e4-bb62-cb41acaabb17

a-95ed6082-b8e9-46e8-a73f-ff56f00f5d9d

011ca0ce85c0243857be68711d008d84

c4d7ce95e6004aa79b5d4425d7277dc1

37571800257700204635455072244911836035944551347697624866945677796155444774405563166912344050129455395621444445372894285225856667291965
80810124344277578376784

4a4534de-c21f-48e4-8c93-52242f981001

e8dcee1d3a041f67156bc022d81d895d

ce4e9b0791c3fe22c712adb8300f2b17

POSSIBLE SECRETS

68647976601306097149819007990813932172694353001433054093944634591855431833976560521225596406614545549772963113914808580371219879997166
43812574028291115057151

37a6259cc0c1dae299a7866489dff0bd

5fad5a57be5e57d694bf8cfb3efe8548

77d0f8c4dad15eb8c4f2f8d6726cefd96d5bb399

39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643

43d9545e8c29b645d178878e366a0d64

b148172b24de6922bfa242061645444b

308203c7308202afa003020102021500dc286b43b4ea12039958a00a6655eb84720e46c9300d06092a864886f70d01010b05003074310b3009060355040613025553311
330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e31103
00e060355040b1307416e64726f69643110300e06035504031307416e64726f6964301e170d3137303830343136353333375a170d3437303830343136353333375a3074
310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a1
30b476f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f696430820122300d06092a864886f70d010105000
382010f003082010a02820101008998646f47fc333db09644c303104ed183e904e351152aa66a603b77f63389d45d6fcffae3c94fadf1f28038e265d697fea347327f9081a7f
0b9074d5b148db5bf357c611a77f87f844a15068818bcd5b21d187e93fa2551676170eedce04a150c35ec0a791eef507fa9b406573c36f6f207764842e5677e35a281a422
659e91e26eb4fecfb053b5c936d0976c37f8757adb57a37953da5844ea350695854d343a61ad341b63a1c425d22855af7ebfee018e1736cee98536be5b9947f288e2a26f9
9eb9f91b5de93fec513019d2e90f12b38610d1f02eaa81deca4ce91c19cbce36d6c3025ce2432b3d178616beafaf437c08451bc469c6bc6f4517a714a5b0203010001a350
304e300c0603551d13040530030101ff301d0603551d0e0416041419a864c0f2618c67c803a23da909bc70521f269b301f0603551d2304183016801419a864c0f2618c67c8
03a23da909bc70521f269b300d06092a864886f70d01010b050003820101005403fc56fdefc440376a0337815002b96a15bffc2fe42de6c58f52fae4d80652e3704455b885
409eef81ffbb4c44dba104b6b8e24c9e2e0e7a04338ee73baa5b71bfb4488f8e04bef3d0eaf7d43aa42b03b278c33cc1f0dd3802571624baa161d851fab37db4bc92b9094
b6885df62b400ecd81f069d56a1be1db46d8198c50c9628cdb6e38686ef640fd386775f50376f957e24ea45ed1942968f20c82f189607fdb22f11cfdf0760a77a60ceb341
6cfb3f48f13f9f83f3834a01001750a7c78bc1fd81f0b53a7c41dcba9f5a0118259d083c32bb9ebb84d645d6f6b9c31923d8ab70e7f0a25940ecc9f4945144419f86e8c421d3
b99774f4b8f3d09262e7

9760508f15230bccb292b982a2eb840bf0581cf5

POSSIBLE SECRETS

5413000B-98C4-48E3-999C-01FB46C6547F

95475cf5d93e596c3fc1d902add02f427f5f3c7210313bb45fb4d5bb2e5fe1cbd678cd4bbdd84c9836be1f31c0777725aeb6c2fc38b85f48076fa76bcd8146cc89a6fb2f706
dd719898c2083dc8d896f84062e2c9c94d137b054a8d8096adb8d51952398eeeca852a0af12df83e475aa65d4ec0c38a9560d5661186ff98b9fc9eb60eee8b030376b236bc
73be3acdbd74fd61c1d2475fa3077b8f080467881ff7e1ca56fee066d79506ade51edbb5443a563927dbc4ba520086746175c8885925ebc64c6147906773496990cb714ec
667304e261faee33b3cbdf008e0c3fa90650d97d3909c9275bf4ac86ffcb3d03e6dfc8ada5934242dd6d3bcc2a406cb0b

7a7b88f4067d96353221bd2b9754d819

9cd18dfd5c26d536864e5ff6f17cc189

d68fe2abc6c071b0a5c5ace4df1c944d

82c62205f0ef0ea96608a8

eee871da9d63053f0fc207a96d79896c

9060a884fe7b6a44bbed15649e5815a5

250db86341a6912c122c32ed1a9201fc

c6d27af692afd1c0fdc63ed01d8c5b69

6e400003-b5a3-f393-e0a9-e50e24dcca9e

2a5af67d00bf1abb7c3734dda8456e0f

cd368e3e-709d-433f-a947-1f4418d0e5b7

241b1d64a8f40ed14d7d711581943a9f

POSSIBLE SECRETS

ad75becee2b441a633c61bfb1349cec5

70803aed0cdddf12039cc22174be72c4

242c02c42addee6f5b1630fa70e9955b2

a938c8c551e4e2c52c551405340ca69d

d30ed3a1-10ca-4735-8095-bd14bcbe2595

f8183668ba5fc5bb06b5981e6d8b795d30b8978d43ca0ec572e37e09939a9773

5413000C-98C4-48E3-999C-01FB46C6547F

2b52ab40-cadb-4142-92d2-716dacca6d50

39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319

xBkDPNxUEiMRX5vPP2wqvCR4Grb8GZQqrKNyCOY

02bea59f8a4583530eachb242f879958b

0f2d5388b2fc03a38ca1398460287e5e

9959d9a2e9fd67db013924fb617def91

70c8615f-7903-4cee-b80a-6a1bbb59170

2370838c20d26281c36661b81a01771c

POSSIBLE SECRETS

988952eb21d33fae837a9c805268b024

a2e230464cc2fe908cb70d019d5e0722

aa94729416966e003fc7f31a6c82e04

97b6f155fe68aaf8606aa2c527bc1d6a

86254750241babac4b8d52996a675549

8d8e3f79aa0783ab0cfa5c8d65d663a9da6ba99401efb2298aaaee387c3b00d6

03147b124d26e5453f60774f1b9414dd

26247035095799689268623156744566981891852923491109213387815615900925518854738050089022388053975719786650872476732087

0746cb31-9572-4495-ac5e-ce1236eebf5e

115792089210356248762697446949407573530086143415290314195533631308867097853951

9cfe836babab948e539ece052ae23562

27044c0153abac3406e1ecdca9f857e2

9cdbd84c9f1ac2f38d0f80f42ab952e7338bf511

6E400003-B5A3-F393-E0A9-E50E24DCCA9E

115792089237316195423570985008687907853269984665640564039457584007908834671663

POSSIBLE SECRETS

60f9567f61e37394a7792428cd2ad2eb

0de66e01a1aaab602dabb91c490560e0

30470ad5a005fb14ce2d9dc87e38bc7d1b1c5facbaecbe95f190aa7a31d23c4dbbcbe06174544401a5b2c020965d8c2bd2171d3668445771f74ba084d2029d83c1c1585
47f3a9f1a2715be23d51ae4d3e5a1f6a7064f316933a346d3f529252

115792089210356248762697446949407573530086143415290314195533631308867097853948

ChNjb20uYW5kcm9pZC52ZW5kaW5nCiBjb20uZ29vZ2xLmFuZHJvaWQuYXBwcy5tZWV0aW5ncwohY29tLmdvb2dsZS5hbmRyb2lkLmFwcHMuWVzc2FnaW5n

32670510020758816978083085130507043184471273380659243275938904335757337482424

def2fe17a382f2ec2ab1ffee01f8b76f

df76d602-dd1a-4ce4-a64f-2e5dd8c6f845

8138e8a0fcf3a4e84a771d40fd305d7f4aa59306d7251de54d98af8fe95729a1f73d893fa424cd2edc8636a6c3285e022b0e3866a565ae8108eed8591cd4fe8d2ce86165a9
78d719ebf647f362d33fca29cd179fb42401cbaf3df0c614056f9c8f3cf51e474afb6bc6974f78db8aba8e9e517fded658591ab7502bd41849462f

55066263022277343669578718895168534326250603453777594175500187360389116729240

deca87e736574c5c83c07314051fd93a

► PLAYSTORE INFORMATION

Title: Bird — Ride Electric

Score: 4.789111 **Installs:** 10,000,000+ **Price:** 0 **Android Version Support:** Category: Travel & Local **Play Store URL:** [co.bird.android](https://play.google.com/store/apps/details?id=co.bird.android)

Developer Details: Blue Jay Transit Inc., 9206790823387402285, None, <http://www.bird.co>, hello@bird.co,

Release Date: Oct 9, 2017 **Privacy Policy:** [Privacy link](#)

Description:

HOW IT WORKS: □ Download the app □ Sign up □ Choose your payment method (PayPal, credit card, etc.) □ Select and unlock your vehicle □ Ride electric! The fun way to get to your destination Head to work, run a few errands, or just go for a weekend ride. With the Bird app, get from point A to B safely and with style. ECO-FRIENDLY MOBILITY Our mission is to make cities more livable by reducing car usage and lowering carbon emissions. Every ride with Bird makes you a part of that mission. DISCOVER SPECIAL FEATURES AND OFFERS —Get free rides Share your code with a friend and you both get a free ride. —Travel together Riding with friends? The ""group rides"" feature lets you sign up for multiple e-vehicles through just one phone. —More rides for less money From daily to monthly rates, Bird has Ride Pass pricing plans that make sense for every rider. —Safety Do your part to keep your community running smoothly. Wear a helmet, use bike lanes, and make sure to park neatly and keep sidewalks clear. Download now and ride electric.

≡ SCAN LOGS

Timestamp	Event	Error
2025-11-09 03:23:20	Generating Hashes	OK
2025-11-09 03:23:20	Extracting APK	OK
2025-11-09 03:23:20	Unzipping	OK
2025-11-09 03:23:20	Parsing APK with androguard	OK
2025-11-09 03:23:21	Extracting APK features using aapt/aapt2	OK

2025-11-09 03:23:21	Getting Hardcoded Certificates/Keystores	OK
2025-11-09 03:23:23	Parsing AndroidManifest.xml	OK
2025-11-09 03:23:23	Extracting Manifest Data	OK
2025-11-09 03:23:23	Manifest Analysis Started	OK
2025-11-09 03:23:23	Reading Network Security config from network_security_config.xml	OK
2025-11-09 03:23:23	Parsing Network Security config	OK
2025-11-09 03:23:23	Performing Static Analysis on: Bird (co.bird.android)	OK
2025-11-09 03:23:24	Fetching Details from Play Store: co.bird.android	OK
2025-11-09 03:23:24	Checking for Malware Permissions	OK
2025-11-09 03:23:24	Fetching icon path	OK
2025-11-09 03:23:24	Library Binary Analysis Started	OK

2025-11-09 03:23:24	Reading Code Signing Certificate	OK
2025-11-09 03:23:24	Running APKiD 3.0.0	OK
2025-11-09 03:23:28	Detecting Trackers	OK
2025-11-09 03:23:32	Decompiling APK to Java with JADX	OK
2025-11-09 03:24:29	Converting DEX to Smali	OK
2025-11-09 03:24:29	Code Analysis Started on - java_source	OK
2025-11-09 03:24:43	Android SBOM Analysis Completed	OK
2025-11-09 03:24:54	Android SAST Completed	OK
2025-11-09 03:24:54	Android API Analysis Started	OK
2025-11-09 03:25:07	Android API Analysis Completed	OK

2025-11-09 03:25:07	Android Permission Mapping Started	OK
2025-11-09 03:26:29	Android Permission Mapping Completed	OK
2025-11-09 03:26:29	Android Behaviour Analysis Started	OK
2025-11-09 03:26:44	Android Behaviour Analysis Completed	OK
2025-11-09 03:26:44	Extracting Emails and URLs from Source Code	OK
2025-11-09 03:27:02	Email and URL Extraction Completed	OK
2025-11-09 03:27:02	Extracting String data from APK	OK
2025-11-09 03:27:02	Extracting String data from Code	OK
2025-11-09 03:27:02	Extracting String values and entropies from Code	OK
2025-11-09 03:27:08	Performing Malware check on extracted domains	OK
2025-11-09 03:27:22	Saving to Database	OK

Report Generated by - MobSF v4.4.3

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).