

Internal Server Error



RouteNotFoundException

Route [technique.show] not defined.

C:\wamp64\www\marquage-textile\vendor\laravel\framework\src\Illuminate\Routing\UrlGenerator.php
:517

```
512         if (! is_null($this->missingNamedRouteResolver)) {
513             ! is_null($url = call_user_func($this->missingNamedRouteResolver, $routeName));
514             return $url;
515         }
516
517         throw new RouteNotFoundException("Route [{$routeName}] not defined.");
518     }
519
520     /**
521      * Get the URL for a given route instance.
522      *
523      * @param  \Illuminate\Routing\Route  $route
524      * @param  mixed  $parameters
525      * @param  bool  $absolute
526      * @return string
527      *
528      * @throws \Illuminate\Routing\Exceptions\UrlGenerationException
```

529

Request

GET /

Headers

host	marquage-textile.test
connection	keep-alive
upgrade-ins...	1
user-agent	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/120.0.0.0 Safari/537.36
accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
accept-enc...	gzip, deflate
accept-lang...	fr-FR,fr;q=0.9,en-US;q=0.8,en;q=0.7
cookie	remember_web_59ba36addc2b2f9401580f014c7f58ea4e30985=1; expires=Mon, 11 Jun 2024 12:00:00 GMT; path=/

Body

No body data

Application

Routing

controller	App\Http\Controllers\HomeController
route name	home
middleware	web

Database Queries only the first 100 queries are displayed

mysql	select * from `sessions` where `id` = 'BAjH5vWxCCVpC
mysql	select `categories`.*, (select count(*) from `produ
mysql	select * from `products` where `is_active` = 1 and `
mysql	select * from `product_colors` where `product_color
mysql	select * from `marking_techniques` where `is_active`
mysql	select * from `technique_constraints` where `technic
mysql	select * from `techniques_marquage` where `actif` =
mysql	select `id` from `categories` where `parent_id` = 1
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 1
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 2
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 2
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 2

mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 25
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 25
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 36
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 36
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 45
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 45
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 46
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (

mysql	select `id` from `categories` where `parent_id` = 46
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 75
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 75
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 7
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 7
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 88
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 88
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 95
mysql	select `id` from `categories` where `parent_id` in (

mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 95
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 25
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 25
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 45
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 45
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 36
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 36
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 48

mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 48
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (
mysql	select `id` from `categories` where `parent_id` = 11
mysql	select `id` from `categories` where `parent_id` in (
mysql	select count(*) as aggregate from `products` where (