Rewards, Verifiers, and Agentic Generative Reward Models

Deep Dive into Kimi K3 — Chapter 22

Yin Yang

Foundation Books Project

The one idea of this chapter

A reward must be bound to the evidence that licenses it;
a correct answer with fabricated support must not earn a grounded success.

The one idea of this chapter

A reward must be bound to the evidence that licenses it;
a correct answer with fabricated support must not earn a grounded success.

Goal: type every verifier outcome, gate learned judgment behind hard evidence, record how each comparison was decided, and admit a scalar to learning only in its original sampled slot — keeping every Kimi claim in its evidence class.

Roadmap


Evidence before the scalar

Judging what remains

Handing a reward to learning


Evidence before the scalar

Four dispositions and a hard gate




- Studio: C cites coordinates only in prose (invalid); D's authentic evidence supports a false claim (fail). Invalid is not incorrect.

Four dispositions and a hard gate



- Studio: C cites coordinates only in prose (invalid); D's authentic evidence supports a false claim (fail). Invalid is not incorrect.
- Hard-first composition: A 1.18, B 0.89, C -1, D 0 — no soft score can offset gate zero. [DERIVED: teaching fixture]

Four dispositions and a hard gate



- Studio: C cites coordinates only in prose (invalid); D's authentic evidence supports a false claim (fail). Invalid is not incorrect.
- Hard-first composition: A 1.18, B 0.89, C -1, D 0 — no soft score can offset gate zero. [DERIVED: teaching fixture]
- Replay, state-versus-action checks, and public–hidden pairs extend the gate to environments and protected cases.

Judging what remains

Rubrics, scorepads, comparisons, and verbosity

- K3 reports an Agentic GRM for non-verifiable tasks: read the artifact, generate a rubric, score candidates, record a scorepad, build a group reward from binary comparisons.
  [REPORTED: K3 Sec. 4.1.2]

Rubrics, scorepads, comparisons, and verbosity

- K3 reports an Agentic GRM for non-verifiable tasks: read the artifact, generate a rubric, score candidates, record a scorepad, build a group reward from binary comparisons.
  [REPORTED: K3 Sec. 4.1.2]
- A candidate whose visible output crosses $\alpha_{\text{vis}}\ell_0(x)$ loses automatically; studio threshold 16, so B at 18 loses to A in both orders.

Rubrics, scorepads, comparisons, and verbosity

- K3 reports an Agentic GRM for non-verifiable tasks: read the artifact, generate a rubric, score candidates, record a scorepad, build a group reward from binary comparisons. [REPORTED: K3 Sec. 4.1.2]
- A candidate whose visible output crosses $\alpha_{\text{vis}}\ell_0(x)$ loses automatically; studio threshold 16, so B at 18 loses to A in both orders.
- Comparison records keep order, ties, abstentions, and cycles; win fractions are lossy summaries. Private prompts and aggregation stay open. [OPEN: not in K3 report]

Handing a reward to learning

Admission, coefficients, and a judge's false acceptance

- Under a declared four-slot policy, C's centered coefficient moves from $+0.25$ to -1.2675.
  [DERIVED: teaching fixture]

Admission, coefficients, and a judge's false acceptance

- Under a declared four-slot policy, C's centered coefficient moves from $+0.25$ to -1.2675. [DERIVED: teaching fixture]
- A frozen artifact-reading judge accepted the wrong pooled-metric delivery in 24/24 judge-only episodes. [OBSERVED: book local diagnostic]

Admission, coefficients, and a judge's false acceptance

- Under a declared four-slot policy, C's centered coefficient moves from $+0.25$ to -1.2675. [DERIVED: teaching fixture]
- A frozen artifact-reading judge accepted the wrong pooled-metric delivery in $24/24$ judge-only episodes. [OBSERVED: book local diagnostic]
- One false acceptance raises the wrong response's probability to 0.344253 instead of lowering it to 0.322043. [DERIVED: checked arithmetic]

Admission, coefficients, and a judge's false acceptance

- Under a declared four-slot policy, C's centered coefficient moves from $+0.25$ to -1.2675. [DERIVED: teaching fixture]
- A frozen artifact-reading judge accepted the wrong pooled-metric delivery in 24/24 judge-only episodes. [OBSERVED: book local diagnostic]
- One false acceptance raises the wrong response's probability to 0.344253 instead of lowering it to 0.322043. [DERIVED: checked arithmetic]

A number reaches learning only with its slot and retained cause. Next: Chapter 23's Capability Consolidation and Deployment-Aware Post-Training.