
Pill
Progress
Project Banner
Radio
Relative Time Card
Scroller
Search Input
Select
Separator
Sheet
Show more
Skeleton
Slider
Snippet
Spinner
Split Button
Status Dot
Switch
Table
Tabs
Text With Copy Button
Textarea
Theme Switcher
Toast
Toggle
Tooltip
Video

# Status Dot

Display an indicator of deployment status.

## Default




Hide code

```tsx
import { StatusDot } from '@vercel/geistcn/components';
import type { JSX } from 'react';

export function Component(): JSX.Element {
  return (
    <div className="flex flex-col items-stretch justify-start gap-6 flex-initial">
      <StatusDot state="QUEUED" />
      <StatusDot state="BUILDING" />
      <StatusDot state="ERROR" />
      <StatusDot state="READY" />
      <StatusDot state="CANCELED" />
    </div>
  );
}
```

## Label




Hide code

```tsx
import { StatusDot } from '@vercel/geistcn/components';
import type { JSX } from 'react';

export function Component(): JSX.Element {
  return (
    <div className="flex flex-col items-stretch justify-start gap-6 flex-initial">
      <StatusDot label state="QUEUED" />
      <StatusDot label state="BUILDING" />
      <StatusDot label state="ERROR" />
      <StatusDot label state="READY" />
      <StatusDot label state="CANCELED" />
    </div>
  );
}
```

## Best Practices

### When to use

- Deployment lifecycle only. `state` accepts `QUEUED | BUILDING | READY | ERROR | CANCELED | DELETED`.
- For non-deployment statuses (Workflow runs, Queue messages, Sandbox, Cron jobs), use a **Badge** with the canonical state vocabulary instead of repurposing the dot.
- For health summaries that need a number (uptime, hit rate), use **Gauge**; for in-flight work with a knowable total, use **Progress**.

### Behavior

- The dot animates while `BUILDING` or `QUEUED` and goes static once the deployment reaches a terminal state. Don't add a separate spinner alongside it.
- Don't flash the color through every transitional state on a polling tick; only update when the readyState changes.
- Pair with **RelativeTimeCard** when timing matters (`Building · 12s ago`); the dot alone doesn't convey duration.

### Content

- `titlePrefix` is a noun phrase, not a sentence. Default `"This deployment"` works for single-deployment surfaces; in lists, pass the entity (`titlePrefix="vercel-site production"`). Don't end with a verb or punctuation.
- Use `label` only when the dot stands alone without surrounding text; Geist sentence-cases the state for you (`Building`, `Ready`, `Error`).
- Don't wrap the dot in extra prose like `Status: Ready`. The label already names the state.

### Accessibility

- The component composes its own `aria-label` from `titlePrefix` plus the state message; don't override it with a generic `aria-label="status"`.
- When the dot sits inline with text that already names the state, mark the dot decorative with `aria-hidden` so screen readers don't announce it twice.
- Color is not the only signal: every state ships with a distinct title and label so colorblind users get the same information.