Hatstall

Or how to deal with hatstalls


CHAOSSCon, Brussels, Feb. 2nd, 2018

J. Manrique López
ajsmanrique
jsmanrique at bitergia dot com
https://speakerdeck.com/bitergia






/hatstall





/context

Who am I in the Bitergia/GrimoireLab ecosystem?



Manrique López <<u>ismanrique@bitergia.com</u>>
José Manrique López de la Fuente <<u>ismanrique@gmail.com</u>>
Manrique López <<u>ismanrique@gmail.com</u>>

jsmanrique

jsmanrique@gmail.com jsmanrique@bitergia.com correo@jsmanrique.es

ismanrique@bitergia.com

jsmanrique

01/2010 - 12/2013 CTIC 01/2010 - 12/2012 Andago 01/2013 - 06/2013 TapQuo 07/2013 - 12/2015 freelance (ASOLIF, CENATIC) 07/2013 - now Bitergia



/sortinghat

How to deal with these data in GrimoireLab?

- > Heuristics
- SortingHat CLI
- identities. json + organizations.json
- identities.yml
- **>** ..



/sortinghat

How to deal with these data in GrimoireLab?





/why hatstall?



A Hatstall was an archaic term for a student of Hogwarts School of Witchcraft and Wizardry whose sorting took more than five minutes because the Sorting Hat found them to have a personality equally suited to different Hogwarts Houses. The Sorting Hat sometimes took the student's personal preference into consideration in order to break such a tie.



/how it works?

