

Client Portal

Configuration & deployment guide

Generated 2026-05-22

Client Portal — Configuration Guide

This guide explains **how to change the API base URL** and **how IP addresses work** in the portal — both for **operators** (build/deploy settings) and for **end clients** (self-service in the UI).

No application code changes are needed for normal configuration.

Summary: what changes where

What you want to change	Who changes it	Where	Redeploy portal?
API server URL	Operator / developer	<code>.env</code> , <code>.env.production</code> , <code>.env.hostverge</code> , or Vercel env vars	Yes
Our platform IPs (switch/provider side)	Operator	<code>VITE_PLATFORM_IPS</code> at build time	Yes
Client trunk IPs (ingress or egress)	Client (or admin in DNL)	Portal → Trunks → Edit IPs	No (live API)
Client default IPs	Admin in DNL	Back office / API	No

1. Change API base URL

The portal calls the DNL **Client Portal API** for login, billing, trunks, rates, and DIDs.

Default API: `https://portal.incorpus.in/api_dnl/v1`

Rules

- Use only the base path `/api_dnl/v1` — do **not** add `/auth/login`.
- Login is `POST {base}/auth` with `{ "email_or_name", "password" }`.
- Vite **bakes** `VITE_API_BASE_URL` into the build. After any change you must **rebuild and redeploy**.

1a. Local development

1. Copy `.env.example` to `.env` if you do not have one.
2. Edit `client-portal/.env`:

```
# Option 1 – relative URL (uses Vite dev proxy in vite.config.js)
VITE_API_BASE_URL=/api_dnl/v1
```

```
# Option 2 – full URL (calls API directly; API must allow CORS from http://localhost:5174)
VITE_API_BASE_URL=https://portal.incorpus.in/api_dnl/v1
```

3. If you use `/api_dnl/v1` locally, the proxy target is in `vite.config.js` (`server.proxy['/api_dnl/v1'].target`). Change that when the real API host moves.

4. Run:

```
cd client-portal
npm run dev
```

1b. Production on Vercel

Step	Action
1	Vercel → your project → Settings → Environment Variables
2	Set <code>VITE_API_BASE_URL</code> (Production, and Preview if needed)
3	Redeploy the project

Relative URL (recommended on Vercel):

```
VITE_API_BASE_URL=/api_dnl/v1
```

The browser calls your Vercel app; `vercel.json` proxies to the real API:

```
"destination": "https://portal.incorpus.in/api_dnl/v1/:path*"
```

If the **API hostname** changes, update **both**:

1. `VITE_API_BASE_URL` (usually keep `/api_dnl/v1`)
2. `vercel.json` → `rewrites` → `destination`

Full URL (no proxy):

```
VITE_API_BASE_URL=https://your-api.example.com/api_dnl/v1
```

The API must allow **CORS** from your Vercel URL (e.g. `https://web-portal-azure.vercel.app`).

Fallback file (if Vercel env vars are empty): `client-portal/.env.production`

```
npm run build
```

1c. Production on Hostverge / cPanel (`portal.thevoiptalk.com`)

Shared hosting **cannot** use `vercel.json`. Use a **full API URL** in `client-portal/.env.hostverge`:

```
VITE_API_BASE_URL=https://portal.incorpus.in/api_dn1/v1
```

Build and upload:

```
cd client-portal
npm run build:hostverge
```

Upload everything inside `dist/` to the subdomain document root. See **DEPLOYMENT_HOSTVERGE.md (DEPLOYMENT_HOSTVERGE.md)**.

CORS: The API must allow origin `https://portal.thevoiptalk.com`.

1d. Verify the URL was applied

After `npm run build` or `npm run build:hostverge`, the console should show:

```
OK VITE_API_BASE_URL=https://portal.incorpus.in/api_dn1/v1 (.env.hostverge)
```

Hostverge builds also check that the bundle uses an absolute API URL (not `/api_dn1/v1` only).

2. Change IP addresses

There are **four** IP-related concepts. Use the right one.

2a. Our platform IPs (provider / switch — all clients)

Purpose: Show clients which **your** platform/switch IPs they should use (not loaded from the API).

Where clients see it: Account → Our platform IPs

Who changes it: Operator / provider before deploy

Hosting	File / setting
Local dev	<code>client-portal/.env</code> → <code>VITE_PLATFORM_IPS</code>
Vercel	Environment variable <code>VITE_PLATFORM_IPS</code>
Default production file	<code>client-portal/.env.production</code>
Hostverge	<code>client-portal/.env.hostverge</code> → <code>VITE_PLATFORM_IPS</code>

Format (comma-separated; optional `:port`, default port 5060):

```
VITE_PLATFORM_IPS=163.172.118.64
VITE_PLATFORM_IPS=163.172.118.64:5060
VITE_PLATFORM_IPS=163.172.118.64:5060,203.0.113.1:5060
```

After change: rebuild and redeploy (`npm run build` , `npm run build:hostverge` , or Vercel redeploy).

Code: `src/utils/platformIps.js` → Account `NetworkIpsSection.jsx`

2b. Client trunk IPs — ingress and egress (per client, in the portal)

Purpose: Register the **client's** public IP(s) on their trunks for SIP/DID traffic.

Where clients see it:

Screen	Action
Trunks → Ingress trunks	Edit IPs on each ingress trunk
Trunks → Egress trunks	Edit IPs on each egress trunk
Trunks → Registered IPs	Edit IPs (opens editor for that trunk)

Who changes it: The **logged-in client** in the portal (or you in **DNL admin** if the API denies client PATCH).

Not in `.env` — changes go live via API; **no portal redeploy** needed.

Trunk type	API (client self-service)
Ingress	<code>GET / PATCH /home/client/ingress_trunk/{id}</code>
Egress	<code>GET / PATCH /home/client/egress_trunk/{id}</code>

Code: `src/pages/Trunks.jsx` , `src/services/trunkService.js` ,
`src/components/Trunks/EgressIpEditorModal.jsx`

If **Edit IPs** fails with **403**, enable client trunk host updates in DNL admin or set hosts in admin (**Add Host** on the trunk).

2c. Client default IPs (account defaults from API)

Where clients see it: Account → Your default IPs

Source: `GET /home/client/default_ip/list`

Who changes it: DNL admin / back office — **not** portal env files or the Trunks editor.

3. Quick reference by hosting

Setting	Vercel	Hostverge (build:hostverge)	Local dev
API URL	Vercel env + optional vercel.json	.env.hostverge	.env + optional vite.config.js proxy
Platform IPs	Vercel env VITE_PLATFORM_IPS	.env.hostverge	.env
Client trunk IPs	Portal UI only	Portal UI only	Portal UI only
Build command	npm run build	npm run build:hostverge	npm run dev

4. File checklist

```
client-portal/
├─ .env                # Local overrides (gitignored; copy from .env.example)
├─ .env.example        # Template
├─ .env.production     # Vercel / default production (relative API URL)
├─ .env.hostverge      # Hostverge build (full API URL + platform IPs)
├─ vercel.json         # API proxy when VITE_API_BASE_URL=/api_dn1/v1
├─ vite.config.js      # Local dev proxy target
├─ public/.htaccess    # SPA routing on Apache (included in dist/)
└─ src/utils/platformIps.js
```

5. Common tasks (step-by-step)

Move API to a new server

1. Set `VITE_API_BASE_URL` to `https://NEW-HOST/api_dn1/v1` (or keep `/api_dn1/v1` on Vercel and update `vercel.json` destination).
2. Rebuild (`npm run build` OR `npm run build:hostverge`).
3. Redeploy / re-upload `dist/` .
4. Ask API admin to allow **CORS** from your portal domain(s).

Show a new platform / switch IP to all clients

1. Edit `VITE_PLATFORM_IPS` in the correct env file (see §2a).
2. Rebuild and redeploy.

Let one client update their SIP source IP

1. Client logs in → **Trunks** → **Ingress trunks** or **Egress trunks** → **Edit IPs**.
 2. Enter IP and port (default 5060) → **Save IPs**.
 3. If forbidden, fix permissions or add host in DNL admin.
-

6. Related docs

Topic	Document
PDF (configuration + Hostverge deploy)	<code>docs/Client-Portal-Configuration-Guide.pdf</code> — generate with <code>npm run docs:pdf</code>
Hostverge deploy (<code>portal.thevoiptalk.com</code>)	<code>DEPLOYMENT_HOSTVERGE.md</code> (<code>DEPLOYMENT_HOSTVERGE.md</code>)
Dev setup & tests	<code>README.md</code> (<code>README.md</code>)
API auth field names	<code>TEST_CREDENTIALS.md</code> (<code>TEST_CREDENTIALS.md</code>)

Swagger: `https://portal.incorpus.in/api_dnl/v1/swagger.json`

7. Vercel reminder

1. Set Vercel **Root Directory** to `client-portal` if the repo root is `WebPortal` .
2. Set `VITE_API_BASE_URL` and `VITE_PLATFORM_IPS` , then **Redeploy**.
3. Example URL: `https://web-portal-azure.vercel.app`

Deploy client portal on Hostverge (portal.thevoiptalk.com)

This portal is a **static React site** (Vite `dist/` folder). Hostverge (cPanel) serves HTML/JS/CSS only — there is no Node.js server in production.

Live URL target: `https://portal.thevoiptalk.com`

Control panel: `https://cp.hostverge.com/`

Before you start

1. **Unlock FTP** in Hostverge (required for automated deploy): cp.hostverge.com → **Manage Hosting** → your package → **Unlock FTP** (15–60 minutes). Use the password from **FTP Details** in that package (may differ from your client-area login).
 2. **Do not upload** `.env`, source code, or `node_modules` to the web root — only the `dist/` output after `npm run build`.
 3. **Change your cPanel password** if it was shared in email or chat.
 4. Ask your **DNL/API provider** to allow **CORS** from `https://portal.thevoiptalk.com` if the API is on another host (see step 4).
-

Step 1 — Create the subdomain in cPanel

1. Log in to <https://cp.hostverge.com/>.
2. Open **Domains** → **Subdomains** (or **Create a New Domain / Addon Domain** depending on skin).
3. Create subdomain: `portal`
 - Full name: `portal.thevoiptalk.com`
 - Document root: note the path shown (often something like `public_html/portal.thevoiptalk.com` OR `public_html/portal`).
4. Open **SSL/TLS Status** (or **AutoSSL**) and ensure a certificate is issued for `portal.thevoiptalk.com`.
5. Enable **Force HTTPS** if available (Redirects or “Always use HTTPS”).

DNS (if the subdomain is new)

If `thevoiptalk.com` DNS is managed at Hostverge, cPanel usually adds records automatically.

If DNS is elsewhere (Cloudflare, registrar, etc.), add:

Type	Name	Value
A	<code>portal</code>	Your Hostverge server IP (from cPanel → Server Information)
or CNAME	<code>portal</code>	Hostname Hostverge gives you

Wait until DNS propagates (minutes to a few hours). Test: `https://portal.thevoiptalk.com` should show a default page or empty folder.

Step 2 — Build the project on your PC

Open PowerShell in the project folder:

```
cd e:\Development\Projects\Cursor\WebPortal\client-portal
npm install
npm run build:hostverge
```

This uses `.env.hostverge` (full API URL, platform IPs, Apache `.htaccess` in `dist/`).

You should see:

```
OK VITE_API_BASE_URL=https://portal.incorpus.in/api_dnl/v1 (environment)
...
OK .htaccess for Apache SPA
OK API URL is absolute (Hostverge)
```

Output folder: `client-portal/dist/` — upload everything inside it. See `dist/UPLOAD-README.txt` after each build.

Edit `.env.hostverge` if the API host or platform IPs change, then run `npm run build:hostverge` again.

Optional check locally:

```
npm run preview
```

Step 3 — Upload `dist/` to the subdomain folder

Option A — cPanel File Manager

1. **File Manager** → open the subdomain **document root** from step 1.
2. Delete default `index.html` / placeholder files if present.
3. Upload **everything inside** `dist/` (not the `dist` folder itself):
 - `index.html`
 - `assets/` (entire folder)
 - `.htaccess` (enable “Show Hidden Files” in File Manager settings)
 - any other files from `dist/`

Option B — FTP (Hostverge: `ftp.hostverge.com`)

1. Unlock FTP in **Manage Hosting** (see above).

2. Host: `ftp.hostverge.com` , port **21**, user/password from **FTP Details**.
3. Upload `dist/*` into the subdomain document root.

Automated (after FTP unlock):

```
$env:FTP_USER = "your_ftp_username" # from FTP Details, not always your email
$env:FTP_PASS = "your_ftp_password" # from FTP Details
npm run deploy:hostverge
```

Option C — ZIP upload (no FTP)

```
npm run build:hostverge
npm run package:hostverge
```

Upload `hostverge-upload.zip` in cPanel **File Manager** → subdomain folder → **Extract** (show hidden files so `.htaccess` is included).

Step 4 — CORS on the API server

The browser will call `https://portal.incorpus.in/api_dn1/v1` from `https://portal.thevoiptalk.com` . That is a **cross-origin** request.

Your API admin must allow:

- **Origin:** `https://portal.thevoiptalk.com`
- **Headers:** `X-Auth-Token` , `Content-Type` , etc. (as required by your API)

If login fails with a CORS error in the browser console (F12 → Network), fix CORS on the API — not in the React app.

Step 5 — Test the live site

1. Open `https://portal.thevoiptalk.com`
2. Hard refresh: `Ctrl+F5`
3. Log in with a real client account.
4. Check **Account**, **Billing**, **Trunks**, **DIDs**.

Common issues

Symptom	Fix
404 on <code>/dashboard</code> or refresh	<code>.htaccess</code> missing or <code>mod_rewrite</code> off — re-upload <code>public/.htaccess</code> via rebuild

Symptom	Fix
Blank page	Wrong folder (uploaded <code>dist</code> as subfolder) — files must be in document root
Login/network error, CORS in console	API must whitelist <code>https://portal.thevoiptalk.com</code>
Old UI after deploy	Clear browser cache; confirm you uploaded new <code>assets/*.js</code>
SSL warning	Run AutoSSL / Let's Encrypt for <code>portal.thevoiptalk.com</code>

Step 6 — Updates later

Whenever you change code or env (API URL, platform IPs):

1. Edit `.env.hostverge` if needed, then `npm run build:hostverge`
2. Upload **all** new files from `dist/` (overwrite old `assets/`).
3. Do **not** need to reinstall npm on the server.

Configuration reference

What	Where
API base URL at build	<code>.env.hostverge</code> → <code>VITE_API_BASE_URL</code> → <code>npm run build:hostverge</code>
Platform IPs at build	<code>.env.hostverge</code> → <code>VITE_PLATFORM_IPS</code>
Client trunk IPs (ingress/egress)	Portal → Trunks → Edit IPs (live API; no redeploy)
Full guide (API URL, all IP types, Vercel vs Hostverge)	CONFIGURATION.md (CONFIGURATION.md)

What not to do on Hostverge

- Do not run `npm run dev` on shared hosting for production.
- Do not commit passwords or upload `.env` to `public_html`.
- Do not expect `vercel.json` to work — it is **Vercel-only**; use full API URL + CORS on Hostverge.

Quick checklist

- ☐ Subdomain `portal.thevoiptalk.com` created in cPanel

- ☐ SSL active, HTTPS forced
- ☐ Built with `npm run build:hostverge`
- ☐ Uploaded contents of `dist/` to subdomain document root
- ☐ `.htaccess` present for SPA routing
- ☐ API CORS allows `https://portal.thevoiptalk.com`
- ☐ Login and main sections tested live