import numpy as np
import pandas as pd
import matplotlib.pyplot as py
import seaborn as sns

In [2]:

d=pd.read_csv(r"C:\Users\user\Downloads\5_Instagram data - 5_Instagram data.csv")
d

Out[2]:		Impressions	From Home	From Hashtags	From Explore	From Other	Saves	Comments	Shares	Likes	Profile Visits	Follows
	0	3920	2586	1028	619	56	98	9	5	162	35	2
	1	5394	2727	1838	1174	78	194	7	14	224	48	10
	2	4021	2085	1188	0	533	41	11	1	131	62	12
	3	4528	2700	621	932	73	172	10	7	213	23	8
	4	2518	1704	255	279	37	96	5	4	123	8	0
	•••											
	114	13700	5185	3041	5352	77	573	2	38	373	73	80
	115	5731	1923	1368	2266	65	135	4	1	148	20	18

	Impressions	From Home	From Hashtags		From Other	Saves	Comments	Shares	Likes	Profile Visits	Follows
116	4139	1133	1538	1367	33	36	0	1	92	34	10
117	32695	11815	3147	17414	170	1095	2	75	549	148	214
118	36919	13473	4176	16444	2547	653	5	26	443	611	228

119 rows × 13 columns

In [3]: d.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 119 entries, 0 to 118
Data columns (total 13 columns):

#	Column	Non-Null Count	Dtype
0	Impressions	119 non-null	int64
1	From Home	119 non-null	int64
2	From Hashtags	119 non-null	int64
3	From Explore	119 non-null	int64
4	From Other	119 non-null	int64
5	Saves	119 non-null	int64
6	Comments	119 non-null	int64
7	Shares	119 non-null	int64
8	Likes	119 non-null	int64
9	Profile Visits	119 non-null	int64
10	Follows	119 non-null	int64
11	Caption	119 non-null	object
12	Hashtags	119 non-null	object
4.4			

dtypes: int64(11), object(2)
memory usage: 12.2+ KB

In [4]:

d.head()

Out	$\Gamma \Lambda T$	
out		

*	Impressions	From Home	From Hashtags	From Explore	From Other	Saves	Comments	Shares	Likes	Profile Visits	Follows	
0	3920	2586	1028	619	56	98	9	5	162	35	2	

	Impressions	From Home	From Hashtags	From Explore	From Other	Saves	Comments	Shares	Likes	Profile Visits	Follows	
1	5394	2727	1838	1174	78	194	7	14	224	48	10	
2	4021	2085	1188	0	533	41	11	1	131	62	12	L m
3	4528	2700	621	932	73	172	10	7	213	23	8	c. pr
4	2518	1704	255	279	37	96	5	4	123	8	0	an v

In [5]: d.describe()

Out[5]:

	Impressions	From Home	From Hashtags	From Explore	From Other	Saves	Comments	
count	119.000000	119.000000	119.000000	119.000000	119.000000	119.000000	119.000000	1.
mean	5703.991597	2475.789916	1887.512605	1078.100840	171.092437	153.310924	6.663866	
std	4843.780105	1489.386348	1884.361443	2613.026132	289.431031	156.317731	3.544576	
min	1941.000000	1133.000000	116.000000	0.000000	9.000000	22.000000	0.000000	
25%	3467.000000	1945.000000	726.000000	157.500000	38.000000	65.000000	4.000000	
50%	4289.000000	2207.000000	1278.000000	326.000000	74.000000	109.000000	6.000000	
75 %	6138.000000	2602.500000	2363.500000	689.500000	196.000000	169.000000	8.000000	
max	36919.000000	13473.000000	11817.000000	17414.000000	2547.000000	1095.000000	19.000000	-


In [6]: d.columns

```
In [7]:
         d.index
        RangeIndex(start=0, stop=119, step=1)
Out[7]:
In [8]:
         sns.pairplot(d)
        <seaborn.axisgrid.PairGrid at 0x28c6fdcf5b0>
Out[8]:
                                                           ....
                                                           . . . . .
                                                            In [9]:
         sns.distplot(d['Follows'])
        C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning:
```


C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

warnings.warn(msg, FutureWarning)

Out[9]: <AxesSubplot:xlabel='Follows', ylabel='Density'>



Out[10]: <AxesSubplot:>



```
from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test = train_test_split(x,y,test_size=0.3)
```

```
In [13]: from sklearn.linear_model import LinearRegression
```

```
In [14]:
           lr=LinearRegression()
           lr.fit(x_train,y_train)
Out[14]: LinearRegression()
In [15]:
           print(lr.intercept_)
          -10.485064687334035
In [16]:
           coeff =pd.DataFrame(lr.coef_,x.columns,columns=["Co-efficient"])
           coeff
                         Co-efficient
Out[16]:
                            -0.004864
             Impressions
             From Home
                            0.013041
          From Hashtags
                            0.005469
            From Explore
                            0.010968
             From Other
                            0.024615
                  Saves
                            0.012262
              Comments
                           -0.521352
                  Shares
                            0.007718
                   Likes
                           -0.057199
             Profile Visits
                            0.250243
In [17]:
           prediction =lr.predict(x_test)
           py.scatter(y_test,prediction)
          <matplotlib.collections.PathCollection at 0x28c777a7910>
Out[17]:
           400
           350
           300
           250
           200
          150
          100
           50
                                 100
                                           150
                                                    200
                                                             250
                         50
```

In [18]:

print(lr.score(x_test,y_test))

```
0.7189240936973131
In [19]:
          print(lr.score(x_train,y_train))
         0.9339345800173477
In [20]:
          from sklearn.linear_model import Ridge,Lasso
In [21]:
          rr=Ridge(alpha=10)
          rr.fit(x_train,y_train)
Out[21]: Ridge(alpha=10)
In [22]:
          rr.score(x_test,y_test)
         0.7189604786150889
Out[22]:
In [23]:
          la=Lasso(alpha=10)
          la.fit(x_train,y_train)
         C:\ProgramData\Anaconda3\lib\site-packages\sklearn\linear_model\_coordinate_descent.py:5
         30: ConvergenceWarning: Objective did not converge. You might want to increase the numbe
         r of iterations. Duality gap: 68.5118857628072, tolerance: 5.060665060240965
           model = cd_fast.enet_coordinate_descent(
Out[23]: Lasso(alpha=10)
In [24]:
          la.score(x_test,y_test)
Out[24]: 0.7382953027085943
In [ ]:
```