

1) Create an array with zeros and ones

```
In [3]: import numpy as np
print(np.zeros(2))
print(np.ones(3))
```

```
[0. 0.]
[1. 1. 1.]
```

2) Create an array and print output

```
In [4]: a=np.array([1,2,3,4])
print(a)
```

```
[1 2 3 4]
```

3) Create an array whose initial content is random and print the output

```
In [41]: b=np.empty(2)
print(b)
```

```
[4.9e-324 7.4e-323]
```

4) create an array with a range of values with even intervals

```
In [12]: print(np.arange(1,10,3))
```

```
[1 4 7]
```

5)create an array with values that are spaced linearly in a specified intervals

```
In [18]: print(np.linspace(1,15,num=2))
```

```
[ 1. 15.]
```

```
In [19]: print(np.linspace(1,15,num=2,dtype=np.int64))
```

```
[ 1 15]
```

6)Access and manipulate element in an array

```
In [21]: a=np.array([1,2,3,4])
print(a)
print(a[a<4])
```

```
[1 2 3 4]
[1 2 3]
```

7)Create a 2-dimensional array and check the shape of the array

```
In [33]: c=np.array([1,2,3,4],[5,6,7,8])
print(c)
print(np.shape(c))
```

```
[[1 2 3 4]
 [5 6 7 8]]
```

(2, 4)

8)using the arrange() and linspace() func to evenly space values in a specified intervals

```
In [38]: d=np.arange(8)
print(d)
print(np.linspace(1,15,num=2,dtype=np.int64))
```

```
[0 1 2 3 4 5 6 7]
[ 1 15]
```

9)create an array of random values between 0 and 1 in a given shape

```
In [43]: b=np.empty(2)
print(b)
```

```
[4.9e-324 7.4e-323]
```

10)repeat each element of an array by a specified number of times using repeat() and tile() func

```
In [44]: print(np.repeat(a,2))
print(np.tile(a,2))
```

```
[1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8]
[[1 2 3 4 1 2 3 4]
 [5 6 7 8 5 6 7 8]]
```

11)how do you know the shape and size of the array?

SHAPE - It will print the number of rows and columns in an array SIZE - It will print the length of an array

12)create an array that indicates the total number of elements in an array

```
In [46]: a=np.array([1,2,3,4])
print(a)
print(np.size(a))
```

```
[1 2 3 4]
4
```

13)To find the number of dimensions of an array

```
In [48]: c=np.array([[1,2,3,4],[5,6,7,8]])
print(c)
print(np.ndim(c))
```

```
[[1 2 3 4]
 [5 6 7 8]]
2
```

14)Create an array and reshape into a new array

```
In [53]: e=np.arange(4)
print(e)
print(e.reshape(2,2))
```

```
[0 1 2 3]
[[0 1]
 [2 3]]
```

15) Create a null array of size 10

```
In [55]: f=np.zeros(10)
         print(np.size(f))
```

10

16) Create any array with values ranging from 10 to 49 and print the numbers whose remainder are zero when divided by 7

```
In [62]: g=np.arange(10,50,1)
         print(g[g%7==0])
```

[14 21 28 35 42 49]

17) Create an array and check any two conditions and print output

```
In [64]: a=np.array([1,2,3,4])
         print(a)
         a1=a[(a>2)]
         a2=a[(a<3)]
         print(a1)
         print(a2)
```

[1 2 3 4]
[3 4]
[1 2]