

Importing Libraries

```
In [1]: import numpy as np  
import pandas as pd  
import matplotlib.pyplot as plt  
import seaborn as sns
```

Importing Datasets

```
In [2]: df=pd.read_csv(r'C:\Users\user\Downloads\Rainfall\SOUTH INTERIOR KARNATAKA.csv
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	3773	SOUTH INTERIOR KARNATAKA	1902	1.9	0.5	6.7	42.6	97.7	91.7	210.0	82.1	138.4	219.1
1	3774	SOUTH INTERIOR KARNATAKA	1903	0.3	0.0	1.1	11.6	125.1	129.7	284.4	155.7	197.1	154.2
2	3775	SOUTH INTERIOR KARNATAKA	1904	1.0	0.5	5.2	43.5	144.7	167.9	197.1	73.2	89.6	120.4
3	3776	SOUTH INTERIOR KARNATAKA	1905	1.7	7.9	14.2	23.6	118.6	95.9	148.4	140.6	43.1	142.8
4	3777	SOUTH INTERIOR KARNATAKA	1906	14.1	1.5	2.2	4.8	46.1	116.4	211.3	256.3	109.5	173.4
...
109	3882	SOUTH INTERIOR KARNATAKA	2011	2.1	12.4	12.4	80.2	83.5	177.1	202.4	199.5	111.2	144.8
110	3883	SOUTH INTERIOR KARNATAKA	2012	4.6	5.5	8.1	99.0	45.6	81.8	144.7	236.5	100.6	62.8
111	3884	SOUTH INTERIOR KARNATAKA	2013	0.5	10.1	11.7	34.6	95.6	176.2	307.4	151.7	191.8	103.7
112	3885	SOUTH INTERIOR KARNATAKA	2014	0.4	2.4	17.7	46.7	130.5	106.8	271.6	254.6	161.6	152.9
113	3886	SOUTH INTERIOR KARNATAKA	2015	1.7	0.2	24.4	80.5	125.3	218.7	112.0	136.6	164.5	106.1

114 rows × 20 columns



Data Cleaning and Data Preprocessing

In [3]:

```
df=df.dropna()
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OC1
0	3773	SOUTH INTERIOR KARNATAKA	1902	1.9	0.5	6.7	42.6	97.7	91.7	210.0	82.1	138.4	219.1
1	3774	SOUTH INTERIOR KARNATAKA	1903	0.3	0.0	1.1	11.6	125.1	129.7	284.4	155.7	197.1	154.2
2	3775	SOUTH INTERIOR KARNATAKA	1904	1.0	0.5	5.2	43.5	144.7	167.9	197.1	73.2	89.6	120.4
3	3776	SOUTH INTERIOR KARNATAKA	1905	1.7	7.9	14.2	23.6	118.6	95.9	148.4	140.6	43.1	142.8
4	3777	SOUTH INTERIOR KARNATAKA	1906	14.1	1.5	2.2	4.8	46.1	116.4	211.3	256.3	109.5	173.4
...
109	3882	SOUTH INTERIOR KARNATAKA	2011	2.1	12.4	12.4	80.2	83.5	177.1	202.4	199.5	111.2	144.8
110	3883	SOUTH INTERIOR KARNATAKA	2012	4.6	5.5	8.1	99.0	45.6	81.8	144.7	236.5	100.6	62.8
111	3884	SOUTH INTERIOR KARNATAKA	2013	0.5	10.1	11.7	34.6	95.6	176.2	307.4	151.7	191.8	103.7
112	3885	SOUTH INTERIOR KARNATAKA	2014	0.4	2.4	17.7	46.7	130.5	106.8	271.6	254.6	161.6	152.9
113	3886	SOUTH INTERIOR KARNATAKA	2015	1.7	0.2	24.4	80.5	125.3	218.7	112.0	136.6	164.5	106.1

114 rows × 20 columns



In [4]:

```
df.columns
```

Out[4]:

```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY', 'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb', 'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```


In [5]: df.info()

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       114 non-null    int64  
 1   SUBDIVISION 114 non-null    object  
 2   YEAR        114 non-null    int64  
 3   JAN         114 non-null    float64 
 4   FEB         114 non-null    float64 
 5   MAR         114 non-null    float64 
 6   APR         114 non-null    float64 
 7   MAY         114 non-null    float64 
 8   JUN         114 non-null    float64 
 9   JUL         114 non-null    float64 
 10  AUG         114 non-null    float64 
 11  SEP         114 non-null    float64 
 12  OCT         114 non-null    float64 
 13  NOV         114 non-null    float64 
 14  DEC         114 non-null    float64 
 15  ANNUAL      114 non-null    float64 
 16  Jan-Feb     114 non-null    float64 
 17  Mar-May     114 non-null    float64 
 18  Jun-Sep     114 non-null    float64 
 19  Oct-Dec     114 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

Line Chart


```
In [6]: df.plot.line(subplots=True)
```

```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



```
In [7]: df.plot.line()
```


```
Out[7]: <AxesSubplot:>
```



Bar Chart

In [8]: `df.plot.bar()`


Out[8]: <AxesSubplot:>



Histogram

In [9]: `df.plot.hist()`


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area Chart

```
In [10]: df.plot.area()
```


```
Out[10]: <AxesSubplot:>
```



Box Chart

```
In [11]: df.plot.box()
```


```
Out[11]: <AxesSubplot:>
```



Pie Chart

```
In [12]: df.plot.pie(y='ANNUAL')
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```





64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113

Scatter Plot

```
In [13]: df.plot.scatter(x='JAN',y='FEB')
```

```
Out[13]: <AxesSubplot:xlabel='JAN', ylabel='FEB'>
```



```
In [14]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       114 non-null    int64  
 1   SUBDIVISION 114 non-null    object  
 2   YEAR        114 non-null    int64  
 3   JAN         114 non-null    float64 
 4   FEB         114 non-null    float64 
 5   MAR         114 non-null    float64 
 6   APR         114 non-null    float64 
 7   MAY         114 non-null    float64 
 8   JUN         114 non-null    float64 
 9   JUL         114 non-null    float64 
 10  AUG         114 non-null    float64 
 11  SEP         114 non-null    float64 
 12  OCT         114 non-null    float64 
 13  NOV         114 non-null    float64 
 14  DEC         114 non-null    float64 
 15  ANNUAL      114 non-null    float64 
 16  Jan-Feb     114 non-null    float64 
 17  Mar-May     114 non-null    float64 
 18  Jun-Sep     114 non-null    float64 
 19  Oct-Dec     114 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

In [15]: df.describe()


Out[15]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	11
mean	3829.500000	1958.500000	2.911404	3.921053	9.542105	42.364912	91.946491	14
std	33.052988	33.052988	4.826380	7.130757	14.004215	22.139941	38.352356	4
min	3773.000000	1902.000000	0.000000	0.000000	0.000000	4.800000	9.600000	6
25%	3801.250000	1930.250000	0.100000	0.100000	2.300000	25.425000	62.975000	10
50%	3829.500000	1958.500000	0.800000	1.150000	5.200000	40.050000	90.350000	13
75%	3857.750000	1986.750000	4.075000	4.500000	12.875000	51.500000	114.625000	17
max	3886.000000	2015.000000	24.400000	44.300000	108.900000	127.700000	190.500000	26

EDA And Visualization

```
In [16]: sns.pairplot(df)
```

```
Out[16]: <seaborn.axisgrid.PairGrid at 0x13d41f97ee0>
```




```
In [17]: sns.distplot(df[ 'ANNUAL' ])
```

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

```
warnings.warn(msg, FutureWarning)
```

```
Out[17]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>
```



```
In [18]: sns.heatmap(df.corr())
```

```
Out[18]: <AxesSubplot:>
```

