Importing Libraries

In [1]:
```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

Importing Datasets

In [2]:
```
df=pd.read_csv(r'C:\Users\user\Downloads\Rainfall\TELANGANA.csv')
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	3198	TELANGANA	1902	0.0	0.0	0.2	10.7	7.3	52.4	146.3	142.8	190.5	41.7
1	3199	TELANGANA	1903	12.9	4.6	0.0	9.9	40.7	99.2	505.2	246.7	191.9	155.8
2	3200	TELANGANA	1904	0.0	0.0	10.8	0.8	14.7	104.2	139.5	50.0	162.3	44.4
3	3201	TELANGANA	1905	0.0	4.3	12.8	27.6	32.2	129.5	82.4	237.3	179.1	19.6
4	3202	TELANGANA	1906	22.5	1.2	13.4	2.4	0.7	211.1	210.8	226.7	96.3	20.5
...	...	...	...	...	...	...	...	...	...	...	...	...	...
109	3307	TELANGANA	2011	0.0	11.9	2.6	25.6	9.3	83.9	268.2	225.9	107.6	13.9
110	3308	TELANGANA	2012	6.7	0.0	0.2	14.0	8.4	124.4	300.3	229.9	202.4	83.6
111	3309	TELANGANA	2013	2.4	29.0	0.2	24.4	8.5	213.4	453.8	230.6	161.4	205.9
112	3310	TELANGANA	2014	0.2	2.9	58.3	10.3	73.3	62.3	146.0	205.2	146.8	29.6
113	3311	TELANGANA	2015	17.5	0.0	43.0	65.7	23.3	266.9	104.4	160.5	158.3	15.6

114 rows × 20 columns

Data Cleaning and Data Preprocessing

In [3]:
```
df=df.dropna()
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	3198	TELANGANA	1902	0.0	0.0	0.2	10.7	7.3	52.4	146.3	142.8	190.5	41.7
1	3199	TELANGANA	1903	12.9	4.6	0.0	9.9	40.7	99.2	505.2	246.7	191.9	155.8
2	3200	TELANGANA	1904	0.0	0.0	10.8	0.8	14.7	104.2	139.5	50.0	162.3	44.4
3	3201	TELANGANA	1905	0.0	4.3	12.8	27.6	32.2	129.5	82.4	237.3	179.1	19.6
4	3202	TELANGANA	1906	22.5	1.2	13.4	2.4	0.7	211.1	210.8	226.7	96.3	20.5
...	...	...	...	...	...	...	...	...	...	...	...	...	...
109	3307	TELANGANA	2011	0.0	11.9	2.6	25.6	9.3	83.9	268.2	225.9	107.6	13.9
110	3308	TELANGANA	2012	6.7	0.0	0.2	14.0	8.4	124.4	300.3	229.9	202.4	83.6
111	3309	TELANGANA	2013	2.4	29.0	0.2	24.4	8.5	213.4	453.8	230.6	161.4	205.9
112	3310	TELANGANA	2014	0.2	2.9	58.3	10.3	73.3	62.3	146.0	205.2	146.8	29.6
113	3311	TELANGANA	2015	17.5	0.0	43.0	65.7	23.3	266.9	104.4	160.5	158.3	15.6

114 rows × 20 columns

In [4]:
```
df.columns
```

Out[4]:
```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```

In [5]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
 #   Column       Non-Null Count  Dtype  
---  ------       --------------  -----  
 0   index        114 non-null    int64  
 1   SUBDIVISION  114 non-null    object 
 2   YEAR         114 non-null    int64  
 3   JAN          114 non-null    float64
 4   FEB          114 non-null    float64
 5   MAR          114 non-null    float64
 6   APR          114 non-null    float64
 7   MAY          114 non-null    float64
 8   JUN          114 non-null    float64
 9   JUL          114 non-null    float64
 10  AUG          114 non-null    float64
 11  SEP          114 non-null    float64
 12  OCT          114 non-null    float64
 13  NOV          114 non-null    float64
 14  DEC          114 non-null    float64
 15  ANNUAL       114 non-null    float64
 16  Jan-Feb      114 non-null    float64
 17  Mar-May      114 non-null    float64
 18  Jun-Sep      114 non-null    float64
 19  Oct-Dec      114 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

Line Chart

In [6]:
```
df.plot.line(subplots=True)
```

Out[6]:
```
array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



In [7]:
```
df.plot.line()
```

Out[7]:
```
<AxesSubplot:>
```



Bar Chart

In [8]:
```
df.plot.bar()
```

Out[8]:
```
<AxesSubplot:>
```



Histogram

In [9]:
```
df.plot.hist()
```

Out[9]:
```
<AxesSubplot:ylabel='Frequency'>
```



Area Chart

```
In [10]: df.plot.area()
```

```
Out[10]: <AxesSubplot:>
```



Box Chart

```
In [11]: df.plot.box()
```

```
Out[11]: <AxesSubplot:>
```



Pie Chart

```
In [12]: df.plot.pie(y='ANNUAL')
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```


ANNUAL
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
113
112
111
110



Scatter Plot

```
In [13]: df.plot.scatter(x='JAN',y='FEB')

Out[13]: <AxesSubplot:xlabel='JAN', ylabel='FEB'>
```



```
In [14]: df.info()

<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
 #   Column       Non-Null Count  Dtype  
---  ------       --------------  -----  
 0   index        114 non-null    int64  
 1   SUBDIVISION  114 non-null    object 
 2   YEAR         114 non-null    int64  
 3   JAN          114 non-null    float64
 4   FEB          114 non-null    float64
 5   MAR          114 non-null    float64
 6   APR          114 non-null    float64
 7   MAY          114 non-null    float64
 8   JUN          114 non-null    float64
 9   JUL          114 non-null    float64
 10  AUG          114 non-null    float64
 11  SEP          114 non-null    float64
 12  OCT          114 non-null    float64
 13  NOV          114 non-null    float64
 14  DEC          114 non-null    float64
 15  ANNUAL       114 non-null    float64
 16  Jan-Feb      114 non-null    float64
 17  Mar-May      114 non-null    float64
 18  Jun-Sep      114 non-null    float64
 19  Oct-Dec      114 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

In [15]:
```
df.describe()
```

Out[15]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	11
mean	3254.500000	1958.500000	7.709649	9.407018	12.657018	17.948246	25.403509	14
std	33.052988	33.052988	13.942302	14.987002	18.859255	15.796758	23.745021	5
min	3198.000000	1902.000000	0.000000	0.000000	0.000000	0.100000	0.200000	2
25%	3226.250000	1930.250000	0.000000	0.000000	1.400000	6.925000	8.425000	10
50%	3254.500000	1958.500000	1.000000	3.350000	4.700000	14.000000	20.500000	13
75%	3282.750000	1986.750000	9.750000	13.625000	15.275000	24.625000	34.550000	18
max	3311.000000	2015.000000	98.700000	79.100000	108.600000	105.600000	159.800000	33

EDA And Visualization

In [16]:

```
sns.pairplot(df)
```

Out[16]:

```
<seaborn.axisgrid.PairGrid at 0x1f5adb6d430>
```



In [17]:
```
sns.distplot(df['ANNUAL'])
```

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: Fut
ureWarning: `distplot` is a deprecated function and will be removed in a futu
re version. Please adapt your code to use either `displot` (a figure-level fu
nction with similar flexibility) or `histplot` (an axes-level function for hi
stograms).
  warnings.warn(msg, FutureWarning)
```

Out[17]:
```
<AxesSubplot:xlabel='ANNUAL', ylabel='Density'>
```



In [18]:
```
sns.heatmap(df.corr())
```

Out[18]:
```
<AxesSubplot:>
```


index
YEAR
JAN
FEB
MAR
APR
MAY
JUN
JUL
AUG
SEP
OCT
NOV
DEC
ANNUAL
Jan-Feb
Mar-May
Jun-Sep
Oct-Dec
index
YEAR
JAN
FEB
MAR
APR
MAY
JUN
JUL
AUG
SEP
OCT
NOV
DEC
ANNUAL
Jan-Feb
Mar-May
Jun-Sep
Oct-Dec