Importing Libraries

In [1]:
```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

Importing Datasets

In [2]:
```
df=pd.read_csv(r'C:\Users\user\Downloads\Rainfall\RAYALSEEMA.csv')
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	3313	RAYALSEEMA	1902	10.0	0.2	1.7	11.0	36.8	73.6	41.3	148.3	181.7	188.5
1	3314	RAYALSEEMA	1903	30.0	0.1	0.0	3.6	80.5	67.5	127.5	140.6	219.7	95.3
2	3315	RAYALSEEMA	1904	14.8	0.0	1.7	7.1	58.8	39.8	75.1	19.4	84.7	111.5
3	3316	RAYALSEEMA	1905	6.5	6.8	17.0	18.3	44.2	66.1	50.9	219.3	36.5	180.2
4	3317	RAYALSEEMA	1906	115.3	7.2	6.8	2.1	9.6	84.1	127.9	154.4	130.4	107.7
...	...	...	...	...	...	...	...	...	...	...	...	...	...
109	3422	RAYALSEEMA	2011	0.8	12.1	0.0	34.6	33.0	44.5	128.9	163.6	71.2	107.5
110	3423	RAYALSEEMA	2012	2.7	0.0	2.5	32.7	38.8	47.0	139.7	120.0	69.5	113.7
111	3424	RAYALSEEMA	2013	1.3	30.6	11.5	26.8	38.9	73.8	95.7	110.3	163.2	169.3
112	3425	RAYALSEEMA	2014	0.2	0.7	12.5	5.1	46.7	66.3	68.7	115.1	81.4	104.6
113	3426	RAYALSEEMA	2015	1.9	0.0	13.4	73.4	39.7	73.0	43.1	123.6	136.3	106.7

114 rows × 20 columns

Data Cleaning and Data Preprocessing

In [3]:
```
df=df.dropna()
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	3313	RAYALSEEMA	1902	10.0	0.2	1.7	11.0	36.8	73.6	41.3	148.3	181.7	188.5
1	3314	RAYALSEEMA	1903	30.0	0.1	0.0	3.6	80.5	67.5	127.5	140.6	219.7	95.3
2	3315	RAYALSEEMA	1904	14.8	0.0	1.7	7.1	58.8	39.8	75.1	19.4	84.7	111.5
3	3316	RAYALSEEMA	1905	6.5	6.8	17.0	18.3	44.2	66.1	50.9	219.3	36.5	180.2
4	3317	RAYALSEEMA	1906	115.3	7.2	6.8	2.1	9.6	84.1	127.9	154.4	130.4	107.7
...	...	...	...	...	...	...	...	...	...	...	...	...	...
109	3422	RAYALSEEMA	2011	0.8	12.1	0.0	34.6	33.0	44.5	128.9	163.6	71.2	107.5
110	3423	RAYALSEEMA	2012	2.7	0.0	2.5	32.7	38.8	47.0	139.7	120.0	69.5	113.7
111	3424	RAYALSEEMA	2013	1.3	30.6	11.5	26.8	38.9	73.8	95.7	110.3	163.2	169.3
112	3425	RAYALSEEMA	2014	0.2	0.7	12.5	5.1	46.7	66.3	68.7	115.1	81.4	104.6
113	3426	RAYALSEEMA	2015	1.9	0.0	13.4	73.4	39.7	73.0	43.1	123.6	136.3	106.7

114 rows × 20 columns

In [4]:
```
df.columns
```

Out[4]:
```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```

In [5]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
 #   Column       Non-Null Count  Dtype  
---  ------       --------------  -----  
 0   index        114 non-null    int64  
 1   SUBDIVISION  114 non-null    object 
 2   YEAR         114 non-null    int64  
 3   JAN          114 non-null    float64
 4   FEB          114 non-null    float64
 5   MAR          114 non-null    float64
 6   APR          114 non-null    float64
 7   MAY          114 non-null    float64
 8   JUN          114 non-null    float64
 9   JUL          114 non-null    float64
 10  AUG          114 non-null    float64
 11  SEP          114 non-null    float64
 12  OCT          114 non-null    float64
 13  NOV          114 non-null    float64
 14  DEC          114 non-null    float64
 15  ANNUAL       114 non-null    float64
 16  Jan-Feb      114 non-null    float64
 17  Mar-May      114 non-null    float64
 18  Jun-Sep      114 non-null    float64
 19  Oct-Dec      114 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

Line Chart

In [6]:
```
df.plot.line(subplots=True)
```

Out[6]:
```
array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



In [7]:
```
df.plot.line()
```

Out[7]:
```
<AxesSubplot:>
```



Bar Chart

In [8]:
```
df.plot.bar()
```

Out[8]: <AxesSubplot:>



Histogram

In [9]:
```
df.plot.hist()
```

Out[9]: <AxesSubplot:ylabel='Frequency'>



Area Chart

In [10]:
```
df.plot.area()
```

Out[10]: <AxesSubplot:>



Box Chart

In [11]:
```
df.plot.box()
```

Out[11]: <AxesSubplot:>



Pie Chart

In [12]:
```
df.plot.pie(y='ANNUAL')
```

Out[12]:
```
<AxesSubplot:ylabel='ANNUAL'>
```


ANNUAL
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63



Scatter Plot

In [13]:
```
df.plot.scatter(x='JAN',y='FEB')
```

Out[13]: <AxesSubplot:xlabel='JAN', ylabel='FEB'>



In [14]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
 #   Column       Non-Null Count  Dtype  
---  ------       --------------  -----  
 0   index        114 non-null    int64  
 1   SUBDIVISION  114 non-null    object 
 2   YEAR         114 non-null    int64  
 3   JAN          114 non-null    float64
 4   FEB          114 non-null    float64
 5   MAR          114 non-null    float64
 6   APR          114 non-null    float64
 7   MAY          114 non-null    float64
 8   JUN          114 non-null    float64
 9   JUL          114 non-null    float64
 10  AUG          114 non-null    float64
 11  SEP          114 non-null    float64
 12  OCT          114 non-null    float64
 13  NOV          114 non-null    float64
 14  DEC          114 non-null    float64
 15  ANNUAL       114 non-null    float64
 16  Jan-Feb      114 non-null    float64
 17  Mar-May      114 non-null    float64
 18  Jun-Sep      114 non-null    float64
 19  Oct-Dec      114 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

In [15]:
```
df.describe()
```

Out[15]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	11
mean	3369.500000	1958.500000	9.892982	5.289474	8.147368	19.876316	50.577193	6
std	33.052988	33.052988	19.204248	10.921452	13.750959	17.638014	37.719296	3
min	3313.000000	1902.000000	0.000000	0.000000	0.000000	0.700000	4.100000	2
25%	3341.250000	1930.250000	0.200000	0.000000	0.400000	8.175000	29.075000	4
50%	3369.500000	1958.500000	1.900000	0.950000	4.050000	12.550000	41.450000	5
75%	3397.750000	1986.750000	9.950000	5.425000	10.875000	27.475000	55.225000	7
max	3426.000000	2015.000000	115.300000	81.000000	86.900000	93.500000	239.800000	27

EDA And Visualization

In [16]:
```
sns.pairplot(df)
```

Out[16]:
```
<seaborn.axisgrid.PairGrid at 0x1ad2a746610>
```



In [17]:
```
sns.distplot(df['ANNUAL'])
```

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: Fut
ureWarning: `distplot` is a deprecated function and will be removed in a futu
re version. Please adapt your code to use either `displot` (a figure-level fu
nction with similar flexibility) or `histplot` (an axes-level function for hi
stograms).
  warnings.warn(msg, FutureWarning)
```

Out[17]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>



In [18]:
```
sns.heatmap(df.corr())
```

Out[18]: <AxesSubplot:>