Community Dynamics of Smoking and Drinking Behavior in Barangay Conception Uno, Marikina

ENUMERATOR'S MANUAL

1.0 Background of the study

Empirical studies on smoking behavior and alcohol consumption have long since established their position and significance in the academe, and more importantly, in the society. Literatures have shown that smoking continues to be a major cause of death and diseases worldwide, despite being preventable at all. According to the World Health Organization (WHO) 2009 report, if no effective intervention can be done to disrupt the steady increase of tobacco use, come 2030, more than eight million people worldwide will die each year, wherein developing countries are most likely to be affected. Developing countries also carry the burden of low mortality rate, of which harmful consumption of alcohol is posed to be as the leading risk factor. Not only does abusive alcohol consumption lead to chronic health effects, in most countries, like in the United Kingdom, there is an estimate that more than half of the hospital admissions to accident and emergency departments are alcohol-related (Faculty of Public Health and the Association of Directors of Public Health, 2004).

With these, it can be seen that smoking behavior and alcohol consumption are a hand-in-hand global public health issues. In fact, many studies found that tobacco use is strongly correlated, making alcohol and tobacco being often consumed together (Degenhardt, Hall, and Lynskey, 2001; Krejci, Steinberg, and Ziedonis, 2003; Marks et al. 1997). People who smoke are much more likely to drink and people who drink are much more likely to smoke. Hence, several studies have explored smoking behavior and alcohol consumption side-by-side, most of which are grounded on the Theory of Planned Behavior (TPB).

TPB is an extension of the theory of reasoned action—combines concepts from social cognition models that may promote or prevent the performance of health behavior: 1) attitude, 2) social norms, and 3) self-efficacy (Ajzen & Fishbein, 1980). One antecedent of one's intention to smoke or drink is their attitude towards the action, or how they perceived tobacco and alcohol use as positive or negative. This is due to the reason that even tobacco users and moderate drinkers are convinced that tobacco and alcohol are vaguely immoral substances (Sadowsky, 2010). Another antecedent is social norms which is the absence or presence of support that comes from their environment. Last is the self-efficacy or the ability to control oneself under environmental constraints. Other studies would also include other determinants such as mental illnesses, as done by Mavra Kear (2002) when she did a study on cigarette use among college students.

Several studies have proved the success of using this theory as framework, specifically on understanding and predicting subsequent smoking and drinking behavior, wherein some would perform Structural Equation Modeling (SEM) or a Meta-analytical Structural Equation Modeling (MASEM) (Moriano, J. & Toa, G., 2010). Using multivariate techniques done by Doku, Raisamo, and Wiium (2012), it was found that social norms, specifically indicators such as smoking on school compound, exposure to tobacco advertisement, and parental smoking, were mostly associated with one's intention to smoke. On the other hand, attitude—especially one's attitude on ban of tobacco use, was not significantly associated.

In developing countries, factors associated with intentions on smoking and drinking are still widely unexplored, let alone the relationships among these factors (Doku, Raisamo, & Wiium, 2012). In the Philippines, most studies only explored smoking and drinking behavior as functions of demographics. While meta-analysis can also be helpful to understand tobacco and alcohol use in the Philippines, it must be noted that by using such established theories, a country's attitude, knowledge, socio-environmental, and cultural norms can be as exclusive as possible (Doku, Raisamo, & Wiium, 2012).

Despite the lack of relevant local studies, the Philippines made an effort in alcohol and tobacco control by utilizing excise tax, or popularly known as the Sin Tax Law. Restructuring the existing taxes on "sin" goods, it aims to address public health issues relating to tobacco and alcohol consumption while at the same time making revenue for the government. That is, increasing taxes on "sin" products promotes significant reductions in the prevalence use of these products. Cahaloupka (1999) asserted that this method is likely to be the most effective policy option should the government want to reduce public health toll from such substances. However, there has been some caveats. It is true that in just less than a year after its implementation in 2013, the study showed that the prevalence of smoking for the poor socioeconomic class have dropped from 38% to 25%. Reduction can also be seen for the youth group comprising of individuals aged 18 to 24, as prevalence dropped from 35% to 18%. However, there is no significant reduction found for the upper socioeconomic classes and the rest of the age groups. While it is effective for the population subgroups that are financially deprived—value or authority-wise, smoking continues to be prevalent among the working class. The question now is posed on whether and what can be the additional measures on the tobacco and alcohol control that can be implemented alongside the sin tax law and be equally effective for all age and socioeconomic sub-population groups. Answering this would require that the Filipinos' smoking behavior and alcohol consumption be understood and likewise predicted.

In general, the study aims to explore the smoking behavior and alcohol consumption of the Filipinos beyond merely the demographics level. It will use the SEM and is primarily grounded on the TPB. However, in addition to the antecedents provided by the TPB—attitude, social norms, self-efficacy, it is to integrate the individual's mental health disposition. Hence, the study will investigate the four psychosocial determinants that may affect a Filipino's intention to use tobacco or consume alcohol: attitude, social norms, self-efficacy, and mental health

2.0 Statement of the problem

Tobacco use and alcohol consumption may be hazardous to every member of the community, both consumers and non-consumers. The question of whether information regarding negative health effects of tobacco use and alcohol consumption, rules and policies revolving this, and reasons of consumption is properly disseminated should be answered to improve the living conditions of people in the society. Consequently, investigation on the smoking and drinking habits of Filipinos in relation to mental health should be done in order to understand the view of Filipinos and whether these habits are highly contributory to both individual problems and societal problems.

3.0 Objectives of the study

Based on the background information provided regarding the current situation of smoking and alcohol consumption in the country, together with the perceived significance that this study can provide, this study will focus on the following objectives:

1. Determine if the selected community exhibits the established relationship of the individual's attitude, social norms, and self-efficacy with the individual's tendency to engage in smoking and alcohol consumption
2. Determine if the selected community exhibits a relationship between the individual's intention, and the individual's actual engagement in smoking and drinking
3. Determine if, aside from the individual's intention, there is a relationship between behavior and community factors, such as access to alcohol and tobacco products, and awareness to health services and relevant legal policies
4. Identify and recommend additional measures on smoking and alcohol control that can be implemented to reduce and prevent the tendency of individuals to engage in smoking and drinking alcohol

4.0 Importance of the study

The prime significance of this study is to serve as a reference in making or amending republic acts and bills addressing the problem of tobacco use and alcohol consumption along with the mental health policies. Focus will be given to the antecedents with the highest effect on the two behaviors for the purpose of reducing prevalence. This study will also help assess if government policies such as smoking and liquor bans on the local and national levels would play a significant effect on stopping tobacco use and alcohol consumption. Alongside with the further evaluation of the additional consumption tax (sin tax), results of the study can also be used to determine other tobacco and alcohol control activities which could be funded by the earmarked taxes–leading to even larger reductions of smoking and harmful drinking prevalence across all age and socioeconomic sub-population groups.

5.0 Selection of sample

5.1 Sampling Strategy

The overall sample design of the survey conducting in the barangay of Concepcion Uno will be done under a stratified two-stage sampling design. The whole design will be summarized as in the followings:

1. The whole barangay area map is stratified into 135 street maps called "paths" and the buffer zone. The paths are created by combining or adjusting street maps from the mapping operations which were done by the EXFO members.
2. Five sampled housing units will then be selected from each path using a linear systematic sampling scheme in the first stage. The path size, the interval, and the random start for each path are provided. Each enumerator is required to:
   a. Number the housing units following the direction guided by the arrows illustrated in the path;
   b. Select the five sampled housing units using the given random start and interval in his/her respective path;
   c. Highlight the five sampled housing units, and regard the household in these selected structures as the sampled households for the next stage selection procedure.

   Below is the sample enumerator's map:
   - Red arrows indicate the direction and path you should take.
   - Blue dotted lines indicate boundaries so as to be clear on which side of the street you should be and where you should stop.
   - Numbers in the blue stars represent the housing units where you are to conduct the survey. If specified housing unit is not found, just choose the housing units based on the direction of the arrows, the starting number, and the sampling interval.

Sample size: 5
Path size: 35
Sampling interval: 7
Starting number: 2


Brgy. Concepcion U
Purok: 2
Street: Autumn, Ep
Est. no. of HH:
Legend:
house
commercial
house w/ store
blank lot
Notes:
A= Very small black gate; "Go Sakto" and "3 Sisters Store" can be seen in its poster.
B= Black gate, white house, "70" written in wall vague in blue ink
C= Not part of Purok 2
D= Not part of Purok 2
E= Wooden house, brown gate 2 households
F= Golden yellow houses with grass in front. Across the street is Eat and Meet Restaurant.
CORINTIANS
ROMAN
TRICARBEN
FRIENDSHIP
AUTUMN
PHILIPPIANS
GALATIANS
CANAR
J. MOLINA
KATIPUNAN
RAINBOW
1ST ST.
2ND ST.


Brgy. Concepcion Uno
Purok: 2
Street:
Est. no. of HH:
Legend:
house
commercial
house w/ store
blank lot
Notes:
- NON- RESIDENTIAL
A - House number 21-B
B - White Bricked House
C - White House
D - Saint Dominic School
E - Red GATE
F - YELLOW WALL
G - Green Gate
H - House Number 7
I - White House
TRICARBEN
ROMAN
GALATIANS
PHILIPPIANS
CORINTIANS
AUTUMN
1ST ST.

Please note that the said selection procedure refers to the assumption that one housing unit for only one household. In case the selected housing unit turns out to have **more than one household inside, another randomization procedure will need to be performed** in order to choose the sampled household from that selected housing unit. This randomization procedure will be done in the following ways:

a. First, number the households within the selected housing unit by considering the household, which is specified by door, bed, or curtain, that you can reach first as the first household, then second, and so on. In the case that households are located as rows, consider the household that you can reach first at the first row on the right hand as the first household, second, and so on until you completely finish numbering the first row then move to another row, and so on until all households in the housing unit are completely numbered. Similarly, for the case of household positioning as storeys, consider and finish numbering the first floor then move to the second, and so on until all households within the structure are completely numbered.

b. Choose the random number to represent the serial number of the sampled household in the selected unit from the random number table provided in the kit. In searching for the random number, the enumerator is required to start the search from the row number corresponding to the serial number of that sampled household among the ten households in the pair. The reason of this requirement is to ensure that not all the sampled households are likely to be selected with the same serial number across the pair.

3. In the second stage, **one household member aged 18 years old or above** is chosen from the selected household for the survey. The selection of this respondent will be done using the Kish Grid method. The **Kish Grid Table** and the instruction on the how-to-use is provided as follows:

Name of Possible Respondent	**Household**				
	1	**2**	**3**	**4**	**5**
1	1	1	1	1	1
2	2	1	2	1	2
3	1	2	3	1	2
4	4	1	2	3	4
5	4	5	3	4	5
6	4	5	6	3	6
7	4	5	6	7	4
8	4	5	6	7	8
9	4	5	6	7	8
10 or more	4	5	6	7	8

Kish Grid Table

a. Find out the number of eligible members (i.e.; those whose ages are 18 years old or above, are able to communicate, and are available for the interview during the day) within the selected household.

b. The youngest member (excluding members under 18 years old) is number 1, the second youngest is number 2, and so on;

c. Circle the row containing the last digit in the household questionnaire number, and the column for the number of eligible members;

d. The number in the cell where the column and row meet is the person to interview.

For example, if the last digit of household questionnaire number is 4, and the number of eligible members is 3, the youngest member, (1) will be selected for the interview in the survey. For the same questionnaire number but the number of eligible members is 5, then the fourth youngest member, (4), in the household is chosen for the interview.

Note: In the case where the chosen member is not available for the survey and all possible ways in arranging him/her to meet for the survey have been employed, the stepwise exclusion of the eligible members who are unavailable is allowed to be used for finding those who are available for the survey by using the steps instructed above.

5.2 Replacement and substitution rules

1. There will be some instances when the sampled households should be replaced (replacement still be regarded as original sample) or substituted (substitution is no longer considered as original sample). Replacement and substitution rates will be used in reporting the total response rates.
2. The households will be automatically replaced if there is no eligible member (under-aged or unable to communicate) in the household.
3. The following households will be substituted right away:
   a. Outright refusal
   b. Refuse to be interviewed
   c. No definite time of availability
4. The following households will be substituted after ***one*** valid call back:
   a. Not available
   b. Door locked
   c. No response (sleeping, out)
   d. Maids/kids only in the household
5. The households to be replaced or substituted are allowed on a one-household left and right policy between the current sample point to the previous sample point, or to the next sample point. That is;
   a. The enumerator is allowed to replace or substitute the current sampled household by a household on the left side of the current sample at the first trial;
   b. If the replacement or substitution is not successful in the first trial, he/she is allowed to go to another household at the right side of the current sample.
   c. Follow these procedures until the current sample can be replaced or substituted within the two intervals;
   d. If the replacement or substitution is still not successful under the above policy, enumerator is then required to go to the buffer zone for such replacement or substitution.

5.3 Buffer zone rule

1. Different portion of streets, side of streets will be provided to enumerators who are required to interview the households in the buffer zone.
2. The selection of sampled households in this zone will be done under convenient sampling scheme.
3. Should the enumerator needs to go to the buffer zone, he may contact the following EXFO members to determine which streets they can go to:
   - Veun, Thy (09052914934 – Globe)
   - Ohn Mar Myint (09953032327 – Smart)
   - Navongsa, Sypaseut (9773944616 – Globe)

5.4 Workforce Allocation

1. On the actual survey days, there will be a total of 135 enumerators and 8 foreign observers. Enumerators will be working as individual, in pairs or in groups of 3 or 4. 35 pairs, 16 triplets, 4 quadruplets, and 1 individual will conduct the interview. The 8 from the CLMV countries will

be observers and help in designating buffer zone areas to the enumerators.

2. The pairs or groups is consists of one member from EXFO committee. The one-individual is a member from EXFO committee in his respective Purok in the mapping operation.
3. Those pairs or groups without EXFO member shall be placed in the middle areas between those with EXFO members so that EXFO members can supervise them too.
4. An EXFO member in each pair or group will be assigned to supervise another member/s within the pair or group, and another member/s of another pair or group without EXFO member. The main roles of the EXFO member are:
   - Make sure that the assigned enumerators have path map, and related documents.
   - Coordinate the assigned pairs/group on the actual survey days, and check if they are on track with the survey completion.
   - Be the focal point persons on questions regarding path addresses, and how to get there.
   - Be the focal point persons on questions regarding sampling strategies, and the replacement and substitution rules.
   - The EXFO members will be given prerogative on decision-making, following the guidelines set forth during technical briefing. Should the EXFO members have questions that they cannot answer, they can contact to the following people:
     - Pondanera, Jonathan (0917 678 8238)
     - Manapat, George Ringo (0919 813 4956)
     - Donato, Patricia Rose (0905 357 3034)
     - Kho, Leonard Bryan (0916 253 0986)
     - Bituin, Bianca (0995 253 5845)
     - Alihan, Shaina Sandra (0905 222 4684)

6.0 Rules and guidelines for conducting the interview

6.1 Who to interview

Residents of Barangay Concepcion Uno, Marikina City who are 18 years old and above are eligible as respondents for the survey. The use of Kish grid in choosing who to interview within a household is required for households with more than one eligible respondent. See chapter 5 on how to use the Kish grid.

6.2 How to interview

Enumerators should be able to get respondents, and conduct the survey by following these guidelines:

1. Dress up simply and comfortably. As an enumerator, you must present yourself as someone the respondents can trust. It is recommended to be in white polo shirt, pants, and closed shoes during the interview and to have your ID at all times. If the enumerator does not own any white polo shirt, any white shirt, or a UP PE shirt will do.
2. Introduce yourself. State your name and the organization you represent before the interview. Tell the respondent what the survey is all about, how long it will take, and that all information he/she provides will be kept confidential. Below is an example.

   "Magandang umaga/hapon po. Ako po si _____, estudyante mula sa School of Statistics, UP Diliman. Kasalukuyan po kaming nagsu-survey tungkol sa pananaw ng mga residente ng barangay Concepcion Uno sa paninigarilyo at pag-inom ng alak, pati na rin po sa kaalaman at karanasan ninyo sa mga batas at ordinansa sa paninigarilyo at pag-inom ng alak. Wala pong tama o maling sagot, opinyon po ninyo ang mahalaga sa survey na ito. Lahat po ng impormasyong inyong sasabihin ay mananatiling konpidesyal. Karaniwan pong tumatagal nang kalahating oras o tatlumpung minuto ang interview."

3. Explain the importance and relevance of the survey. You may tell the respondent that the data that will be gathered from the survey may be of use to the local and national government in making amendments in our laws and ordinances particularly in smoking and drinking.
4. Explain the importance of the respondent to the Survey. Some respondents may wonder why and how they were chosen for the interview. You may tell them that they were selected randomly and their responses are important because they represent many other households who were not selected; they cannot simply be replaced.
5. If the respondent agrees to be interviewed, prepare the needed materials for the survey. This includes the questionnaire, pencil, and the showcards. Entering until the front porch of the house for the interview is allowed only when invited by the respondent. However, for security reasons, entering the house is not recommended. If invited inside the house, politely decline the offer and assure the respondent that you are comfortable in interviewing outside of the house.
6. Be polite to the respondents. It is important to keep their trust and comfort throughout the whole survey. Answer all questions by the interviewee regarding the items in the survey as accurately and as friendly as you can. Patiently wait for the respondent to answer each item, avoid rushing them or looking at your watch. Don't forget to thank the respondent occasionally during the interview.
7. Encourage respondents to answer all questions. If the respondent hesitates to answer an item, reassure them about confidentiality and that there is no right or wrong answer. When the respondent's answer is vague or incomplete, probing may be done to improve validity, clarity and completeness of the response (i.e., the respondent answers "maybe", so you could probe more and ask what the respondent means by "maybe").
8. Avoid changing the wording or sequence of the questions. Rephrasing may be done, if necessary, but be mindful of your choice of words so as not to influence the answers of the respondent. Speak as clearly as you can.
9. Do not skip questions that you think have obvious answers. Answers you expect may not always be the answers you get.
10. Some questions pertaining to the opinion/view of the respondent have coded choices corresponding to their level of agreement (i.e. 1 - Strongly Disagree, 2 - Disagree, 3 - Neutral, 4 - Agree, 5 - Strongly Agree). When asking these questions, remember to show the flash cards that contain these coded choices with their respective levels of agreement so as not to confuse the respondent with the choices.
11. If the respondent stops being serious during the survey or starts giving half-hearted answers, politely terminate the interview.
12. Thank the respondent after the interview for his/her time and participation. Do not forget to give the token of appreciation.

6.3 How to record the answers

Below are the rules to follow when recording the answers of the respondents.

1. Complete first the respondent's demographics. If the respondent refuses to give his/her name, just ask for a nickname.
2. Write down the respondent's answers during the interview. It may require you to write faster to avoid delaying the survey.
3. As much as possible, write neatly and legibly.
4. For pre-coded questions, encircle the codes representing the respondent's answers.
5. Open-ended questions may require you to write everything the respondent says. However, you may write only the keywords down, so long as you remember what they mean after the interview.

6. Some questions ask for the respondent's views about smoking and drinking. Encircle the number corresponding to his/her level of agreement.
7. Use the pencil provided in the kit in recording the answers. Neatly erase incorrect information and write the correction clearly. Avoid leaving marks or dirt on the questionnaire.
8. You may note down the reactions of the respondent as you are reading the question or as they are answering the question. This may help in assessing the status of their response (e.g. whether they had difficulty in understanding the question, or whether their answer was not genuine).

7.0 How to fill up the questionnaire

7.1 Interview details

Kish Grid

Fill out the Kish Grid to identify the appropriate respondent within the household. On the first column write the names of the household members 18 years old and above who are present in the household ordered from youngest to oldest. See further instructions on how to fill up the Kish Grid in Section 5.0.

Enumerator's Name

Write enumerator's full name.

Time Started

Write the start time of the interview. Example: 8:21am.

Time Ended

Write the time when the interview was finished. This is after you have thanked the respondent for completing the interview and have given the token. Example: 9:00am.

R1 *Pangalan*

Write the name of the respondent.

R2 *Edad (sa taon)*

Write the age of the respondent in number of years.

R3 *Bilang ng nakatirang tao sa bahay (kasamang natutulog at kumakain)*

Ask the question, *Ilan po kayong nakatira o kasama ninyong natutulog at kumakain sa loob ng inyong bahay?* Record the respondent's answer on the boxes provided (one digit for each box).

R4 *Bilang ng nakatirang tao sa bahay na mas mababa sa 18 taong gulang*

Ask the question, Ilan pong tao na edad 18 taong gulang pababa ang nakatira sa inyong bahay? Record the respondent's answer on the boxes provided (one digit for each box).

7.2 Attitude towards Drinking and Smoking

Start this part by saying aloud the following:

"May mga babasahin po akong pangungusap ukol sa pag-inom ng alak at paninigarilyo. Sa bawat isa, pakisabi po ang (1) kung kayo ay lubos na hindi sumasang-ayon, (2) kung hindi sumasang-ayon lang, (3) kung niyutral, (4) kung sang-ayon lang, at (5) kung lubos na sumasang-ayon. Pakisabi lang po ang numero ng sagot ninyo sa bawat pangungusap na babasahin ko. Ito po ang showcard na gagamitin nating gabay."

Give Showcard 1 to the respondent. Read aloud the statements *DA1 to DA14* and *SA1 to SA11.* Record the response by encircling the correct number in the response scale.

7.3 Frequency of Drinking and Smoking

Start this part by saying:

"Ngayon po ay magtatanong ako tungkol sa dalas ng pag-inom at paninigarilyo. "

D1: *Sa iyong pagkakaalam, sinu-sino sa mga sumusunod ang umiinom ng alak?*

Record the answer/s by encircling the number that best corresponds to the respondent's answer/s.

D2*: Alin sa mga sumusunod ang pinaka-naglalarawan sa inyo?*

Give Showcard 2.A if Male respondent and Showcard 2.B if Female respondent.
Record the answer by encircling the number that best corresponds to the respondent's answer.
Note that 1 drink = 1 bottle of beer = 1 glass of wine = 1 shot of hard drink = 1 cocktail.

*This question has a skip pattern.
If the respondent answers response #6, skip D3 and proceed to D4. Otherwise ask D3.
If the respondent answers response #4, ask how many months since he/she last drunk liquor? Record the answer in the space provided.

D3*: Ilang taon ka noong una kang uminom ng alak?*

Write down the age specified by the respondent. Be precise. If the respondent happens to give a range of ages, try to probe deeper.

S1*: Sa iyong pagkakaalam, sinu-sino sa mga sumusunod ang naninigarilyo?*

Record the answer/s by encircling the number that best corresponds to the respondent's answer/s.

S2*: Alin sa mga sumusunod ang pinaka-naglalarawan sa inyo?*

Give the respondent Showcard 3.
Record the answer by encircling the number that best corresponds to the respondent's answer.

*This question has a skip pattern.
If the respondent answers response #5, proceed to DN1. Otherwise ask S3 and S4.
If the respondent answers response #4, ask how many months since he/she last smoked a cigarette or e-cigarette? Record the answer in the space provided.

S3*: Ilang taon ka noong una kang nanigarilyo?*

Write down the age specified by the respondent. Be precise. If the respondent happens to give a range of ages, try to probe deeper.

S4: *Humigit kumulang, ilang sigarilyo ang nauubos mo sa isang araw?*

Write down the number of cigarettes specified by the respondent. Be precise. If the respondent happens to give a range of numbers of cigarettes, try to probe deeper.
Note: If the respondent happens to use e-cigarette or vape, this question can be rephrased into "*Ilang bala ng e-juice ang nauubos mo sa isang buwan?"*

7.4 Subjective Norm towards Drinking and Smoking

7.4.1 Part 1 of 2

DN1: *Nakakita ka na ba ng kahit anong komersiyal para sa alak nitong nakaraang buwan sa…*
Record the answer/s by encircling the number that best corresponds to the respondent's answer/s. If the respondent answers response #6, ask what platform/s in the internet he/she has seen the advertisement. Record the answer/s in the space provided.

SN1: *Nakakita ka na ba ng kahit anong komersiyal para sa sigarilyo nitong nakaraang buwan sa…*
Record the answer/s by encircling the number that best corresponds to the respondent's answer/s. If the respondent answers response #6, ask what platform/s in the internet he/she has seen the advertisement. Record the answer/s in the space provided.

7.4.2 Part 2 of 2

Start this section by saying:

"Ang mga sumusunod na pangungusap ay mga pahayag ukol sa pag-inom ng alak at paninigarilyo. Sa bawat isa, pakisabi po ang (1) kung kayo ay lubos na hindi sumasang-ayon, (2) kayo ay hindi sumasang-ayon lang, (3) kung niyutral, (4) kung sang-ayon lang, at (5) kung lubos na sumasang-ayon. Pakisabi lang po ang numero ng sagot ninyo sa bawat pangungusap na babasahin ko.Gamitin po natin ang showcard na gabay sa pagsagot."

Give respondent Showcard 1.

Mga Pahayag Ukol sa Pag-inom ng Alak

Classify the respondent if currently they are a drinker or non-drinker. Mark the box that corresponds to the respondent's classification.
Read aloud the statements DN2 to DN5. Use the appropriate statements based on which classification the respondent belong. Record the response by encircling the correct number in the response scale.
CD refers to current drinker. ND refers to current non-drinker. This also includes quitter and trier of drinking.

Mga Pahayag Ukol sa Paninigarilyo

Classify the respondent if currently they are a smoker or non-smoker. Mark the box that corresponds to the respondent's classification.
Read aloud the statements SN2 to SN5. Use the appropriate statements based on which classification the respondent belong. Record the response by encircling the correct number in the response scale.
CS refers to current smoker. NS refers to current non-smoker. This also includes quitter and trier of smoking.

7.5 Perceived Behavioral Control

In this section, start by saying:

"Sa mga sumusunod na pangungusap, nais naming makuha ang inyong pananaw ukol sa paginom ng alak at paninigarilyo. Katulad ng mga unang pangungusap, sa bawat isa, pakisabi po ang (1) kung kayo ay lubos na hindi sumasang-ayon, (2) kayo hindi sumasang-ayon lang, (3) kung niyutral, (4) kung sang-ayon lang, at (5) kung lubos na sumasang-ayon. Pakisabi lang po ang numero ng sagot ninyo sa bawat pangungusap na babasahin ko.Gamitin natin ang showcard na gabay sa pagsagot."

Give respondent Showcard 1.
Read aloud the statements DC1 to DC8 and SC1 to SC8. Record the response by encircling the correct

number in the response scale.

7.6 Psychological Well-being

In this section, start by saying:

> *"Ang mga sumusunod na pangungusap ay tungkol sa mental health. Katulad ng unang mga pangungusap, sa bawat isa, pakisabi po ang (1) kung kayo ay lubos na hindi sumasang-ayon, (2) kayo hindi sumasang-ayon lang, (3) kung niyutral, (4) kung sang-ayon lang, at (5) kung lubos na sumasang-ayon. Pakisabi lang po ang numero ng sagot ninyo sa bawat pangungusap na babasahin ko.Gamitin natin ang showcard na gabay sa pagsagot."*

Give respondent Showcard 1.

Read aloud the statements P1 to P8. Record the response by encircling the correct number in the response scale.

7.7 Intention towards Drinking and Smoking

Start this part by reading/stating the following clearly and audibly:

> "*Ngayon naman po ay magtatanong ako ng mga tanong tungkol sa inyong balak sa pag-iinom at paninigarilyo."*

DI: *CD: May balak pa rin po ba kayong uminom?*

ND: Wala pa rin po ba kayong balak uminom?

This question has two valid statements, which should be chosen based on what category the respondent falls into. If the respondent is a Current Drinker (CD), then ask the corresponding question. On the other hand, if the respondent is a Non-Drinker (ND), then ask the corresponding question.

SI: *CS: May balak pa rin po ba kayong manigarilyo?*

NS: Wala pa rin po ba kayong balak manigarilyo?

This question has two valid statements, which should be chosen based on what category the respondent falls into. If the respondent is a Current Smoker (CS), then ask the corresponding question. On the other hand, if the respondent is a Non-Smoker (NS), then ask the corresponding question.

7.8 Sources and Access to Alcoholic Drinks and Tobacco

This section has a skip pattern. If the respondent is a Current Non-Drinker and Current Non-Smoker, skip this section and proceed to CH1.

Otherwise, start this section by reading/stating the following clearly and audibly:

> *"Ngayon naman po ay pag-usapan natin ang tungkol sa distansya at lugar kung saan makakakuha at makakabili ng mga alak at sigarilyo."*

If the respondent is a Current Non-Drinker, skip D4 to D8. Moreover, if the respondent is a Current Non-Smoker, skip S5 to S11.

D4*: Anong uri ng alak ang iyong kadalasang iniinom?*

Record the answer/s by encircling the number that best corresponds to the respondent's answer/s.

If the respondent stated an alcoholic drink that is not among the choices, encircle response #5 and write the response/s on the space provided.

D5: *Saan kayo kadalasang bumibili ng alak?*

Record the answer/s by encircling the number that best corresponds to the respondent's answer/s.

If the respondent stated a place that is not among the choices, encircle response #6 and write the response/s on the space provided.

D6: *Ilang minuto ang layo ng inyong bilihan ng alak?*

Write down the number of minutes specified by the respondent. Be precise. If the respondent happens to give a range of minutes, try to probe deeper.

D7: *Pumupunta ka ba sa mga drinking establishment tulad ng bars, clubs, beerhouses?*

Record the answer by encircling the number that corresponds to the respondent's answer.

This question has a skip pattern. If the respondent answered "Oo", proceed to D7.1. Otherwise, proceed to D8.

D7.1 *Pumupunta ka ba sa mga ito nang mag-isa o may kasama?*

Encircle the respondent's answer.

This question has a skip pattern. If the respondent answered "May Kasama", proceed to D7.1.1. Otherwise, proceed to D8.

D7.1.1: *Sa mga pagkakataong ikaw ay may kasama, sinu-sino sila?*

Record the answer/s by encircling the number/s that best corresponds to the respondent's answer/s.

D8: *Magkano ang kaya mong gastusin sa isang inuman?*

Write down the amount mentioned by respondent. Be precise. If the respondent happens to give a range of values, try to probe deeper.

S5: *Alin sa mga ito ang ginagamit ninyo?*

Record the answer/s by encircling the number/s that best corresponds to the respondent's answer/s.

S6: *Saan kayo kadalasang bumibili ng sigarilyo?*

Record the answer/s by encircling the number/s that best corresponds to the respondent's answer/s.

If the respondent stated a place that is not among the choices, encircle response #7 and write the response/s on the space provided.

S7: *Ilang minuto ang layo ng inyong bilihan ng sigarilyo?*

Write down the number of minutes specified by the respondent. Be precise. If the respondent happens to give a range of minutes, try to probe deeper.

S8: *Magkano ang ginagastos mo sa paninigarilyo sa loob ng isang linggo?*

Write down the figure mentioned by respondent. Be precise. If the respondent happens to give a range of values, try to probe deeper.

S9 – S11 *Ask the following questions while showing Showcard 4:*

Record the answer of respondent by encircling the correct code.

"Ikaw ba ay…

S9 *Nakapanigarilyo na may bata sa paligid?*

S10 *Nakapanigarilyo na may buntis sa paligid?*

S11 *Naninigarilyo sa mga smoking areas?*

7.9 Impact of Public Health Regulations on Community Health Dynamics

In this section, start by saying:

"Ang sumusunod na tanong ay tungkol sa inyong kaalaman sa sakit na dulot ng paninigarilyo at pag-inom ng alak at ang mga health services sa lugar."

7.9.1 Awareness of Alcohol and Smoking Related Illnesses and Available Health Services

CH1: *Kayo ba o kahit na sinong miyembro ng inyong pamilya ay nakaranas na ng karamdamang may kaugnayan sa paninigarilyo o pag-inom?*

Record the answer by encircling (1) for "Oo" or (2) for "Hindi".

CH2: *Alam po ba ninyo kung saan pwedeng magpakonsulta dito sa inyong barangay ukol sa mga karamdamang ito?*

Record the answer by encircling (1) for "Oo" or (2) for "Hindi".

This section has a skip pattern. If the answer is "Hindi", proceed to CH3. Otherwise, ask CH2.1 to CH2.3.

CH2.1: *Kung oo, ito po ba ay pampubliko o pampribado?*

Record the answer/s by encircling the number/s that corresponds to the respondent's answer/s. Both choices can be encircled.

CH2.2: *Alin po ito sa mga sumusunod?*

Read the choices then encircle the number/s that corresponds to the respondent's answer/s. If the answer is response #4, write down the respondent's answer/s on the space provided.

CH2.3: *Nakapagpakonsulta na po ba kayo o ang miyembro ng inyong pamilya sa mga ito?*

Record the answer by encircling (1) for "Oo" or (2) for "Hindi".

CH3: *May alam ka bang opisyal o kawani ng gobyerno na pwedeng hingan ng tulong sa pagpapacheck-up, pagpapaospital, pagpapabakuna, pagkuha ng libreng gamot o iba pang serbisyong medikal mula sa mga pampublikong ospital, urban, o rural health units?*

Record the answer by encircling (1) for "Meron" or (2) for "Wala".

CH4: *Makakakuha ka ba ng loan o benepisyo mula sa SSS, GSIS, PhilHealth at iba pang institusyon ng gobyerno na nakakapagbigay ng serbisyong medikal, na makakadagdag tulong para sa gastusin sa ospital?*

Record the answer by encircling (1) for "Oo" or (2) for "Hindi".

CH5: *Makakahanap ka ba ng subsidy o benepisyo mula sa mga institusyon ng gobyerno para sa iyong kalusugan?*

Record the answer by encircling (1) for "Oo" or (2) for "Hindi".

CH6: *May alam ka bang programa, aktibidad, o pagsasanay na binibigay ng ating gobyerno para sa pagpapalaganap ng kaalaman tungkol sa kalusugan?*

Record the answer by encircling (1) for “Meron” or (2) for “Wala”.

7.9.2 Awareness of Community Rules and Conflicts with Law (Knowledge Questions)

In this section, start by saying:

“Ang sumusunod na tanong ay tungkol sa inyong kaalaman sa mga kautusan sa inyong barangay ukol sa paninigarilyo at pag-inom ng alak. ”

Write down the responses of the respondents on the space provided for the following questions:
CK1 to CK5, CK11, CK13 to CK15, CK17, and CK24 to CK27.

Write down the answer “Oo” or “Hindi” on the space provided for the following questions:
CK6 to CK10, CK12, CK16, and CK18 to CK23.

After the interview, write “1” if the answer is correct and “0” if otherwise in the column beside the responses.

CK1: *Hanggang anong oras pwedeng mag-operate ang mga eatery, restaurant, bar, club, billiard halls, at kahalintulad na establishments dito sa inyong barangay?*
CK2: *Hanggang anong oras lang dapat makapagbenta ng mga alak dito sa inyong barangay?*
CK3: *Magkano ang multa sa isang establishment sa unang paglabag sa ordinansa sa pagbenta ng alak?*
CK4: *Magkano ang multa o ano ang parusa sa isang establishment sa ikalawang paglabag sa ordinansa sa pagbenta ng alak?*
CK5: *Sa anong mga okasyon maeexempt sa ordinansa ang mga establishment dito sa barangay ninyo sa pagbenta ng alak?*
CK6: *Kailangan bang kumuha ng exemption permit ang isang establishment para maexempt sa ordinansa sa pagbenta ng alak?*

Write down the answer, “Oo (Kailangan)” or “Hindi (Hindi Kailangan)” on the space provided.
If the answer is “Oo (Kailangan),” proceed to CK6.1.

CK6.1 *Kung oo, saan kailangan kumuha ng exemption permit?*
Write down the respondent’s answer on the space provided.

CK7: *Pwede ba ang pag-inom ng alak sa mga pampublikong lugar?*

Write down the answer, “Oo (Pwede)” or “Hindi (Hindi Pwede)” on the space provided.
If the answer is “Oo (Pwede),” proceed to CK7.1.

CK7.1 *Kung oo, saan pwede?*
Write down the respondent’s answer on the space provided.

CK8: *Pwede ba ang pag-imbak ng alak sa pampublikong lugar?*
CK9: *Pwede bang makainom ng alak sa loob ng peryahan?*
CK10: *Bawal bang uminom ng alak ang mga kabataang may edad na mas mababa sa 18?*
CK11: *Kung mahuli ang isang menor de edad na umiinom ng alak, ano ang unang dapat gawin ng awtoridad?*
CK12: *Dapat bang may mga notice na nakalagay sa entrance ng lahat ng establishments na may nakasulat na “NO SELLING AND SERVING LIQUORS TO MINORS”?*
CK13: *Magkano ang multa ng isang menor de edad kapag nahuli siyang umiinom sa pampublikong lugar?*
CK14: *Sino ang magbabayad ng multa ng isang menor de edad sa pag-inom sa pampublikong lugar?*
CK15: *Pag hindi kayang magbayad ng multa ang menor de edad sa pag-inom sa pampublikong*

lugar, ano ang katumbas na parusa?
CK16: *Kailangan bang umattend ng Values Orientation and Rehabilitation Course ang isang menor de edad na nahuling uminom sa pampublikong lugar?*
CK17: *Sino ang mag-iimplement ng mga ordinansa tungkol sa pag-inom ng alak sa loob ng barangay?*
CK18: *Pwede bang manigarilyo sa mga pampublikong lugar?*
Write down the answer, "Oo (Pwede)" or "Hindi (Hindi Pwede)" on the space provided.

If the answer is "Oo (Pwede)," proceed to CK18.1.

CK18.1 *Kung oo, saan?*
Write down the respondent's answer on the space provided.

CK19: *Bawal bang manigarilyo ang mga kabataang may edad na mas mababa sa 18?*
CK20: *Bawal ba sa mga establishment ang magtinda ng sigarilyo sa mga menor de edad?*
CK21: *Kailangan bang maglagay ng smoking at non-smoking area ang mga establishments na bukas sa publiko?*
CK22: *Kailangan bang nakalagay sa designated smoking area ng establishment ang signage o notice na nagsasabing "SMOKING AREA"?*
CK23: *Kailangan bang nakalagay sa designated smoking area ng establishment ang warning sa Filipino at Ingles na nagsasabi ng masamang maidudulot ng sigarilyo at paninigarilyo?*
CK24: *Magkano ang multa sa mga establishment na hindi makapaglagay ng smoking area o ng notice tungkol sa masamang naidudulot ng paninigarilyo?*
CK25: *Magkano ang multa sa mahuhuling maninigarilyo sa loob ng non-smoking area ng isang establishment?*
CK26: *Sino ang dapat na nag-iinspeksyon kung naaayon sa ordinansa ang smoking area ng isang establishment?*
CK27: *Sino dapat ang magsampa ng kaso laban sa mga lumalabag sa tamang paglagay ng smoking area sa isang establishment?*

7.9.3 Community Dynamics

CD1: *Kayo po ba ay naiistorbo ng mga taong umiinom sa inyong barangay?*
Record the answer by encircling (1) for "Oo" or (2) for "Hindi".
If the answer is "Hindi", skip to the CD1.1.

CD1.1: *Kung oo, ano ang mga dahilan kung bakit kayo naiistorbo ng mga ito?*
Write down the respondent's answer on the space provided.

CD2: *Kung kayo ay di makatulog dahil sa mga umiinom sa inyong barangay, anong oras kadalasan ang kanilang pag-inom ay na nakakaistorbo sa inyo?*
Write down the respondent's answer on the space provided.

CD3: *Kayo ba ay nakaranas nang makipagtalo o makipag-away sa mga umiinom sa inyong barangay?*
Record the answer by encircling (1) for "Oo" or (2) for "Hindi".
If the answer is "Hindi", skip CD3.1

CD3.1: *Kung oo, ano ang naging kahinatnan nito?*
Write down the respondent's answer on the space provided.

CD4: *Ilang beses ninyong naranasan na makipagtalo o makipag-away sa mga umiinom sa inyong*

barangay sa nakalipas na taon?

Write down the respondent's answer on the space provided.

CD5: *Kayo po ba ay naiistorbo ng mga taong naninigarilyo sa inyong barangay?*

Record the answer by encircling (1) for "Oo" or (2) for "Hindi".

If the answer is "Hindi", skip CD5.1.

CD5.1: *Kung oo, ano ang mga dahilan kung bakit kayo naiistorbo ng mga ito?*

Write down the respondent's answer on the space provided.

CD6: *Kayo ba ay nakaranas nang makipagtalo o makipag-away sa mga naninigarilyo?*

Record the answer by encircling (1) for "Oo" or (2) for "Hindi".

If the answer is "Hindi" proceed to CD7. Otherwise, ask CD6.1 to CD6.3. Write down the respondent's answer on the space provided.

CD6.1: *Anong naging dahilan ng iyong makikipagtalo?*
CD6.2: *Kung oo, saan ninyo ito naranasan?*
CD6.3: *Kung oo, ano ang kinahinatnan nito?*

CD7: *Ilang beses ninyong naranasan na makipagtalo o makipag-away sa mga naninigarilyo sa nakalipas na taon?*

Write down the respondent's answer on the space provided.

CD8: *Naipapatupad ba ang mga ordinansa hinggil sa pagbabawal ng pag-inom sa pampublikong lugar sa inyong barangay?*

Record the answer by encircling (1) for "Oo" or (2) for "Hindi".

CD9: *Naipapatupad ba ang mga ordinansa hinggil sa pagbabawal ng paninigarilyo sa pampublikong lugar sa inyong barangay?*

Record the answer by encircling (1) for "Oo" or (2) for "Hindi".

CD10: *May nakilala ka na bang nakasuhan ng barangay or city hall dahil sa paglabag ng ordinansa sa pag-inom sa pampublikong lugar?*

Record the answer by encircling (1) for "Oo" or (2) for "Hindi".

If the answer is "Hindi", skip CD10.1.

CD10.1 *Kung oo, ilan ang iyong nakilalang nakaranas nito sa nakalipas na taon?*

Write down the respondent's answer on the space provided.

CD11: *May nakilala ka na bang nakasuhan ng barangay or city hall dahil sa paglabag ng ordinansa sa paninigarilyo sa pampublikong lugar?*

Record the answer by encircling (1) for "Oo" or (2) for "Hindi".

If the answer is "Hindi", skip CD11.1.

CD11.1: *Kung oo, ilan ang iyong nakilalang nakaranas nito sa nakalipas na taon?*

Write down the respondent's answer on the space provided.

7.10 Demograpiko

Start this part by reading aloud the following statement:

"Ngayon naman po ay magtatanong ako tungkol sa inyo."

R4: *Kasarian*

Don't ask the respondent anymore. Encircle the corresponding code, 1 for "Lalaki" and 2 for "Babae".

R5: *Lebel na naabot sa pag-aaral*

Ask the question, *Ano ang pinakamataas na lebel na naabot ninyo sa pag-aaral?*
Encircle the code that will apply.

R6: *Nagtatrabaho po ba kayo sa kasalukuyan?*

Ask the question, *Kayo po ba ay....*then state the following options corresponding to each code.
Encircle the code that will apply.

If the response is code 1, proceed to the R6.1 and R6.2.
If the response is code 3, proceed to the R6.4 and R6.5.
If the response is code 4, proceed to the R6.3.
If the response is code 5, write down the respondent's answer on the space provided.

R6.1: *Ito lamang ba ang pinagkukuhanan ng kita para sa pamilya?*

Encircle the number that will apply.

R6.2: *Kung kasalukuyang nagtatrabaho, magkano ang iyong karaniwang sahod sa isang buwan?*

Give respondent showcard 5. Encircle the code that will apply.

R6.3: *Kung estudyante, magkano ang iyong allowance sa isang linggo?*

Write down the respondent's answer on the space provided.

R6.4: *Kung retirado, magkano ang iyong natatanggap na pension sa isang buwan, kung meron?*

Write down the respondent's answer on the space provided.

R6.5 If respondent is a retiree/beneficiary, proceed to the question, *Magkano ang iyong natatanggap na tulong/regalo/donasyon sa isang buwan, kung meron?*

Write down the respondent's answer on the space provided.

R7: *Ako ang responsable sa desisyon sa pang-araw-araw na gastusin sa bahay.*

Encircle the code that will apply.

8.0 End of Interview

End the interview with the following closing statements:

"Tapos na po ang survey. Maraming salamat po sa inyong partisipasyon. Napakalaking ambag po nito sa aming pag-aaral. Muli, makakaasa po kayo na mananatiling konpidensyal ang iyong mga kasagutan at ang ating mga napag-usapan."

Give the token and take note of the time the interview ended.