

Bangladesh Technical Education Board

Office of the Controller of Examinations
Agargaon, Sherebangla Nagar, Dhaka-1207

Memo No. 57.17.0000.301.31.002.24.33

NOTICE

Date : 03-03-2024

11044 - Himaloy Polytechnic Institute of Technology, Panchagar

1 It is to be notified all concerned that roll numbers who have passed in all subjects in the 1st, 2nd, 3rd and 4th Semester (2022 Regulation) Examination of DIPLOMA IN ENGINEERING, 2023 held in December, 2023 are listed below in accordance with the regulation of the board.

190002 (3.36) 190003 (3.17) 600005 (3.95)

2 It is to be notified all concerned that roll numbers who have failed in three or less subjects in the 1st, 2nd, 3rd and/or 4th Semester (2022 Regulation) Examination of DIPLOMA IN ENGINEERING, 2023 held in December, 2023 are listed below in accordance with the regulation of the board. The subjects in which the student has referred in any semester are listed beside the respective roll numbers.

189266 { 25931(T), 26411(T), 190001 { 26712(T), 26722(T), 190004 { 26712(T) }
26421(T) } 27044(T) }

Note:
1. The result is hereby published subject to the final approval of the Bangladesh Technical Education Board. If any inadvertent error/mistake is detected later on in the result, the board as per rule holds the authority of correcting / altering / withdrawing the result at any time. Any comments from the Head of Institutes regarding the published result should be reported in written within 11 March, 2024. No complain will be entertained after the expiry of the stipulated time.
2. The withheld student must have to clear their withheld status within 11 March, 2024, otherwise they will not get admit card for next examination. After clearing the withheld status the overall result of the candidates will be published and their candidature in the next examination will be decided accordingly.

(Md. Kapayet Ullah)
Controller of Examinations
Bangladesh Technical Education Board,Dhaka
Phone : 02-55006525

Memo No. 57.17.0000.301.31.002.24.33(166)

Date : 03-03-2024

Copy of the published result is hereby sent for information and necessary action please:
1. Director General, Directorate of Technical Education, Agargaon, Dhaka -1000
2. Director (PIW) Directorate of Technical Education Dhaka
3. Director (Curriculum), Bangladesh Technical Education Board, Dhaka -1207
4. Secretary Bangladesh Technical Education Board, Dhaka -1207
5. Director, Dhaka International University, Dhaka
6-50. Principal, Polytechnic Institute
51-55. Principal, BS Polytechnic Institute, Kaptai /Mohila Polytechnic Institute, Dhaka/Institute of Glass and Ceramic/Graphics Arts Institute/Bangladesh Marine Institute
56-155. Principal/Director, _____.
156-160. Deputy Controller of Examination-1/2/3/VOC Bangladesh Technical Education Board, Dhaka -1207
161-165. Assistant Controller of Examination-2/3/VOC Bangladesh Technical Education Board, Dhaka -1207
166. Guard file

(M A S Kawsar Sarker)
Deputy Controller of Examination
Bngladesh Technical Education Board, Dhaka
Phone: 9118776

Bangladesh Technical Education Board

Office of the Controller of Examinations
Agargaon, Sherebangla Nagar, Dhaka-1207

Memo No. 57.17.0000.301.31.002.24.33

NOTICE

Date : 03-03-2024

11047 - Rainbow Polytechnic Institute, Panchagar

2 It is to be notified all concerned that roll numbers who have failed in three or less subjects in the 1st, 2nd, 3rd and/or 4th Semester (2022 Regulation) Examination of DIPLOMA IN ENGINEERING, 2023 held in December, 2023 are listed below in accordance with the regulation of the board. The subjects in which the student has referred in any semester are listed beside the respective roll numbers.

600070 { 25931(T), 26833(T),
27044(T) }

Note:

- 1. The result is hereby published subject to the final approval of the Bangladesh Technical Education Board. If any inadvertent error/mistake is detected later on in the result, the board as per rule holds the authority of correcting / altering / withdrawing the result at any time. Any comments from the Head of Institutes regarding the published result should be reported in written within 11 March, 2024. No complain will be entertained after the expiry of the stipulated time.
- 2. The withheld student must have to clear their withheld status within 11 March, 2024, otherwise they will not get admit card for next examination. After clearing the withheld status the overall result of the candidates will be published and their candidature in the next examination will be decided accordingly.



(Md. Kapayet Ullah)
Controller of Examinations
Bangladesh Technical Education Board,Dhaka
Phone : 02-55006525

Memo No. 57.17.0000.301.31.002.24.33(166)

Date : 03-03-2024

Copy of the published result is hereby sent for information and necessary action please:

- 1. Director General, Directorate of Technical Education, Agargaon, Dhaka -1000
- 2. Director (PIW) Directorate of Technical Education Dhaka
- 3. Director (Curriculum), Bangladesh Technical Education Board, Dhaka -1207
- 4. Secretary Bangladesh Technical Education Board, Dhaka -1207
- 5. Director, Dhaka International University, Dhaka
- 6-50. Principal, Polytechnic Institute
- 51-55. Principal, BS Polytechnic Institute, Kaptai /Mohila Polytechnic Institute, Dhaka/Institute of Glass and Ceramic/Graphics Arts Institute/Bangladesh Marine Institute
- 56-155. Principal/Director, _____.
- 156-160. Deputy Controller of Examination-1/2/3/VOC Bangladesh Technical Education Board, Dhaka -1207
- 161-165. Assistant Controller of Examination-2/3/VOC Bangladesh Technical Education Board, Dhaka -1207
- 166. Guard file



(M A S Kawsar Sarker)
Deputy Controller of Examination
Bngladesh Technical Education Board, Dhaka
Phone: 9118776

Bangladesh Technical Education Board

Office of the Controller of Examinations
Agargaon, Sherebangla Nagar, Dhaka-1207

Memo No. 57.17.0000.301.31.002.24.33

NOTICE

Date : 03-03-2024

11057 - Minal Private Polytechnic Institute, Panchagar

25 It is to be notified all concerned that roll numbers who have failed in four or more subjects in the 4th Semester (2022 Regulation) Examination of DIPLOMA IN ENGINEERING, 2023 held in December, 2023 are listed below in accordance with the regulation of the board. The subjects in which the student has referred in any semester are listed beside the respective roll numbers.

600101 { 25831(T), 25911(T),
25913(T), 25931(T), 26831(T),
26841(T,P), 28521(T), 28531(T),
28541(T,P), 28542(T,P), 28543(T,P),
28544(T,P), 29041(T,P) }

Note:

1. The result is hereby published subject to the final approval of the Bangladesh Technical Education Board. If any inadvertent error/mistake is detected later on in the result, the board as per rule holds the authority of correcting / altering / withdrawing the result at any time. Any comments from the Head of Institutes regarding the published result should be reported in written within 11 March, 2024. No complain will be entertained after the expiry of the stipulated time.
2. The withheld student must have to clear their withheld status within 11 March, 2024, otherwise they will not get admit card for next examination. After clearing the withheld status the overall result of the candidates will be published and their candidature in the next examination will be decided accordingly.



(Md. Kapayet Ullah)
Controller of Examinations
Bangladesh Technical Education Board,Dhaka
Phone : 02-55006525

Memo No. 57.17.0000.301.31.002.24.33(166)

Date : 03-03-2024

Copy of the published result is hereby sent for information and necessary action please:

1. Director General, Directorate of Technical Education, Agargaon, Dhaka -1000
2. Director (PIW) Directorate of Technical Education Dhaka
3. Director (Curriculum), Bangladesh Technical Education Board, Dhaka -1207
4. Secretary Bangladesh Technical Education Board, Dhaka -1207
5. Director, Dhaka International University, Dhaka
- 6-50. Principal, Polytechnic Institute
- 51-55. Principal, BS Polytechnic Institute, Kaptai /Mohila Polytechnic Institute, Dhaka/Institute of Glass and Ceramic/Graphics Arts Institute/Bangladesh Marine Institute
- 56-155. Principal/Director, _____.
- 156-160. Deputy Controller of Examination-1/2/3/VOC Bangladesh Technical Education Board, Dhaka -1207
- 161-165. Assistant Controller of Examination-2/3/VOC Bangladesh Technical Education Board, Dhaka -1207
166. Guard file



(M A S Kawsar Sarker)
Deputy Controller of Examination
Bngladesh Technical Education Board, Dhaka
Phone: 9118776

Bangladesh Technical Education Board

Office of the Controller of Examinations
Agargaon, Sherebangla Nagar, Dhaka-1207

Memo No. 57.17.0000.301.31.002.24.33

NOTICE

Date : 03-03-2024

12053 - Thakurgaon Polytechnic Institute, Thakurgaon

1 It is to be notified all concerned that roll numbers who have passed in all subjects in the 1st, 2nd, 3rd and 4th Semester (2022 Regulation) Examination of DIPLOMA IN ENGINEERING, 2023 held in December, 2023 are listed below in accordance with the regulation of the board.

188099 (3.26)	188100 (3.03)	188102 (2.60)	188104 (3.56)
188107 (3.08)	600107 (3.32)	600111 (3.79)	600116 (3.42)
600125 (3.00)	600131 (3.54)	600136 (3.14)	600137 (3.36)
600138 (3.50)	600139 (3.10)	600144 (3.33)	600149 (3.57)
600154 (3.26)	600168 (2.70)	600170 (3.26)	600173 (2.74)
600175 (2.46)	600179 (3.67)	600182 (2.40)	600183 (3.20)
600185 (3.13)	600190 (3.12)	600192 (2.51)	600193 (3.25)
600198 (3.20)	600209 (3.24)	600217 (3.07)	600233 (2.73)
600262 (2.31)	600273 (3.57)	600279 (2.78)	600300 (3.33)
600301 (3.05)	600307 (3.01)	600330 (3.41)	600344 (3.52)
600346 (3.93)	600347 (3.42)	600348 (3.20)	600354 (2.72)
600356 (3.64)	600363 (3.38)	600364 (3.59)	600366 (3.63)
600367 (3.73)	600369 (2.90)	600370 (3.83)	600375 (3.89)
600377 (3.30)	600378 (3.88)	600387 (3.14)	600390 (2.65)
600392 (3.61)	600399 (2.75)	600400 (3.17)	600404 (3.20)
600410 (3.39)	600429 (3.34)	600440 (3.41)	600441 (3.16)
600445 (2.58)	600465 (3.97)	600469 (2.77)	600471 (3.03)
600474 (2.88)	600476 (3.51)	600477 (3.53)	600478 (3.26)
600482 (3.19)	600483 (3.68)	600485 (3.34)	600494 (3.25)
600501 (3.27)	600505 (3.42)	600508 (2.66)	600518 (2.89)
600519 (3.41)	600524 (3.57)	600541 (3.55)	600543 (3.26)
600548 (3.50)	600553 (3.26)	600555 (3.57)	600569 (3.62)
600577 (3.36)	600595 (3.20)	600615 (3.12)	600617 (2.74)
600620 (3.12)	600621 (3.24)	600626 (3.08)	600628 (3.01)
600629 (2.99)	600648 (2.93)	600652 (2.93)	600655 (3.55)
600656 (3.72)	600657 (2.96)	600659 (3.67)	600660 (3.30)
600661 (3.41)	600665 (3.95)	600676 (2.76)	600679 (2.51)
600693 (3.35)	600706 (2.43)	600707 (3.79)	600708 (3.43)
600718 (3.68)	600721 (3.45)	600723 (3.44)	600731 (2.70)
600732 (3.76)	600746 (2.55)	600747 (3.15)	600763 (2.33)
600765 (2.32)	600766 (3.76)	600771 (3.27)	600777 (3.19)
600780 (2.63)	600795 (3.70)	600797 (3.35)	600802 (3.20)
600817 (3.79)	600821 (2.67)	600834 (2.50)	600850 (3.61)
600877 (3.19)	600887 (3.50)	600906 (3.10)	600912 (3.79)
600913 (3.69)	600916 (2.64)	600917 (3.74)	600919 (3.51)
600925 (3.37)	600926 (2.70)	600927 (3.55)	600928 (3.40)
600932 (2.94)	600933 (3.46)	600935 (3.65)	600937 (3.75)
600941 (3.93)	600942 (3.94)	600944 (2.55)	600945 (3.37)
600946 (3.19)	600949 (3.21)	600950 (3.04)	600955 (3.11)
600961 (3.71)	600978 (2.82)	600986 (3.32)	600996 (3.76)
600999 (3.71)	601015 (3.63)	601023 (3.96)	601034 (2.96)
601036 (3.54)	601061 (3.76)	601081 (3.23)	601099 (3.10)
601106 (2.93)	601108 (2.77)	601113 (2.99)	611844 (2.49)
611896 (3.52)	617340 (2.89)	617738 (3.79)	618704 (3.53)
618725 (3.01)	618729 (3.25)	618734 (2.89)	618915 (3.58)

619487 (3.80)	632250 (3.20)	632428 (3.11)	640148 (3.38)
640181 (3.20)	645134 (3.38)	646176 (2.33)	674328 (2.39)
677055 (3.12)	677607 (3.33)		
2 beside	the	respective	roll numbers.
188103 { 28541(T), 28542(T) }	189584 { 28521(T) }	400844 { 25922(T), 27131(T), 28567(T), 29241(T) }	500858 { 25913(T), 25921(T), 25922(T), 27131(T), 27211(T) }
501179 { 25931(T), 26821(T), 27131(T), 28567(T) }	600105 { 25921(T) }	600119 { 25921(T), 25922(T), 25931(T), 26447(T) }	600120 { 25922(T), 25931(T), 26447(T) }
600132 { 25922(T), 26447(T) }	600150 { 25841(T), 25921(T), 25922(T), 25931(T), 26411(T), 26447(T) }	600157 { 25921(T), 25931(T), 26447(T) }	600171 { 25931(T), 26447(T) }
600180 { 25841(T), 25931(T), 26143(T), 26447(T), 26711(T) }	600186 { 25931(T) }	600187 { 26447(T) }	600188 { 25841(T) }
600189 { 25841(T), 25931(T) }	600194 { 25931(T), 26447(T) }	600195 { 25922(T), 26142(T), 26447(T) }	600200 { 26447(T) }
600201 { 25931(T) }	600203 { 25841(T), 26142(T) }	600205 { 25841(T) }	600211 { 25922(T) }
600212 { 25841(T) }	600218 { 25841(T), 26447(T) }	600219 { 25841(T), 26447(T) }	600223 { 26447(T) }
600226 { 25922(T), 25931(T) }	600228 { 25841(T), 25912(T), 25921(T), 25922(T), 25931(T), 26447(T) }	600231 { 25921(T) }	600234 { 26447(T) }
600235 { 25931(T), 26447(T) }	600239 { 25922(T), 25931(T), 26447(T) }	600246 { 25931(T), 26447(T) }	600247 { 26447(T) }
600252 { 25921(T), 26447(T) }	600263 { 26447(T) }	600264 { 25922(T), 26447(T) }	600277 { 25931(T) }
600281 { 25841(T), 25912(T), 25921(T), 25931(T), 26932(T), 26943(T), 27041(T) }	600287 { 25841(T), 25912(T), 25921(T), 25931(T), 26711(T), 26811(T), 26943(T), 27041(T) }	600289 { 25841(T), 25931(T), 26811(T), 26932(T) }	600294 { 25841(T), 25912(T), 25921(T), 25931(T), 26943(T), 27041(T) }
600306 { 25931(T), 26943(T) }	600316 { 26943(T) }	600320 { 25841(T), 25912(T), 25931(T), 26943(T), 27041(T) }	600338 { 27041(T) }
600345 { 26811(T) }	600351 { 25841(T), 25921(T), 25931(T), 26943(T), 27041(T) }	600352 { 25921(T), 25931(T), 27041(T) }	600353 { 25931(T), 26943(T) }
600359 { 25911(T), 25912(T), 25921(T), 25931(T), 26811(T), 26943(T), 27041(T) }	600361 { 25911(T), 25913(T), 25921(T), 25931(T), 26932(T), 27041(T) }	600371 { 25921(T) }	600380 { 25911(T), 25922(T), 25931(T), 26943(T) }
600382 { 25922(T), 25931(T), 26943(T) }	600383 { 25841(T), 25912(T), 25921(T), 26932(T) }	600388 { 25841(T), 25921(T), 26943(T) }	600391 { 25921(T), 26943(T) }
600397 { 25921(T), 25922(T), 26945(T) }	600401 { 25921(T), 25922(T), 25931(T), 26943(T), 27041(T) }	600405 { 25921(T) }	600407 { 26941(T), 26943(T) }
600408 { 26943(T) }	600411 { 25911(T), 25912(T), 25921(T), 25922(T), 25931(T), 26811(T), 26941(T), 26943(T) }	600415 { 25841(T), 25912(T), 25913(T), 25921(T), 25922(T), 25931(T), 26943(T) }	600419 { 25913(T), 26943(T) }
600421 { 25841(T), 25921(T), 25922(T), 25931(T), 26943(T) }	600422 { 25921(T), 26943(T) }	600426 { 25841(T), 25912(T), 25921(T), 25931(T), 26941(T), 26943(T) }	600427 { 25911(T), 25921(T), 25931(T), 26943(T) }
600430 { 25921(T), 25922(T) }	600435 { 25841(T), 25921(T), 25922(T), 26943(T) }	600438 { 25922(T) }	600463 { 25921(T), 25931(T), 26943(T), 27041(T) }
600475 { 26943(T), 27041(T) }	600488 { 25831(T), 25922(T), 26943(T) }	600491 { 25931(T), 26942(T) }	600498 { 25911(T), 25931(T) }
600499 { 25922(T) }	600507 { 25841(T), 25912(T), 25931(T) }	600513 { 26931(T), 26943(T) }	600520 { 25922(T) }
600522 { 25921(T) }	600526 { 25841(T) }	600532 { 25841(T), 25921(T), 25931(T), 26811(T), 27012(T), 27131(T), 27211(T) }	600547 { 25931(T) }
600550 { 25931(T) }	600560 { 25931(T) }	600563 { 25921(T), 25931(T) }	600568 { 25921(T) }
600572 { 25931(T) }	600574 { 27041(T) }	600578 { 25921(T), 27131(T) }	600579 { 25921(T), 25931(T) }

600587 { 25913(T), 25921(T), 27041(T), 27131(T) }	600588 { 25931(T), 27131(T) }	600591 { 25921(T), 25922(T), 25931(T), 27041(T) }	600609 { 25921(T), 25922(T), 25931(T), 27012(T) }
600610 { 25841(T), 25921(T), 25922(T), 25931(T), 27012(T), 27131(T) }	600616 { 25922(T), 25931(T), 27131(T) }	600618 { 25921(T), 25931(T) }	600625 { 25841(T), 25931(T), 27131(T) }
600637 { 25931(T), 27041(T) }	600639 { 25921(T), 25931(T), 27041(T) }	600640 { 25913(T), 25922(T) }	600641 { 25841(T), 25931(T) }
600642 { 25841(T), 25913(T), 25921(T), 25931(T), 27012(T), 27041(T), 27231(T) }	600644 { 25841(T), 25913(T), 25921(T), 25931(T), 26711(T), 27012(T), 27041(T), 27131(T), 27231(T) }	600650 { 25841(T), 25921(T), 25931(T), 27231(T) }	600651 { 27012(T), 27231(T) }
600653 { 25841(T), 25913(T), 27012(T), 27131(T) }	600654 { 25841(T) }	600669 { 25841(T), 25913(T), 25921(T), 25931(T) }	600672 { 25931(T), 26841(T), 28542(T), 28544(T) }
600675 { 25931(T), 28541(T) }	600677 { 28542(T) }	600678 { 28541(T), 28542(T) }	600681 { 28541(T), 28542(T) }
600690 { 28533(T), 28541(T), 28542(T) }	600692 { 28541(T), 28542(T) }	600697 { 26841(T), 28542(T) }	600699 { 25912(T), 26831(T), 28541(T), 28542(T) }
600757 { 25921(T), 28542(T), 28543(T) }	600774 { 28542(T) }	600784 { 28542(T), 28544(T) }	600794 { 28542(T) }
600804 { 28521(T), 28541(T), 28542(T) }	600806 { 28541(T), 28542(T) }	600820 { 26841(T), 28541(T), 28542(T) }	600822 { 25912(T), 26831(T), 26841(T), 28533(T), 28541(T) }
600830 { 28541(T) }	600836 { 25921(T) }	600837 { 26831(T) }	600884 { 28544(T) }
600886 { 25922(T) }	600895 { 28541(T), 28542(T), 29041(T) }	600898 { 25931(T), 28541(T) }	600922 { 25931(T), 28541(T) }
600923 { 28541(T), 28542(T) }	600956 { 28541(T) }	600963 { 26831(T) }	600972 { 28521(T) }
600977 { 25922(T), 28541(T) }	600987 { 28542(T) }	600988 { 29041(T) }	600992 { 28541(T), 28542(T) }
600993 { 28542(T) }	600995 { 28542(T) }	600997 { 25921(T) }	600998 { 25921(T) }
601009 { 25921(T), 25931(T), 28541(T), 28542(T) }	601027 { 25931(T), 28542(T) }	601028 { 25931(T) }	601029 { 28542(T) }
601030 { 26841(T), 28533(T), 28541(T), 28542(T) }	601039 { 25921(T), 26841(T), 28542(T) }	601047 { 26821(T), 27131(T) }	601048 { 25931(T), 26821(T), 27041(T), 27131(T), 28567(T) }
601049 { 25921(T), 25922(T), 25931(T), 26811(T), 26821(T), 27131(T), 28567(T) }	601053 { 28567(T) }	601055 { 28567(T) }	601057 { 25912(T), 25931(T), 26821(T), 27131(T), 28567(T) }
601062 { 25912(T), 26821(T), 27131(T), 28567(T) }	601064 { 25921(T), 28567(T) }	601065 { 28567(T) }	601067 { 25841(T), 25921(T), 27131(T), 28567(T) }
601069 { 28567(T) }	601076 { 25911(T), 27131(T), 28567(T) }	601078 { 28567(T) }	601082 { 26821(T), 28567(T) }
601090 { 26821(T), 27131(T), 28567(T) }	601092 { 27131(T) }	601094 { 28567(T) }	601095 { 26821(T), 28567(T) }
601096 { 28567(T) }	601097 { 25913(T), 25931(T), 28567(T) }	601098 { 28567(T) }	601100 { 25921(T), 25931(T), 26821(T), 28567(T) }
601101 { 26821(T), 27032(T), 28567(T) }	601103 { 28567(T) }	601104 { 28567(T) }	601105 { 28567(T) }
601110 { 28567(T) }	601111 { 28567(T) }	601117 { 25921(T), 25931(T), 29241(T) }	601118 { 25931(T), 27131(T), 28567(T) }
601119 { 25922(T), 25931(T), 27131(T), 28567(T) }	601120 { 25931(T), 26821(T), 27131(T), 28567(T) }	601121 { 28567(T) }	601125 { 28567(T) }
601126 { 27131(T), 28567(T), 29241(T) }	601130 { 25931(T) }	601131 { 26821(T), 28567(T) }	601134 { 25841(T), 25922(T), 25931(T), 27131(T), 28567(T) }
601135 { 25931(T), 28567(T) }	601136 { 27131(T), 28567(T) }	601137 { 26821(T), 27131(T), 28567(T) }	607401 { 26841(T), 28531(T), 28541(T), 28542(T) }
632213 { 25921(T) }	632265 { 25922(T) }	639275 { 26841(T), 28541(T) }	646157 { 25921(T), 26831(T), 26841(T), 28541(T), 28544(T) }
666242 { 25922(T), 27131(T) }			

600735 (Expelled_sub - 28541;
reffered_sub - 26831(T))

25 It is to be notified all concerned that roll numbers who have failed in four or more subjects in the 4th Semester (2022 Regulation) Examination of DIPLOMA IN ENGINEERING, 2023 held in December, 2023 are listed below in accordance with the regulation of the board. The subjects in which the student has referred in any semester are listed beside the respective roll numbers.

600368 { 25831(T), 25841(T), 25922(T), 26941(T,P), 26942(T,P), 26943(T,P), 26944(T,P), 26945(T,P), 27041(T,P) }	600393 { 25841(T), 25921(T), 25922(T), 26941(P), 26942(P), 26943(P), 26944(T,P), 26945(T,P), 27041(T,P) }	600420 { 25841(T), 25912(T), 25921(T), 26941(T), 26943(T), 26945(T) }	600484 { 25841(T), 25931(T), 26943(T), 26944(T), 27041(T) }
600537 { 25921(T), 25931(T), 27041(P), 27241(P), 27242(P), 28511(P), 29041(P) }	600607 { 25841(T), 25922(T), 25931(T), 27012(T,P), 27041(T,P), 27131(T), 27241(T,P), 27242(T,P), 28511(P), 29041(T,P) }	600645 { 25841(T), 25913(T), 25921(T), 25931(T), 26711(T), 27012(T), 27041(T), 27131(T), 27231(T), 27241(T) }	600658 { 25841(T), 25913(T), 25921(T), 25931(T), 27012(T), 27041(T), 27211(T), 27231(T), 27242(T) }
600772 { 26841(T,P), 28533(T), 28541(T,P), 28542(T,P), 28543(P), 28544(T,P), 29041(T,P) }	600807 { 25831(T), 25912(T), 25921(T), 26841(T,P), 28533(T), 28541(T,P), 28542(T,P), 28543(T,P), 28544(T,P), 29041(T,P) }	600833 { 25831(T), 26831(T), 26841(T,P), 28531(T), 28533(T), 28541(T,P), 28542(T,P), 28543(T,P), 28544(T,P), 29041(T,P) }	601056 { 25912(T), 25921(T), 25922(T), 25931(T), 26821(T), 27032(T), 27041(T), 27131(T), 28567(T), 29241(T) }
601060 { 25912(T), 25922(T), 27041(T), 27131(T), 28567(T), 29241(T) }	601068 { 25912(T), 25922(T), 25931(T), 26821(T), 27041(T), 27131(T), 28567(T), 29241(T) }	601084 { 25841(T), 26821(T), 27131(T), 28567(T), 29241(T) }	

- Note:
1. The result is hereby published subject to the final approval of the Bangladesh Technical Education Board. If any inadvertent error/mistake is detected later on in the result, the board as per rule holds the authority of correcting / altering / withdrawing the result at any time. Any comments from the Head of Institutes regarding the published result should be reported in written within 11 March, 2024. No complain will be entertained after the expiry of the stipulated time.
 2. The withheld student must have to clear their withheld status within 11 March, 2024, otherwise they will not get admit card for next examination. After clearing the withheld status the overall result of the candidates will be published and their candidature in the next examination will be decided accordingly.



(Md. Kapayet Ullah)
Controller of Examinations
Bangladesh Technical Education Board,Dhaka
Phone : 02-55006525

Copy of the published result is hereby sent for information and necessary action please:

- 1. Director General, Directorate of Technical Education, Agargaon, Dhaka -1000
- 2. Director (PIW) Directorate of Technical Education Dhaka
- 3. Director (Curriculum), Bangladesh Technical Education Board, Dhaka -1207
- 4. Secretary Bangladesh Technical Education Board, Dhaka -1207
- 5. Director, Dhaka International University, Dhaka
- 6-50. Principal, Polytechnic Institute
- 51-55. Principal, BS Polytechnic Institute, Kaptai /Mohila Polytechnic Institute, Dhaka/Institute of Glass and Ceramic/Graphics Arts Institute/Bangladesh Marine Institute
- 56-155. Principal/Director, _____.
- 156-160. Deputy Controller of Examination-1/2/3/VOC Bangladesh Technical Education Board, Dhaka -1207
- 161-165. Assistant Controller of Examination-2/3/VOC Bangladesh Technical Education Board, Dhaka -1207
- 166. Guard file



(M A S Kawsar Sarker)
Deputy Controller of Examination
Bngladesh Technical Education Board, Dhaka
Phone: 9118776