

Brightlearn Exercise 1: SQL Fundamentals

01) `SELECT *`
`FROM employees;`

ID	first_name	last_name	department	salary	hire_date	city
1	Alice	Green	IT	70 000	2020-01-01	Johannesburg
2	Brian	Lee	HR	45 000	2019-03-22	Cape Town
3	Cathy	Zulu	Finance	65 000	2018-07-18	Durban
4	David	Mokeona	Marketing	50 000	2021-11-05	Pretoria
5	Eva	Naidoo	IT	72 000	2017-09-30	Johannesburg

02) `SELECT DISTINCT department`
`FROM employees;`

department
IT
HR
Finance
Marketing

03) `SELECT first_name,`
`last_name`
`FROM employees`
`ORDER BY salary DESC;`

first_name	last_name
EVA	Naidoo
Alice	Green
Cathy	Zulu
David	Mokeona
Brian	Lee

04) SELECT id,
first_name,
last_name,
salary
FROM employees
ORDER BY salary DESC
LIMIT 3 ;

⇒

id	first_name	last_name	salary
5	Eva	Naidoo	72 000
1	Alice	Green	70 000
3	Cathy	Zulu	65 000

05) SELECT id,
first_name,
last_name,
department
FROM employees
WHERE department = 'IT' ;

⇒

id	first_name	last_name	department
1	Alice	Green	IT
5	Eva	Naidoo	IT

06) SELECT id,
first_name,
last_name,
department,
salary
FROM employees
WHERE department = 'Finance' AND salary > 60 000 ;

⇒

id	first_name	last_name	department	salary
3	Cathy	Zulu	Finance	65 000

07) SELECT id,

first_name,

last_name,

department

FROM employees

WHERE department = 'HR'

OR department = 'Marketing';

⇒

id	first_name	last_name	department
2	Brian	Lee	HR
4	David	Makeora	Marketing

08) SELECT id,

first_name,

last_name,

department

FROM employees

WHERE NOT department = 'IT';

⇒

id	first_name	last_name	department
2	Brian	Lee	HR
3	Cathy	Zulu	Finance
4	David	Makeora	Marketing

09) SELECT id,

first_name,

last_name,

department

FROM employees

WHERE department IN ('IT', 'HR', 'Finance')

id	first_name	last_name	department
1	Alice	Green	IT
2	Brian	Lee	HR
3	Cathy	Zulu	Finance

(a) SELECT id,
first_name,
last_name,
department,
salary,
city
FROM employees
WHERE department = 'IT' AND salary > 65000 AND city = 'Johannesburg'

ID	first_name	last_name	department	salary	city
1	Alice	Green	IT	70000	Johannesburg