

# My Quarto WorkBook

Exercise 1, ARES40011 Fall 2025

Felipe Melo

April 6, 2025

## Table of contents

Task 1: Reflection	1
Task 2: Enhanced plot	1

---

## Task 1: Reflection

Put your reflection here

## Task 2: Enhanced plot

When you knit this document, you will create and save a basic bar chart of hot dog eating contest winners. You will then open the resulting file in a [vector editing program](#).

Be sure that you save your file **with a different name**. You don't want to accidentally overwrite all your enhancements and updates when you knit this document. That would be so sad.

```
library(tidyverse)
```

```
-- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
v dplyr     1.1.4     v readr     2.1.5
v forcats   1.0.0     v stringr   1.5.1
v ggplot2   3.5.1     v tibble    3.2.1
v lubridate 1.9.3     v tidyr    1.3.1
v purrr     1.0.2

-- Conflicts -----
x dplyr::filter() masks stats::filter()
x dplyr::lag()    masks stats::lag()

i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become non-conflicting.
```

```
library(svglite)

hotdogs <- read_csv("data/hot-dog-contest-winners.csv") |>
  rename(dogs = `Dogs eaten`, record = `New record`) |>
  mutate(record = factor(record))
```

Rows: 31 Columns: 5  
-- Column specification -----  
Delimiter: ","  
chr (2): Winner, Country  
dbl (3): Year, Dogs eaten, New record

i Use `spec()` to retrieve the full column specification for this data.  
i Specify the column types or set `show\_col\_types = FALSE` to quiet this message.

```
# Change the colors here if you want
# (or anything else if you want too)
plot_hotdogs <- ggplot(hotdogs,
  aes(x = Year, y = dogs, fill = record)) +
  geom_col() +
  scale_fill_manual(values = c("grey80", "#FC7300")) +
  scale_x_continuous(breaks = seq(1980, 2010, 2),
    expand = c(0, 0)) +
  scale_y_continuous(breaks = seq(0, 70, 10),
    expand = c(0, 0)) +
  guides(fill = "none") +
  labs(y = "Hot dogs and buns", x = NULL) +
  theme_minimal() +
  theme(panel.background = element_rect(fill = "transparent", colour = NA),
    plot.background = element_rect(fill = "transparent", colour = NA),
    axis.ticks.x = element_line(linewidth = 0.25),
```

```
panel.grid.major.x = element_blank(),
panel.grid.major.y = element_line(linewidth = 0.5, linetype = "dashed"),
panel.grid.minor = element_blank()

# Change the dimensions here if you want
ggsave(plot_hotdogs, filename = "hotdogs.pdf", device = cairo_pdf,
       width = 7, height = 4, units = "in", bg = "transparent")

ggsave(plot_hotdogs, filename = "hotdogs.svg",
       width = 7, height = 4, units = "in", bg = "transparent")
```