# My Quarto WorkBook

### Exercise 1, ARES40011 Fall 2025

Felipe Melo

April 6, 2025

## Table of contents

Task 1: Reflection	1
Task 2: Enhanced plot	1

### Task 1: Reflection

Put your reflection here

# Task 2: Enhanced plot

When you knit this document, you will create and save a basic bar chart of hot dog eating contest winners. You will then open the resulting file in a vector editing program.

Be sure that you save your file **with a different name**. You don't want to accidentally overwrite all your enhancements and updates when you knit this document. That would be so sad.

library(tidyverse)

```
-- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
v dplyr 1.1.4
                    v readr
                                 2.1.5
v forcats 1.0.0
                                 1.5.1
                   v stringr
v ggplot2 3.5.1
                   v tibble
                                 3.2.1
v lubridate 1.9.3
                   v tidyr
                                 1.3.1
v purrr
           1.0.2
-- Conflicts -----
                                    ----- tidyverse_conflicts() --
x dplyr::filter() masks stats::filter()
                masks stats::lag()
x dplyr::lag()
i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to become
library(svglite)
hotdogs <- read_csv("data/hot-dog-contest-winners.csv") |>
  rename(dogs = `Dogs eaten`, record = `New record`) |>
  mutate(record = factor(record))
Rows: 31 Columns: 5
-- Column specification -----
Delimiter: ","
chr (2): Winner, Country
dbl (3): Year, Dogs eaten, New record
i Use `spec()` to retrieve the full column specification for this data.
i Specify the column types or set `show_col_types = FALSE` to quiet this message.
# Change the colors here if you want
# (or anything else if you want too)
plot_hotdogs <- ggplot(hotdogs,</pre>
                      aes(x = Year, y = dogs, fill = record)) +
  geom_col() +
  scale_fill_manual(values = c("grey80", "#FC7300")) +
  scale_x_continuous(breaks = seq(1980, 2010, 2),
                    expand = c(0, 0) +
  scale_y_continuous(breaks = seq(0, 70, 10),
                    expand = c(0, 0) +
  guides(fill = "none") +
  labs(y = "Hot dogs and buns", x = NULL) +
  theme minimal() +
  theme(panel.background = element rect(fill = "transparent", colour = NA),
       plot.background = element_rect(fill = "transparent", colour = NA),
       axis.ticks.x = element_line(linewidth = 0.25),
```

```
panel.grid.major.x = element_blank(),
    panel.grid.major.y = element_line(linewidth = 0.5, linetype = "dashed"),
    panel.grid.minor = element_blank())

# Change the dimensions here if you want
ggsave(plot_hotdogs, filename = "hotdogs.pdf", device = cairo_pdf,
    width = 7, height = 4, units = "in", bg = "transparent")

ggsave(plot_hotdogs, filename = "hotdogs.svg",
    width = 7, height = 4, units = "in", bg = "transparent")
```