

The Impact of Action Masking and Environmental Constraints on Rule Internalization in Transformer-Based Chess Agents

by

Francois Qian
URN: 6702759/7

A dissertation submitted in partial fulfilment of the
requirements for the award of

BACHELOR OF SCIENCE IN COMPUTER SCIENCE

May 2026

Department of Computer Science
University of Surrey
Guildford GU2 7XH

Supervised by: Nishanth Sastry

I declare that this dissertation is my own work and that the work of others is acknowledged and indicated by explicit references.

Francois Qian
May 2026

© Copyright Francois Qian, May 2026

Abstract

This dissertation investigates the emergent learning dynamics of transformer-based reinforcement learning agents in chess when traditional environmental guardrails - specifically **logit masking** and **legal move constraints** - are removed. A custom high-throughput Rust engine and a novel **bipartite Monte Carlo Tree Search (MCTS)** architecture are introduced to decouple piece selection from destination selection, facilitating a granular analysis of rule internalization.

The study utilizes a 2×2 experimental matrix plus an ablation control to isolate the impacts of the rule set (Legal vs. Pseudo-Legal) and masking (Masked vs. Unmasked). To stabilize training in unconstrained environments, a **self-annealing curriculum loss** is proposed, which dynamically prioritizes policy optimization based on the model’s illegal move propensity.

Experimental results demonstrate that unmasked models autonomously internalize piece kinematics, achieving near-zero illegal move rates within 150-250 iterations. The self-annealing loss significantly accelerates convergence compared to fixed-ratio baselines. While models in pseudo-legal environments successfully learn to execute king captures, they exhibit higher tactical volatility and shorter game lengths (≈ 60 moves) compared to legal-constrained variants (≈ 250 moves), indicating that 256-node search depths are insufficient to fully internalize king safety as a survival heuristic without environmental enforcement, showcasing how environmental constraints improve search efficiency.

Acknowledgements

I would like to thank my supervisor, Nishanth Sastry, for overseeing the project, and my Sister, for editorial advice.

Contents

1	Introduction	15
1.1	Project Background	15
1.2	Aims and Objectives	15
1.3	Project Description	16
1.4	Scope and Limitations	17
1.5	Thesis Structure	17
2	Literature Review	18
2.1	Chess as a Markov Decision Process (MDP)	18
2.2	Chess Played by Machines	18
2.2.1	Giraffe	18
2.2.2	AlphaZero	18
2.2.3	MuZero	19
2.2.4	Transformers in Chess	19
2.2.5	Efficiently Updatable Neural Networks (NNUE)	19
2.3	AlphaStar	19
2.4	The ELIZA effect	19
2.5	Invalid Action Masking	20
2.6	Learning Dynamics	20
2.7	Research Gap	21
3	System Design	22
3.1	System Architecture Overview	22
3.2	Functional and Non-Functional Requirements	22
3.3	Environment Formulation and State Representation	23
3.3.1	Dual Ruleset MDPs	23
3.3.2	State Canonicalization and Tensor Formulation	23
3.3.3	Network Topology	23
3.3.4	Output Heads	24
3.4	Bipartite Monte Carlo Tree Search	24
3.4.1	Topology	24
3.4.2	Edge Selection	24
3.4.3	Exploration Mechanisms	24
3.4.4	Simulation Integrity and the Masking Boundary	25
3.5	Reinforcement Learning Pipeline	25

3.5.1 Self-Play and Replay Buffer	25
3.6 Optimization and the Self-Annealing Loss	25
3.7 Discussion of Design Challenges	25
4 Implementation Details	27
4.1 Software Stack and Overview	27
4.2 Chess Engine	28
4.2.1 Bitboards	29
4.2.2 Move Generation	29
4.2.3 Zobrist Hashing	29
4.3 Bipartite Monte Carlo Tree Search	30
4.3.1 Arena Allocators	30
4.3.2 Node Expansion, Promotions, and Terminals	30
4.3.3 Edge Selection and Value Propagation	31
4.3.4 Mask Integration and Prior Renormalization	32
4.4 Neural Network Architecture	32
4.4.1 Tensor Construction	32
4.4.2 Encoder and Output Heads	32
4.5 Training Pipeline	32
4.5.1 Value Head Bootstrapping	33
4.5.2 Batch Expansion and Synchronization	33
4.5.3 The Self-Annealing Loss in Code	33
4.6 Performance and Correctness	34
4.6.1 Throughput and Memory	34
4.6.2 Verification and Testing	34
4.6.3 Reproducibility	34
5 Experimental Design	36
5.1 Axis 1: Environmental Constraints (E)	36
5.2 Axis 2: Action Masking (M)	36
5.3 Experimental Configurations	37
5.3.1 The “Tabula Rasa” Challenge	37
5.3.2 The Self-Annealing Ablation	37
5.4 Evaluation Procedure	37
6 Results	38
6.1 Illegal Move Rates	39
6.2 Loss Dynamics	40
6.2.1 Masked Configurations	40
6.2.2 Unmasked Configurations	40
6.3 Game Length	41
6.3.1 Legal Configurations (E_L)	41
6.3.2 Pseudo-Legal Configurations (E_P)	41
6.4 Win / Draw Ratios	42
6.4.1 Legal Configurations (E_L)	42
6.4.2 Pseudo-Legal Configurations (E_P)	43
6.5 ACPL	44
6.5.1 Ruleset Divergence	44

6.5.2 Configuration Analysis	44
7 Conclusion	46
7.1 Project Evaluation	46
7.2 Findings	47
7.3 Limitations and Future Work	47
8 Statement of Ethics	49
8.1 Legal	49
8.2 Social	49
8.3 Ethical	49
8.4 Professional	50
Bibliography	51

List of Figures

Figure 1 39

Figure 2 41

Figure 3 44

List of Tables

Table 1	Hyperparameters held constant across all five configurations.	35
Table 2	The 2×2 experimental matrix with ablation control.	37

Glossary

$Q(s, a)$	The action-value function representing the mean expected reward for taking action a in state s .
$\pi(a s)$	The policy distribution; the probability of selecting action a given the current state s .
$V(s)$	The value function representing the scalar evaluation of a board position’s win probability.
λ	The curriculum coefficient (illegal mass ratio) used to weigh policy vs. value loss.
$N(s, a)$	The visit count of an edge in the search tree, indicating how many times an action has been explored.
c_{puct}	A hyper-parameter controlling the trade-off between exploration and exploitation in the search tree.
$A_{L(s)}$	The set of strictly legal moves available in state s according to FIDE rules.
$A_{P(s)}$	The set of pseudo-legal moves (geometrically valid but potentially leaving the king in check).
N_{select}	A node in the bipartite MCTS representing a board state where the agent must select a ‘from’ square.
N_{move}	A node in the bipartite MCTS where an origin square has been fixed and the agent selects a ‘to’ square.
K_{cap}	The terminal event of king capture used as the reward signal in the pseudo-legal rule set.
d_{model}	The hidden dimensionality of the transformer encoder’s internal representations.
d_{ff}	The width of the position-wise feedforward layer.
n_{heads}	The number of heads in the transformer encoder’s attention mechanism.
n_{layers}	The depth of the model (how many times the transformer block is stacked).

Abbreviations

MCTS	Monte Carlo Tree Search
PUCT	Predictor + Upper Confidence Bound applied to Trees
RL	Reinforcement Learning
MDP	Markov Decision Process
FIDE	Fédération Internationale des Échecs (International Chess Federation)
CNN	Convolutional Neural Network
TD	Temporal Difference (Learning)
FIFO	First-In, First-Out (Replay Buffer)
SOTA	State Of The Art
MSB / LSB	Most Significant Bit / Least Significant Bit
W/D/L	Win / Draw / Loss
FEN	Forsyth-Edwards Notation

Chapter 1

Introduction

1.1 Project Background

Chess is a deterministic, perfect-information zero-sum game played on an 8×8 grid. Two players command 16 pieces of 6 distinct classes, each governed by strict kinematic rules with the objective of trapping the opponent’s king (checkmate). Historically dubbed the “Drosophila of AI” (McCarthy (1990)), chess provides an optimal substrate for studying machine intelligence: it presents highly ambiguous intermediate states bound by objective ground truths and a mathematically perfect, yet computationally intractable, solution space (approximately 10^{40} states).

Neural networks learn chess through **reinforcement learning (RL)**, a machine learning paradigm where an autonomous agent learns to make optimal actions in an environment to maximize a reward signal. This typically involves decoupling the model from environment transition dynamics via **logit masking**, a heuristic that artificially zeroes out the probability of illegal actions prior to softmax activation. This is a known optimization that accelerates convergence (Huang and Ontañón (2020)). Consequently, State Of The Art (SOTA) engines (e.g., AlphaZero - David Silver, Hubert, *et al.* (2017)) utilize hardcoded legal move generators to mask out invalid actions. While computationally efficient, this deprives the network of negative feedback for invalid predictions, bypassing the model’s need to internally represent the mechanics of the game and leaves the representational dynamics of rule acquisition from scratch in complex Markov Decision Processes (MDP) unexplored.

Literature has largely overlooked the impact of removing these guardrails because standard RL in chess prioritizes asymptotic Elo gain per Floating Point Operation. As AI systems scale toward generalized world models, the ability of an agent to internalize the causal rules of its environment (as opposed to hardcoded environmental constraints) serves as a critical proxy for architectural robustness, reliability, and interpretability.

1.2 Aims and Objectives

This project investigates the emergent learning dynamics and internal representations of a transformer-based self-playing chess agent when logit masking and environmental constraints are removed.

Specific objectives include:

- **Implement high-throughput chess library:** Develop a dual ruleset engine optimized for RL self-play.
- **Architect action-selection models:** Design a two-pass autoregressive transformer and bipartite MCTS to model piece to square selection.
- **Execute comparative training:** Train five configurations, varying move legality (legal/pseudo-legal), masking, and loss-annealing, using identical hyperparameters.
- **Quantify performance metrics:** Measure convergence rates, illegal-move frequencies, and the evolution of rule-abiding behavior in unconstrained models.
- **Analyze spatial reasoning:** Correlate the emergence of legal play with attention distribution patterns in the two-pass encoder.

1.3 Project Description

A custom two-pass autoregressive transformer encoder and a bipartite Monte Carlo Search Tree (MCTS) are introduced to facilitate explicit measurement of model interpretability. This architecture decouples piece selection from destination selection to provide a granular window into the model’s spatial reasoning. Two orthogonal axes of environmental constraint are examined. Crucially, these axes isolate distinct learning targets: **Logit Masking** dictates the policy head’s acquisition of piece kinematics, while **Environmental Constraints** dictate the value head’s acquisition of survival heuristics.

The experimental configurations are defined across two axes:

1. Axis 1: Rule Set Convergence via Environmental Constraints

- **Control:** Training on a strict legal ruleset.
- **Test:** Training on a pseudo-legal ruleset where the terminal state is the simpler, denser king capture (K_{cap}) over the highly sparse, complex ($A_L = \emptyset$). This variant of Chess fundamentally alters the Markov Decision Process (MDP) reward function $R(s, a)$ yielding a potentially smoother reward landscape, forcing the value head to learn survival heuristics (e.g., pins) rather than relying on hardcoded environment evaluations.
- **Hypothesis:** A neural network trained in a pseudo-legal action space will autonomously acquire core chess rules and strategic behaviours through self-play.

2. Axis 2: Piece Kinematics Internalization via Logit Masking

- **Control:** Masked logits (illegal moves are mathematically eliminated prior to selection).
- **Test:** Unmasked logits (illegal moves are permitted by the network but penalized by the environment/loss function).
- **Ablation:** Unmasked logits with a fixed policy/value loss ratio, isolating the impact of the proposed self-annealing curriculum loss (Section 3.6).
- **Hypothesis:** Unmasked training will accelerate convergence by first learning piece kinematics before strategy, forming an automated curriculum.

In the unmasked, pseudo-legal regime, the network faces a dual-optimization problem: it must learn the physical constraints of the board (the rules) and the strategic evaluation of states (the game). It is predicted that this configuration will exhibit non-monotonic learning dynamics: an initial regime of high illegal-move proposals, followed by a sharp

convergence toward $A_{P(s)}$ as kinematics are internalized, acting as an emergent curriculum before strategic play develops in $A_{L(s)}$.

1.4 Scope and Limitations

Several limitations bound the scope of the work:

1. The comparison of interest is across five training configurations over asymptotic performance. As such, models are not benchmarked against external engines; absolute Elo against SOTA requires significantly more compute than the project budget allows.
2. The value head is bootstrapped against MCTS root values over terminal outcomes to accelerate convergence, constrained by GPU throughput.

1.5 Thesis Structure

This dissertation is structured as follows:

- **Chapter 2** surveys the literature surrounding reinforcement learning, transformer architectures, action masking, and curriculum learning, identifying the gap this work addresses.
- **Chapter 3** details the system design, including the bipartite MCTS, the two-pass encoder, and the self-annealing loss function.
- **Chapter 4** outlines the implementation of the Rust engine and training pipeline, with particular attention to the engineering decisions that make high-throughput self-play tractable.
- **Chapter 5** presents the experimental design.
- **Chapter 6** presents the results and evaluation across the four configurations.
- **Chapter 7** concludes and discusses avenues for future work.

Chapter 2

Literature Review

2.1 Chess as a Markov Decision Process (MDP)

In reinforcement learning (RL), chess is modelled as a MDP defined by the tuple (S, A, T, R) , where S is the state space ($|S| \approx 10^{40}$), A is the action space, $T : S \times A \rightarrow S$ is the deterministic transition function, and $R : S \times A \rightarrow \{-1, 0, 1\}$ is the reward function (Andrew and Richard S (2018)).

Shannon (1950) examined the complexity of chess as a MDP by introducing the distinction between Type A (brute force + fixed depth) and Type B (selective search + heuristic pruning) search strategies, which then provided the groundwork for modern learned selective search (MCTS + neural priors) as a hybrid strategy.

Standard RL chess engines enforce a legal action space $A_{L(s)} \subset A$ in which moves leaving the king in check are excluded by the environment (World Chess Federation (FIDE) (2023)). This project introduces a relaxed pseudo-legal action space $A_{P(s)}$ such that $A_{L(s)} \subset A_{P(s)} \subset A$, permitting all geometrically valid piece movements and shifting the terminal condition from the abstract *checkmate* to the explicit *king capture* K_{cap} , fundamentally altering the MDP while still retaining the same optimal policy.

2.2 Chess Played by Machines

2.2.1 Giraffe

Lai (2015) introduced Giraffe, a chess engine that learned to autonomously learn an evaluation function via RL self-play. The system relied on the TD-leaf(γ) algorithm to train the neural network, a form of value bootstrapping, to reach International Master (IM) level performance, and marked a turning point in the neural-network revolution in chess engines.

2.2.2 AlphaZero

The paradigm of self-play RL in chess was defined by AlphaZero (David Silver, Hubert, *et al.* (2017)), which combined Monte Carlo Tree Search (MCTS) with deep convolutional neural networks (CNNs) for policy and value evaluation. AlphaZero relies entirely on a hardcoded environment to generate $A_{L(s)}$, bypassing the need for the network to internalize the rules of the game.

2.2.3 MuZero

MuZero (Schrittwieser *et al.* (2020)) removed the need for a known transition dynamics model by learning a latent environment simulator, outperforming models trained in hard-coded environments. While MuZero demonstrates the ability to adhere to $A_{L(s)}$ implicitly within its hidden state transitions, its policy head still undergoes logit masking during MCTS rollouts and the network never explores $A_{P(s)}$. The literature lacks insight into how the removal of environmental guardrails or action masking impacts the sample efficiency and representational robustness and performance of the underlying network.

While both AlphaZero and MuZero proved the viability of MCTS + RL, their success is reliant on the embedded spatial CNNs biases that transformers remove, making transformers a superior substrate for studying pure rule internalization.

2.2.4 Transformers in Chess

Recent advancements demonstrate the efficacy of transformer architectures in chess, shifting away from the spatial inductive biases of CNNs. McGrath *et al.* (2022) demonstrated that AlphaZero-style networks acquire human-interpretable concepts (material balance, mobility, king safety) over the course of training. Specifically, concepts like piece value appear in early clusters within the network, with checkmate detection appearing later in deeper layers.

Monroe and Chalmers (2024) achieved Grandmaster-level performance with a transformer relying purely on attention to evaluate board states, without explicit search. Jenner *et al.* (2024) provided complementary evidence of learned look-ahead in chess-playing networks, showing that attention heads encode candidate future board states.

2.2.5 Efficiently Updatable Neural Networks (NNUE)

At the time of writing, Stockfish (The Stockfish developers (2026)) is the strongest chess engine (Computer Chess Rating Lists (2026)), utilizing the NNUE architecture, a shallow, SIMD-optimized neural network optimized for cpu inference to leverage massive MCTS throughput. As such, the network lacks the attention layers required to develop the “intuition” of a transformer, making up for in vastly superior search depth via incremental updates (Nasu (2018)).

2.3 AlphaStar

In domains with highly structured action spaces, such as StarCraft II, AlphaStar (Vinyals *et al.* (2019)) demonstrated the efficacy of autoregressive policy heads to factor complex joint distributions. Adapting this to chess, factoring the joint probability as

$$P(a|s) = P(\text{from}|s) \cdot P(\text{to}|s, \text{from})$$

collapses the output dimensionality from $d_{\text{model}} \times 4672$ to $d_{\text{model}} \times 64$ and gives rise to two distinct, observable failure modes: attention failure (identifying movable pieces) and kinematic failure (how pieces move).

2.4 The ELIZA effect

The historical development of AI is haunted by the ELIZA effect, a phenomenon where users attribute humanlike cognitive depth or intentionality to systems performing simple symbol manipulation (Switzky (2020)). In chess, this effect manifests when observers

interpret the outputs of high-dimensional, flat-policy engines as “strategic intuition”. AlphaZero masks thousands of illegal actions, creating a discursive illusion of understanding; the model appears to “know” how to play, yet may simply be filtering a massive probability distribution through environmental guardrails.

These results frame the central architectural decision behind the factored auto-regressive encoder: decoupling $P(\text{from}|s)$ from $P(\text{to}|s, \text{from})$ provides an attempt to move from mimicry to internalization, while simultaneously providing an observable window into distinct failure modes: attention failure (identifying movable pieces) and kinematic failure (how pieces move).

2.5 Invalid Action Masking

In policy gradient algorithms, it is standard practice to prevent the selection of illegal actions via invalid action masking (logit masking) (Vinyals, Fortunato and Jaitly (2017)). Masking applies a transformation to the policy logits z prior to the softmax activation:

$$P(a_i|s) = \frac{\exp(z_i + M_i)}{\sum_j \exp(z_j + M_j)}$$

where $M_i = -\infty$ if $a_i \notin A_{L(s)}$, and 0 otherwise.

Masking can also be introduced through environmental constraints. The typical legal action space $A_{L(s)}$ is one such mask - a subset of $A_{P(s)}$, where the concept of “check” is substantiated, encoding king safety. For any state s , an optimal policy π^* trained in A_P must implicitly learn to prune the action space such that:

$$\pi^*(a|s) \rightarrow 0 \quad \text{for all } a \in (A_{P(s)} \setminus A_{L(s)})$$

Under this paradigm, concepts such as pins and checkmating nets cease to be hard-coded environmental properties (valid in $A_{P(s)}$) and instead become *emergent survival heuristics* within the value landscape.

Huang and Onta  n (2020) demonstrated that collapsing the exploration space via action masking significantly improves sample efficiency. For an MCTS-based agent, masking is required as simulations into invalid state transitions will propagate corrupted value estimates up the search tree. However, Huang and Onta  n’s analysis is restricted to small, flat action spaces where the legal subset is a fixed function of a few features (MicroRTS).

Chess presents a qualitatively harder case: legality depends on the global board configuration, and the function $A_{L(s)}$ is itself nontrivial to compute. Logit masking prevents the network receiving feedback from masked indices as gradients are nullified in the compute graph, preventing backpropagation of loss. This work investigates whether the conclusions of Huang and Onta  n (2020) generalize to environments where the rules constitute an algorithmic learning target.

2.6 Learning Dynamics

The unmasked, pseudo-legal regime forces the network to learn the rules of chess from scratch as a precondition for strategic evaluation, raising the prospect of non-monotonic learning dynamics. Power *et al.* (2022) identified the phenomenon of *grokking*, in which

neural networks trained on small algorithmic datasets exhibit sharply delayed generalization long after overfitting the training set, mediated by weight-decay pressure. Chess is an algorithmic dataset embedded in a strategic MDP, showcasing the potential of analogous phase transitions.

Bengio *et al.* (2009) formalized *curriculum learning*, showing that ordering training data from simple to complex acts as a regularizer, guiding optimization toward superior local minima inaccessible through random shuffling. A pseudo-legal environment serves implicitly as curriculum where an agent first receives rewards through piece kinematics and king capture before survival heuristics under A_L .

Sharma *et al.* (2017) introduced a framework for factoring discrete action spaces into compositional, basis-like components, enabling cross-action generalization among actions that share common factors. This principle is instantiated in the factored engine architecture, where each selection and destination shares a common output head.

2.7 Research Gap

While the efficacy of action masking is well-documented in general RL (Huang and Ontañón (2020)), and transformers have proven capable of modelling chess at a high level (Jenner *et al.* (2024)), the intersection of these domains is unexplored. No published literature isolates the impact of environmental guardrails on the representational quality of transformer-based MCTS agents, the dynamics of rule internalization, or overall agent performance when those guardrails are removed.

This project addresses this gap by training four distinct configurations across two orthogonal axes: Environment Constraints (Legal vs. Pseudo-Legal) and Logit Masking (Masked vs. Unmasked) to investigate how the environment manifests within a transformer based chess engine and the impact on performance.

Chapter 3

System Design

3.1 System Architecture Overview

The system is designed as a closed-loop reinforcement learning pipeline, decoupling the environment transition dynamics from the neural network’s internal representations. The architecture consists of three primary components: a custom deterministic environment simulator supporting dual rulesets, a two-pass autoregressive transformer encoder, and a bipartite MCTS algorithm. The system operates via self-play, generating trajectories to optimize the network.

Each component is designed such that the experimental axes can be toggled on or off independently without altering any other part of the system. This is essential to the validity of the comparison: the four configurations differ only in the two boolean flags governing their respective axes, with all hyperparameters held constant.

3.2 Functional and Non-Functional Requirements

The methodology imposes four hard requirements on the implementation, each of which constrains the design space from Section 3.3 to Section 3.6.

1. **Configuration Parity:** The four cells of the experimental matrix must differ only in the two boolean flags governing rule set and masking. No code path may exist that is reachable in one configuration but not another, with the sole exception of the masking step itself. This rules out per-configuration training scripts and motivates the unified `forward_classification` implementation in Section 4.4.2.
2. **Self-Play Throughput:** Multiple full training runs under a single GPU budget requires massive throughput. This rules out cache-hostile reference-counted tree structures and dynamic move-list allocation (heap pressure), motivating arena allocation (Section 4.3.1) and stack-allocated move lists (Section 4.2.2).
3. **Reproducibility:** Self-play is intrinsically stochastic, but every source of randomness must be seedable. Dirichlet noise (David Silver, Schrittwieser, *et al.* (2017)), temperature sampling, replay sampling, and weight initialization all consume from seeded RNGs.
4. **Auditability:** Observed learning dynamics must be attributable to the network rather than to engine artefacts. This requires the move generator to be independently testable

against a reference (Section 4.6.2) and the masking boundary (Section 4.2.2) to be unambiguous in code.

3.3 Environment Formulation and State Representation

3.3.1 Dual Ruleset MDPs

The **Legal Environment** E_L adheres to standard FIDE rules. The action space ($A_{L(s)}$) is strictly contained to moves that do not leave the king in check. The terminal reward $R(s, a)$ is evaluated upon Checkmate, Stalemate, or standard draw conditions. The **Pseudo-Legal Environment** E_P relaxes the action space to $A_{P(s)}$, permitting all geometrically valid piece movements regardless of king safety. The terminal condition shifts from checkmate to the explicit king-capture event K_{cap} . FIDE draw conditions (e.g., insufficient material, fifty-move rule) are retained to guarantee finite rollouts. In E_P , stalemate is redefined: if a king is not in check but the agent possesses no pseudo-legal moves (e.g., all pieces are physically blocked), the state evaluates as a draw.

3.3.2 State Canonicalization and Tensor Formulation

To enforce symmetric learning and halve the state space, all board states are canonicalized to the perspective of the side-to-move (David Silver, Hubert, *et al.* (2017)). If it is Black’s turn, the board, and castling rights are geometrically flipped. The state s is mapped to a spatial tensor representation X and a scalar meta-tensor M , the exact dimensionalities of which are detailed in Section 4.4.1.

To explicitly measure spatial reasoning, the system factors the joint probability of a move $P(a|s)$ into an autoregressive sequence: $P(a|s) = P(\text{from}|s) \times P(\text{to}|s, \text{from})$. The network executes two forward passes using shared weights:

1. **Pass 1 (Piece Selection):** The network evaluates the board state with the selected square plane zeroed out, outputting a policy distribution over the 64 squares to select the origin square (*from*). The value head will evaluate the board state.
2. **Pass 2 (Destination Selection):** The origin square is encoded into the 14th plane of the spatial tensor. The network re-evaluates the state, outputting a policy distribution over the 64 squares to select the destination (*to*). The value head will evaluate the position given a piece to move, effectively evaluating the viability of the selected piece.

The factored $64 \rightarrow 64$ output lacks a third dimension for promotion piece selection. Promotions are instead handled via the search topology: when a pawn destination on the back rank is expanded, the corresponding edge is replaced by four sub-edges (Q, R, B, N), equally dividing the prior probability. This delegates under-promotion to the search tree, where the additional branching factor is amortized over many simulations.

3.3.3 Network Topology

The model uses a transformer Encoder architecture without convolutions (Dosovitskiy *et al.* (2020)). The spatial tensor X is linearly projected to d_{model} , and $2D$ learned positional embeddings are added to retain geometric context. The meta-tensor M is linearly projected and concatenated as a pseudo-[CLS] token, resulting in a sequence length of 65 (Monroe and Chalmers (2024)).

The model is symmetrically scaled as a variant of ChessTransformer (Monroe and Chalmers (2024)): $n_{\text{heads}} = 8$, $n_{\text{layers}} = 8$, $d_{\text{model}} = 8 \times 64 = 512$, $d_{\text{ff}} = 4 \times d_{\text{model}}$, meeting a middle ground between CF-6M and CF-240M.

3.3.4 Output Heads

The final latent representation is routed into two distinct heads (Mnih *et al.* (2016)):

1. **Policy head:** A linear projection of the 64 spatial tokens to $\mathbb{R}^{64}$, producing unnormalized logits over square selection.
2. **Value head:** A linear projection of the [CLS] token to $\mathbb{R}^3$, producing W/D/L logits. In Pass 1 this evaluates the raw state; in Pass 2 it evaluates the state conditional on the selected origin square.

3.4 Bipartite Monte Carlo Tree Search

3.4.1 Topology

To accommodate the two-pass autoregressive policy, the search tree alternates between two node types:

- **Selection Nodes (N_{select}):** Represent a board state. Edges represent the choice of an origin square.
- **Action Nodes (N_{move}):** Represent a board state plus a selected origin square. Edges represent the destination square; transitioning the environment to a new N_{select} node.

A complete move thus traverses a (Selection, Action) pair. This bipartite structure explicitly mirrors the model’s autoregressive nature, physically separating the two failure modes of factored policy in the search tree.

3.4.2 Edge Selection

During traversals, edges are selected using a modified Predictor + Upper Confidence Bound applied to Trees (PUCT) algorithm (David Silver, Hubert, *et al.* (2017)). To mitigate draw-seeking behaviour, a contempt factor is baked into the empirical action value $Q(s, a)$.

$$Q(s, a) = W - L - 0.05D$$

$$U(s, a) = c_{\text{puct}} \cdot P(s, a) \cdot \frac{\sqrt{N(s)} + 10^{-8}}{1 + N(s, a)}$$

$$\text{PUCT}(s, a) = Q(s, a) + U(s, a)$$

where W, D, L are the mean W/D/L value estimates accumulated on the edge, $P(s, a)$ is the prior, and $N(s)$, $N(s, a)$ are the parent and edge visit counts respectively.

3.4.3 Exploration Mechanisms

Exploration is injected through two mechanisms. Dirichlet noise is applied exclusively to the root prior, with $P(s, a) \leftarrow (1 - \varepsilon)P(s, a) + \varepsilon \cdot \eta$, with $\eta \sim \text{Dir}(\alpha)$, $\alpha = 0.3$, and $\varepsilon = 0.25$ (David Silver, Schrittwieser, *et al.* (2017)). At the root, the move played is sampled in proportion to $N(s, a)^{\frac{1}{t}}$, adapting the David Silver, Hubert, *et al.* (2017) method by scaling t dynamically with ply count and remaining material, transitioning from exploratory in the opening to deterministic in endgames.

3.4.4 Simulation Integrity and the Masking Boundary

Invalid state transitions will corrupt value propagation throughout the search tree. To maintain simulation integrity, action masking is performed indiscriminately by the orchestrator to ensure the search space involves only valid squares. The experimental distinction lies in whether action masking is applied to the network’s raw logits during loss calculation. In masked configurations, illegal logits are clamped to -10^9 prior to softmax, training the model within a distribution restricted to valid squares. In unmasked configurations, the policy loss is computed over the raw 64 square distribution, punishing the model for assigning weight to invalid squares. The training signal still differs in whether the network is shielded from or penalized for invalid predictions, despite MCTS rollouts being strictly contained to the valid action space.

3.5 Reinforcement Learning Pipeline

3.5.1 Self-Play and Replay Buffer

Trajectories are generated via highly parallelized self-play. Samples are stored in a FIFO replay buffer of capacity $2^{19} = 524288$. To prevent infinite games, rollouts are forcibly terminated as draws after 400 plies, or whenever the MCTS root value estimate for a draw exceeds 0.95, relaxed to 0.75 after 60 plies (David Silver, Hubert, *et al.* (2017)).

3.6 Optimization and the Self-Annealing Loss

The network is optimized with AdamW (Loshchilov and Hutter (2017)) ($\beta_1 = 0.9$, $\beta_2 = 0.99$, weight decay 10^{-4}) under a Noam learning-rate schedule (Vaswani *et al.* (2017)) with factor 0.01 and 4000 warm-up steps. The value head is bootstrapped against the MCTS root-value distribution rather than the eventual game outcome (TD-like) (Sutton (1988)) for computational feasibility.

The principal methodological contribution lies in the loss function. For a sample (s, π, z) with policy prediction p and value prediction v , the loss is:

$$L = (1 + \lambda) \cdot \underbrace{\left(- \sum_a \pi(a|s) \log p(a|s) \right)}_{L_{\text{policy}}} + (1 - \lambda) \cdot \underbrace{\left(- \sum_i z_i \log v_i \right)}_{L_{\text{value}}}$$

where $\lambda \in [0, 1]$ is the mean probability mass that the network has assigned to illegal moves over the most recent batch of leaf expansions.

This acts as a strict mathematical curriculum. When the network proposes many illegal moves $\lambda \approx 1$, the policy loss weight approaches 2 and the value loss weight approaches 0. The network is forced to learn piece kinematics before state evaluation. As the model internalizes piece kinematics, the weights balance to 1 : 1. This approach to curriculum learning is unique to the unmasked configuration, as λ is dependent on illegal move weights (λ is naturally zero in masked configurations).

3.7 Discussion of Design Challenges

Three design problems proved materially harder than expected.

1. **Bipartite MCTS Architecture:** Implementing a novel bipartite Monte Carlo Tree Search (MCTS) in Rust without existing reference code introduced significant owner-

ship conflicts. Standard pointer-based tree structures collided with the borrow checker, while trait-based abstractions incurred unacceptable dynamic dispatch overhead. The architecture was ultimately refactored using **arenas** (Albrecht (2009)) which utilized manual indexing to bypass the borrow checker and maximize throughput.

2. **Memory Management:** High-frequency node generation (batch size 256; 256 simulations per move) led to rapid heap exhaustion under a naive “reset-on-gameover” policy. The resulting memory pressure triggered the OOM killer during extended training sessions. To stabilize the system, a custom generational garbage collector was implemented to reclaim unexplorable nodes within the arena, trading minor allocation overhead for long-term operational stability.
3. **Performance Evaluation:** Initial plans to evaluate engine strength post-hoc via stored checkpoints proved unfeasible due to storage overflow. The system was transitioned to inline Average Centipawn Loss (ACPL) evaluation using Stockfish. Implementation required embedding a UPX-compressed Stockfish binary for reproducibility and managing synchronous I/O overhead. This shift eliminated the need for excessive checkpoint storage and allowed for real-time performance tracking, despite introducing minor mutex-related bottlenecks.

Chapter 4

Implementation Details

This chapter details the software architecture and engineering paradigms utilized to construct the self-play reinforcement learning system. The implementation translates the methodology into a high-throughput, reproducible execution environment optimized for three criteria: clean experimental toggling, sufficient throughput to complete four training runs within the project timeframe, and system auditability to isolate learning dynamics from engine artifacts.

The architecture comprises a custom bitboard-based chess engine, a bipartite MCTS utilizing flat arena allocators, and a shared-weight transformer encoder implemented via the Burn deep learning framework (Simard *et al.* (2024)). All components are parallelized to bridge theoretical design with optimized execution.

4.1 Software Stack and Overview

The system is implemented entirely in Rust (Matsakis and Klock (2014), The Rust Project Developers (2026)). The choice of Rust over C++ or Python is driven by the strict requirements of high-throughput MCTS. Python’s Global Interpreter Lock (GIL) precludes true multithreading, forcing reliance on multi-processing which incurs prohibitive IPC serialization overhead for tree search. While C++ offers raw performance, complex concurrent tree mutations frequently introduce data races. Rust’s ownership model and strict aliasing rules guarantee thread safety at compile time, enabling “fearless concurrency”.

Neural network operations are executed via the Burn framework (Simard *et al.* (2024)). Unlike PyTorch’s C++ bindings (LibTorch), which carry heavy binary bloat and tie execution to NVIDIA CUDA, Burn provides a backend-agnostic autograd module. By utilizing Burn’s WGPU backend, the engine compiles to a standalone binary capable of executing hardware-accelerated tensor operations across CUDA, Metal, and Vulkan without environment configuration (Burn Contributors (2026)).

The reinforcement learning loop is designed for maximum throughput via lock-free concurrency. At the initialization of each training iteration, B parallel game instances are spawned. As each MCTS instance encapsulates its own memory arenas, the Rayon

library's `par_iter_mut()` is utilized to distribute tree traversals across all available CPU cores without mutex contention.

REINFORCEMENT LEARNING LOOP

```

1 Require: Model weights  $\theta$ , Replay Buffer  $D$  (capacity  $2^{19}$ ), Batch size  $B$ 
2 Initialise  $B$  independent MCTS instances  $\{T_1, \dots, T_B\}$ 
3 while training do
4   for step = 1 to steps_per_iteration do
5     for i = 1 to simulations_per_move do
6       parallel for each tree  $T$  in  $\{T_1, \dots, T_B\}$  do
7         | Traverse  $T$  to find leaf node  $n$ 
8       end
9       Synchronise threads
10      Batch inputs from all leaves and execute forward pass( $\theta$ )
11      parallel for each tree  $T$  do
12        | Expand leaf  $n$  using network outputs
13        | Backpropagate value estimates to root
14      end
15    end
16    parallel for each tree  $T$  do
17      | Select action  $a \sim \pi(a|s)$  based on visit counts
18      | Store transition  $(s, \pi, z)$  in  $D$ 
19      | Advance environment state
20      | if terminal state reached then reset  $T$ 
21    end
22  end
23  if  $|D| > \text{min\_samples}$  then
24    for epoch = 1 to gradient_steps do
25      | Sample mini-batch from  $D$ 
26      | Compute composite loss  $L(\theta)$ 
27      | Update  $\theta$  via AdamW
28    end
29  end
30 end

```

4.2 Chess Engine

The environment is a custom chess engine optimized specifically for MCTS rollouts. State representation is tightly packed (Section 4.2.1), and move generation relies on compile-time precomputed masks (Section 4.2.2) to minimize branching and minimize CPU cache misses.

4.2.1 Bitboards

Alternative state representations, such as 8×8 mailbox arrays, require branching loops to evaluate sliding piece attacks. To maximize throughput, the board state is instead encoded using Bitboards (Chess Programming Wiki (2024a)). The `ChessBoard` struct uses a `[[Bitboard; 6]; 2]` array, representing the 6 piece types across 2 colors, alongside 3 aggregate occupancy bitboards (White, Black, All). The struct is annotated `#[repr(align(64))]` ensuring alignment with cache-line boundaries, preventing false sharing and making move generation cache-friendly under aggressive parallel access. Hardware intrinsics (`trailing_zeros` and `leading_zeros`) are used for $O(1)$ piece iteration and bit isolation.

4.2.2 Move Generation

The engine employs a two-step deferred verification architecture for move generation:

Precomputed Lookup Tables: knight, king, pawn, rook, bishop, and rook/bishop direction masks, together with a 64×64 `BETWEEN` table, are constructed via `const fn` and embedded directly in the binary as `pub const` arrays. This elides the static initialization phase entirely and allows the compiler to fold lookups into immediate operands where it can prove the index.

Sliding-Piece Move Generation: Sliding pieces are generated by AND-ing each direction mask with the global occupancy and isolating the first blocker via LSB or MSB depending on the direction (Chess Programming Wiki (2024b)):

```
let to_sq = if i < 2 { blockers.pop_msb() } else { blockers.pop_lsb() };
```

The blocker square is included in the ray if it is occupied by an enemy piece (a capture), and the precomputed `BETWEEN[from][blocker]` mask supplies the squares strictly between origin and blocker; the viable destination squares.

Stack-Allocated Move Lists: Generated moves are written to a stack-allocated `ArrayVec<ChessMove, 128>`, capping the branching factor to eliminate heap overhead while maintaining a statistically sufficient window for over 99% of chess positions.

Deferred Legality Verification: Rather than implementing computationally expensive pin-detection logic during generation, legality is verified post-hoc. The `is_legal()` method copies only the necessary board state, applies the pseudo-legal move, and evaluates if the resulting state leaves the active king under attack via `is_square_attacked()`. This deferred approach significantly reduces branching complexity while maintaining high throughput.

4.2.3 Zobrist Hashing

State repetition detection requires hashing board states. Cryptographic hashes (e.g., SHA-256) are computationally prohibitive, and full-state serialization is cache-inefficient. Therefore, Zobrist hashing (Zobrist (1970)) is implemented. A static table of 64-bit pseudo-random keys (`ZobristKeys`) is lazily initialized using Rust's `OnceLock`. The hash is computed in $O(P)$ time, where P is the number of active pieces, by XOR-ing the keys corresponding to the current board state, castling rights, en-passant file, and side-to-move. While incremental $O(1)$ hashing is theoretically optimal for sequential play, the $O(P)$ approach was selected to eliminate complex state-tracking across independent

MCTS nodes. Profiling indicates this computational cost is negligible relative to network inference (Section 4.6.1).

4.3 Bipartite Monte Carlo Tree Search

A standard MCTS represents a complete action as a single edge between two states (Coulom (2006)). To map the search topology onto the network’s two-pass autoregressive policy, the search tree is implemented as a bipartite graph alternating `PieceSelect` and `PieceMove` nodes (Section 3.4).

4.3.1 Arena Allocators

To avoid memory fragmentation and pointer-chasing overhead typically associated with recursive tree structures, the MCTS utilizes flat, index-based arena allocators (Hanson (1988)):

```
struct Arena<T> {
    buffer: Vec<T>,
    freelist: Vec<usize>,
}

struct Mcts {
    node_arena: Arena<MctsNode>,
    edge_arena: Arena<MctsEdge>,
    position_arena: Arena<ChessPosition>,
    dead_nodes: Vec<usize>,
    ...
}
```

Nodes reference child edges and associated board states via `usize` indices. A dedicated `position_arena` is implemented to prevent deduplication of board state over consecutive `PieceSelect` and `PieceMove` nodes.

While Hanson’s original arenas are deallocated in bulk, this implementation incorporates slab-style object reuse (Bonwick (1994)) to handle the high churn of MCTS subtrees. When subtrees are abandoned (e.g. after a move is chosen), their indices are returned to the freelist. By maintaining a freelist within the arena, abandoned node indices are recycled without requiring a full heap deallocation. Bulk edge insertion (`push_block`) searches for contiguous free slots. A garbage-collection pass recursively frees all nodes, edges, and board positions of abandoned subtrees. This keeps RAM proportional to the active search tree, enabling larger batch sizes.

4.3.2 Node Expansion, Promotions, and Terminals

Leaf expansion transitions the state machine. Expanding a `PieceSelect` edge generates a `PieceMove` node without altering the underlying board state. Expanding a `PieceMove` edge applies the move, computes the new Zobrist hash (Zobrist (1970)), evaluates terminal states (including threefold repetition via path history), and generates a new `PieceSelect` node.

Promotions are handled natively by the bipartite structure (Section 3.3.2). When a pawn-to-back-rank destination is expanded, the MCTS intercepts the spatial prior p and distributes it uniformly ($p/4$) across four discrete edges (Q, R, B, N), each carrying the

corresponding promotion. This enables the model to handle underpromotions through search topology rather than increased output dimensionality.

The fifty-move rule has been shortened to forty full moves (eighty plies) to bound maximum episode length and reduce MCTS memory footprint.

LEAF EXPANSION

```

1 Require: Leaf edge  $e$ , Network prior probabilities  $P$ , Search path history  $H$ 
2 Let  $N_{\text{parent}}$  be the parent node of  $e$ 
3 if  $N_{\text{parent}}$  is of type PieceSelect then
4   | Create  $N_{\text{child}}$  of type PieceMove
5   | Set  $N_{\text{child}}.\text{selected\_square} = e.\text{target\_square}$ 
6   | Link  $e$  to  $N_{\text{child}}$ 
7 else if  $N_{\text{parent}}$  is of type PieceMove then
8   |  $s' \leftarrow \text{Apply move}(N_{\text{parent}}.\text{selected\_square}, e.\text{target\_square})$ 
9   | if  $\text{Zobrist}(s')$  appears  $\geq 2$  times in  $H$  then
10    | Create  $N_{\text{child}}$  as Terminal(Draw)
11    else if  $\text{is\_terminal}(s')$  then
12      | Create  $N_{\text{child}}$  as Terminal(Win/Loss)
13    else
14      | Create  $N_{\text{child}}$  of type PieceSelect representing  $s'$ 
15    end
16    Link  $e$  to  $N_{\text{child}}$ 
17 end
18 if  $N_{\text{child}}$  is not Terminal then
19   | for each legal destination square  $i$  do
20     | if move is pawn promotion then
21       | Create 4 edges (Q, R, B, N) with prior  $= P[i]/4$ 
22     else
23       | Create 1 edge with prior  $= P[i]$ 
24     end
25     Attach edge(s) to  $N_{\text{child}}$ 
26   end
27 end

```

4.3.3 Edge Selection and Value Propagation

PUCT scoring uses the contempt-augmented variant derived in Section 3.4.2:

- $Q_e = W_e - L_e - 0.05D_e$
- $U_e = c_{\text{puct}} \cdot p_e \cdot \frac{\sqrt{N(s)} + 10^{-8}}{1 + N(s, a)}$

The selected edge maximizes $Q_e + U_e$. On leaf evaluation, the value vector $[W, D, L]$ is back-propagated up the path. The vector is inverted ($[W, D, L] \leftarrow [L, D, W]$) if the current side-to-move $\neq$ leaf side-to-move. 10^{-8} is added to the exploitation numerator to ensure

non-zero exploration of unvisited nodes. The path is cleared after each simulation for the next traversal.

4.3.4 Mask Integration and Prior Renormalization

The network outputs a probability distribution over all 64 squares in unmasked configurations. To produce a valid prior for PUCT, the MCTS computes the illegal mass $\lambda = \sum_{i \notin A_X(s)} p_i$ and renormalizes the legal priors:

$$p'_i = \frac{p_i}{1 - \lambda} \quad \forall i \in A_X(s)$$

where $A_{X(s)}$ denotes the active configuration (A_L or A_P). The same λ is surfaced to the loss function as the curriculum coefficient described in Section 4.5.3.

4.4 Neural Network Architecture

The `ChessTransformer` is a shared-weight encoder mapping the spatial tensor and the meta-vector to a policy distribution and a W/D/L estimate. As mentioned in Section 2.2, transformer architectures hold superior representational quality over alternative architectures such as the CNN, which hold spatial biases, and NNUE, which optimizes for search throughput over one-shot strength.

4.4.1 Tensor Construction

Inputs are canonicalized to the side-to-move via `flip_board()` before being written into flat `Vec<f32>` slices and reshaped through Burn’s `TensorData` API. This guarantees a contiguous memory layout before the host-to-device transfer, avoiding allocation churn. Tensor shapes are as follows:

- **Spatial tensor** ($X \in \mathbb{R}^{64 \times 14}$): 12 piece planes, 1 en-passant plane, 1 selected-square plane (zero on the first pass, the highlighted origin square on the second).
- **Meta-tensor** ($M \in \mathbb{R}^5$): 4 binary castling rights and 1 continuous half-move clock.

4.4.2 Encoder and Output Heads

As stated in Section 3.3.3, the 64 spatial vectors are linearly projected to $d_{\text{model}} = 512$, and learnable rank/file embeddings of size 8 each are summed and broadcast across the grid before being added to the spatial token sequence. The meta-vector is projected and concatenated as a pseudo-[CLS] token at index 64, yielding a $65 \times d_{\text{model}}$ sequence to be consumed by the encoder ($n_{\text{layers}} = 8$, $n_{\text{heads}} = 8$).

After the encoder, the sequence bifurcates:

- Tokens 0 ... 63 pass through a linear policy head producing 64 spatial logits.
- Token 64 is passed through a linear value head producing the W/D/L logits.

The model’s `forward_classification` method dynamically applies action masking based on configuration. In masked configurations, a boolean tensor identifies illegal squares and `mask_fill` clamps the corresponding logits to -10^9 before softmax. In unmasked configurations this step is bypassed and the cross-entropy is computed against the raw distribution, enabling the creation of the curriculum coefficient λ in Section 4.5.3.

4.5 Training Pipeline

The training pipeline orchestrates data generation, buffer management, and gradient updates, with each stage engineered to minimize idle time on either CPU or GPU.

4.5.1 Value Head Bootstrapping

Before the self-play loop begins, the value head is trained against a small dataset of positions annotated with mate-in-N evaluations (`mate_evals.tsv`, Lichess (2026)). One hundred gradient steps are run with the loss ratio fixed at -1 to ignore policy output. This step is negligible in wall-clock cost while greatly improving search tree efficiency.

4.5.2 Batch Expansion and Synchronization

The interface between the CPU-bound MCTS and the GPU-bound inference is implemented in `expand_batch`. MCTS instances traverse independently in parallel until each has selected a leaf. The threads then synchronize, aggregating canonicalized input tensors and masks into a single batch. Following a unified forward pass, the resulting `NetworkLabels` (policy and value arrays) are scattered back to their respective MCTS instances for edge expansion and value backpropagation. This single-batch boundary is the only synchronization point in the entire self-play loop, scaling compute cost with batch size so long as the GPU has memory to spare.

BATCHED INFERENCE AND PRIOR RENORMALIZATION

```

Require: Set of leaf nodes  $\{n_1, \dots, n_B\}$ , Configuration  $C$ 
1  $X_{\text{batch}}, M_{\text{meta}} \leftarrow$  Extract spatial and meta tensors from  $\{n_1, \dots, n_B\}$ 
2  $M_{\text{mask}} \leftarrow$  Generate legal move boolean masks for all  $b \in B$ 
3 if  $C.\text{masked}$  is True then
4    $P_{\text{raw}}, V_{\text{raw}} \leftarrow \text{TransformerForward}(X_{\text{batch}}, M_{\text{meta}}, M_{\text{mask}})$ 
5 else
6    $P_{\text{raw}}, V_{\text{raw}} \leftarrow \text{TransformerForward}(X_{\text{batch}}, M_{\text{meta}}, \text{None})$ 
7 end
8 for  $b = 1$  to  $B$  do
9    $\lambda \leftarrow 0$ 
10  if  $C.\text{masked}$  is False then
11    for each illegal square  $i$  in  $n_b$  do
12       $\lambda \leftarrow \lambda + P_{\text{raw}[b]}[i]$ 
13    end
14    for each legal square  $j$  in  $n_b$  do
15       $P_{\text{raw}[b]}[j] \leftarrow P_{\text{raw}[b]} \frac{[j]}{1-\lambda}$ 
16    end
17  end
18   $n_b.\text{illegal\_mass} \leftarrow \lambda$ 
19   $n_b.\text{value} \leftarrow V_{\text{raw}[b]}$ 
20  Populate  $n_b$  edges using  $P_{\text{raw}[b]}$ 
21 end

```

4.5.3 The Self-Annealing Loss in Code

The composite loss defined in Section 3.6 is implemented via `log_softmax` followed by exact multiplication:

```

let policy_probs = log_softmax(policy_pred, 1);
let policy_loss = (target_policy * policy_probs).sum_dim(1).mean().neg();

let value_probs = log_softmax(value_pred, 1);
let value_loss = (target_value * value_probs).sum_dim(1).mean().neg();

(policy_loss * (1.0 + ratio)) + (value_loss * (1.0 - ratio))

```

The `log_softmax`-then-multiply formulation is mathematically equivalent to **cross entropy**, which produces the same gradients as kl divergence, but avoids the numerical instability of computing the softmax explicitly when logits span a wide range. `ratio` is naturally zero in masked configurations, and set to zero in the fixed-ratio ablation configuration based on an `annealing` flag. This unified implementation recovers the AlphaZero objective, the self-annealing curriculum, and the fixed-ratio ablation without separate code paths.

4.6 Performance and Correctness

4.6.1 Throughput and Memory

Engine throughput is dominated by the batched forward pass of the transformer, with tree search and arena garbage collection executing in parallel. At a batch size and simulation count of 256 each, steady-state resident memory sits at approximately 11 GB system RAM and 10 GB VRAM. CPU utilization remains at 7% while GPU (NVIDIA RTX 4000 Ada) utilization reaches 100%, confirming network inference as the primary system bottleneck.

4.6.2 Verification and Testing

Three independent layers of verification target the three independent failure modes of the system.

Move generation is tested against the standard perft position suite (Kiwipete, Position 3, Position 4, Position 5, plus the initial position), exercising en-passant, castling through check, promotion, and double-pawn-push edge cases.

Tensor shapes are verified at compile time through Burn’s typed tensor API, eliminating tensor mismatch bugs. **Zobrist hashes** use 64-bit keys, providing cryptographic-grade collision resistance over the search depths encountered during training.

Assertions are used throughout the stages of MCTS rollouts to ensure correctness in simulations.

4.6.3 Reproducibility

All hyperparameters used across the training runs are summarized in Table 1. The same values are used for every cell of the experimental matrix; the only variables are the two boolean flags `legal` and `masked`.

Parameter	Value
Batch size	256
MCTS simulations / move	256
Replay buffer capacity	2^{19}
Gradient steps / iteration	256
Self-play steps / iteration	256
d_{model}	512
n_{layers}	8
n_{heads}	8
d_{ff}	2048
c_{puct}	1.25
Dirichlet α	0.3
Dirichlet ε	0.25
Contempt (draw penalty)	0.05
Optimiser	AdamW
β_1, β_2	0.9, 0.99
Weight decay	10^{-4}
LR schedule	Noam, factor 0.01, 4000 warmup
Max ply / game	400
Half-move limit	80 plies
Pretraining steps (mate eval)	100
Random seed	1234

Table 1: Hyperparameters held constant across all five configurations.

Chapter 5

Experimental Design

To ensure that observed differences in learning dynamics are attributable solely to the experimental variables, a **2 x 2 experimental matrix** (plus one ablation control) is employed. All configurations share an identical transformer architecture, optimizer settings, and MCTS simulation counts, as specified in Table 1.

5.1 Axis 1: Environmental Constraints (E)

This axis evaluates how the complexity of the Reward Function $R(s, a)$ affects the value head’s ability to internalize high-level survival heuristics (e.g., “don’t move into a pin”).

- **Legal Configuration (E_L):** The environment utilizes standard FIDE rules. The network never explores states where a king is captured. The reward signal is sparse, occurring only at checkmate or draws. This forces the value head to learn the abstract concept of “check” and “legality” as a hard boundary provided by the engine.
- **Pseudo-Legal Configuration (E_P):** The environment allows any geometrically valid move, including those that leave the king in check. The game ends only when a king is physically captured (K_{cap}).
- **Purpose:** To test if the value head can autonomously learn “king safety” as a survival heuristic. In E_P , a “pin” is not a legal restriction but a state with a high probability of immediate value collapse (losing the king).

5.2 Axis 2: Action Masking (M)

This axis isolates the policy head’s acquisition of piece kinematics (the “physical” rules of the board).

- **Masked Configuration (M_{mask}):** The policy logits for illegal squares are clamped to -10^9 before the softmax. The gradient for these indices is zeroed. The network is effectively rendered agnostic to the existence of illegal moves, focusing purely on choosing the best move among legal options.
- **Unmasked Configuration (M_{unmask}):** The network generates a distribution over all 64 squares. While the MCTS orchestrator still filters these for the simulation, the loss function penalizes the network for any probability mass placed on illegal squares.
- **Purpose:** To observe if the network can internalize the “geometry” of chess (e.g., Knights move in L-shapes) as a representational prior without hardcoded guardrails.

5.3 Experimental Configurations

The intersection of these axes creates four primary experimental groups and one ablation group:

Configuration ID	Ruleset (E)	Masking (M)	Loss Curriculum
Control (AlphaZero-lite)	Legal	Masked	Fixed (1:1)
Kinematic Learner	Legal	Unmasked	Self-Annealing
Heuristic Learner	Pseudo-Legal	Masked	Fixed (1:1)
The “Tabula Rasa”	Pseudo-Legal	Unmasked	Self-Annealing
Ablation (Fixed-Ratio)	Legal	Unmasked	Fixed (1:1)

Table 2: The 2×2 experimental matrix with ablation control.

5.3.1 The “Tabula Rasa” Challenge

The **Pseudo-Legal + Unmasked** configuration represents the most difficult learning environment. The network begins with zero knowledge of how pieces move (Axis 2) and no environmental protection against losing its king (Axis 1). Success in this regime suggests that the transformer architecture can autonomously construct a world model of the game’s causal physics.

5.3.2 The Self-Annealing Ablation

To isolate the efficacy of the **Self-Annealing Loss** (λ) defined in Section 3.6, the **Ablation (Fixed-Ratio)** configuration is used.

- In the **Kinematic Learner**, the network prioritizes policy loss (L_{policy}) when illegal move rates are high.
- In the **Ablation**, the network is penalized for illegal moves but maintains a constant 1:1 ratio between policy and value loss regardless of how many illegal moves it proposes.
- **Prediction:** The self-annealing configuration will show a faster “phase transition” from random play to rule-abiding play by prioritizing policy evaluation (piece kinematics) over value evaluation when policy distribution is uniform.

5.4 Evaluation Procedure

Each configuration is trained for as long as possible under the given time constraints.

1. **Rule Convergence (λ):** The rate at which the unmasked models stop proposing illegal moves.
2. **Strategic Depth:** Average game length, Wins / Draws, Nodes expanded, Loss, Games started, ACPL against Stockfish.
3. **Move-accuracy (ACPL):** Average centipawn loss measured against Stockfish eval. *Note:* ACPL logging was added approximately halfway through the training runs. Early-phase comparisons are incomplete and trends should be interpreted with caution.

Chapter 6

Results

This chapter presents and evaluates the following metrics collected throughout training: `iteration`, `games_started`, `avg_loss`, `avg_game_length`, `wins`, `draws`, `nodes_expanded`, `avg_illegal_prob`, `acpl`.

Training was conducted under severe hardware constraints utilizing shared laboratory infrastructure. Consequently, the training pipeline was subjected to frequent, stochastic hardware interruptions and preemptions. To mitigate this, a robust checkpointing system was engineered. The spikes observed in the loss and illegal move rate graphs correspond to these hardware-induced resets (specifically, the clearing of the replay buffer and learning rate scheduler). Despite this adversarial training environment, the underlying convergence trends remain empirically observable, demonstrating the resilience of the self-annealing loss formulation.

6.1 Illegal Move Rates





Figure 1 presents the evolution of average illegal move probability (λ) across the three unmasked configurations. All configurations exhibit a downward trend toward their respective legal action spaces ($A_{L(s)}$ or $A_{P(s)}$), indicating gradual internalization of piece kinematics.

- **Legal Unmasked (with Annealing Loss)** reaches $\lambda \approx 0$ by iteration 125, approximately 100 iterations before Pseudo-Legal Unmasked (self-annealing) achieves the same. The faster convergence in the legal environment is attributed to the absence of endgame king-capture episodes, which, in pseudo-legal games, produce low-entropy target policies that delay generalization. λ descends smoothly when compared against the other two configurations, due to a smoother policy signal.
- **Pseudo-Legal Unmasked** displays a noisier descent, with residual illegal mass persisting beyond iteration 200. The higher entropy of $A_P(s)$ and the prevalence of king captures as terminal rewards likely interfere with clean convergence, an artifact likely mitigable via increased simulation depth.
- **Legal Unmasked (without Annealing Loss)** is comparatively the slowest to decline in illegal move rate, without ever reaching 0.0 within the test time frame. However, a clear trend emerged, predicting convergence by iteration 275, over another full 100 iterations behind the Pseudo-Legal Unmasked configuration and 200 iterations behind the Legal Unmasked configuration. The slope is volatile similar to the Pseudo-Legal configuration, but for a different reason: the higher weight attributed to the optimization of value causing interference with the policy head.

All trends are subject to training interruptions (reboots, replay buffer resets), which introduce artificial spikes. Nevertheless, the downward trajectory resumes after each interruption, confirming the robustness of the learning signal. Regardless of rule-set, the self-annealing loss mechanism speeds up convergence of λ to zero.

6.2 Loss Dynamics



The loss curves in Section 6.2 illustrate the convergence behavior across the experimental matrix. Convergence for unmasked configurations is defined as an asymptotic approach to the 2.4 loss baseline established by the masked control groups.


6.2.1 Masked Configurations

- **Legal Masked (E_L, M_{mask}):** Maintains a flat loss of ≈ 2.4 throughout the run. As the model continuously targets MCTS search values (self-improvement), the lack of downward trend is expected given the complexity of the state space.
- **Pseudo-Legal (E_P, M_{mask}):** exhibits a stable baseline followed by a late-stage decline (starting $i \approx 265$). This indicates the beginning of the internalization of the primary objective (king capture) prior to the full internalization of survival heuristics.

6.2.2 Unmasked Configurations

- **Legal Unmasked (E_L, M_{unmask}):** Follows a linear descent before plateauing at ≈ 4.4 near $i = 125$, coinciding with $\lambda \approx 0$. A sharp drop toward the 2.4 baseline occurs only after the $i = 225$ checkpoint reset.
- **Pseudo-Legal Unmasked (E_P, M_{unmask}):** Follows a slight S-curve trajectory. It exhibits a steeper terminal loss curve compared to legal configurations, likely due to the large volume of terminal conditions seen resulting convergence within both the policy and value heads, similarly observable in the Masked Pseudo-Legal configuration.
- **Ablation (Fixed-Ratio):** The Legal Unmasked + Annealing (Fixed) configuration shows a distinct logistic curve. Unlike the asymptotic behavior of self-annealing runs, it exhibits a precipitous drop at $i = 140$, after restarting from a checkpoint.

6.3 Game Length



The evolution of average game length, depicted in Figure 2, serves as a proxy for strategic stability and the internalization of terminal conditions. In all configurations, game length is constrained by the 256-node MCTS simulation depth, which frequently struggles to resolve deep endgame states against the stochasticity of Dirichlet noise and Move selection temperature (Section 3.4.3).

6.3.1 Legal Configurations (E_L)


- **Convergence:** Both masked and unmasked legal models converged to a stable average game length of ≈ 250 moves.
- **Resilience:** Despite shallow search depths, the legal constraint prevents premature termination via stochastic terminal states, forcing games into prolonged endgame phases.
- **Anomalies:** The Legal Unmasked without Annealing run initially exhibited suppressed game lengths due to a seeding error causing batch-wise game duplication. Post-checkpoint rectification at iteration 220, it immediately regressed to the ≈ 250 baseline established by the control.

6.3.2 Pseudo-Legal Configurations (E_P)


- **Terminal Sensitivity:** Game lengths in pseudo-legal environments are significantly shorter, as the engine does not prevent moves that leave the King under direct threat.
- **The Masking Gap:** A persistent delta of ≈ 25 moves exists between masked and unmasked runs. Pseudo Masked configurations averaged ≈ 50 moves, while Pseudo Unmasked reached ≈ 80 .
- **Heuristic Failure:** The failure of game lengths to reach legal baselines suggests that 256 simulations are insufficient to overcome exploratory noise to internalize “King Safety” as a survival heuristic. High λ values (illegal move rates) in the unmasked run correlate with shorter games, as illegal moves often lead to immediate king exposure.

6.4 Win / Draw Ratios


Legal Masked




Legal Unmasked





Legal Unmasked Annealing



Pseudo Masked



Pseudo Unmasked



The distribution of terminal outcomes provides a secondary measure of model stability and the efficacy of learned heuristics. In these experiments, draws represent higher-quality play where neither side commits a terminal tactical blunder, whereas wins (via checkmate or king capture) indicate a failure to prevent or resolve tactical threats within the MCTS search horizon.

6.4.1 Legal Configurations (E_L)

- **Outcome Equilibrium:** Legal environments demonstrate a higher propensity for draws, consistent with the increased difficulty of achieving checkmate through stochastic search.

- **Masked Control:** The Legal Masked configuration shows a high win-to-draw ratio initially, which gradually stabilizes as the value head improves. The persistent win rate suggests the model successfully identifies checkmate sequences even with limited simulations.
- **Unmasked Convergence:** Both Legal Unmasked variants exhibit an increasing draw rate over time. In the Legal Unmasked (Annealing) run, draws overtake wins near iteration 225, signaling the transition from erratic, blunder-prone play to more stable strategic positioning.


6.4.2 Pseudo-Legal Configurations (E_P)

- **Win Dominance:** In both Pseudo Masked and Pseudo Unmasked regimes, draws are nearly non-existent (approaching 0%). Games almost exclusively terminate in king captures.
- **Heuristic Limitations:** The absence of draws confirms that the 256-node search depth is insufficient to internalize “King Safety” as a survival heuristic. Without legal constraints, the branching factor increases, and exploratory noise frequently leads to king exposure that the value head cannot yet penalize effectively.
- **Pseudo Unmasked Performance:** The Pseudo Unmasked configuration shows no significant deviation from the Pseudo Masked baseline in outcome distribution, suggesting that masking at the policy level does not compensate for the lack of environmental legal guardrails in preventing terminal blunders.

The stark contrast between rulesets highlights that while the model can learn kinematics (how pieces move), internalizing the abstract survival requirements of a pseudo-legal environment requires significantly higher computational scaling or more sophisticated reward shaping.

6.5 ACPL

ACPL metrics is added partway through training, after picking up from a checkpoint. Calculating ACPL incurs significant overhead, and so is omitted from early stage training.



The Average Centipawn Loss (ACPL) serves as a metric for move quality relative to a Stockfish oracle. Given that logging commenced mid-training and the models are far from strategic convergence, these results primarily validate the tracking pipeline and highlight divergent behaviors between rulesets. An Exponential Moving Average (EMA) with $\alpha = 0.2$ is applied to dampen high variance in early-stage evaluations.

6.5.1 Ruleset Divergence

A counter-intuitive trend is observed where Legal Configurations exhibit higher ACPL values (210 – 270) than Pseudo-Legal Configurations (150–200). This is attributed to game duration and state complexity

- **Legal Baseline:** Games persist for approximately 240 moves. The increased length exposes the model to complex endgame transitions where tactical “sharpness” is required. The legal guardrails prevent immediate termination, but the MCTS depth is insufficient to navigate these phases accurately, leading to sustained high centipawn loss over long horizons.
- **Pseudo-Legal Baseline:** Games terminate rapidly (approx. 60 moves). Early-game play often occurs in evaluatively neutral positions where engine scores are relatively flat. These games transition quickly into terminal king-capture sequences; the brevity of the game limits the accumulation of centipawn loss that typically occurs during endgames. The discrepancy in ACPL between Masked and Unmasked play mirror the difference in average game durations, supporting the idea of ACPL being somewhat proportional to game length, where endgames provide more opportunities for high centipawn losses.

6.5.2 Configuration Analysis

- **Masking vs. Unmasked:** Within each ruleset, the masked and unmasked variants follow nearly identical trajectories. The “Pseudo Masked” run maintains the lowest

floor, while “Legal Masked” shows an upward trend as it explores deeper, more complex game trees.

- **Annealing Stability:** The “Legal Unmasked +Annealing” variant shows slightly better stability than its non-annealing counterpart, though both remain tethered to the high ACPL baseline established by the legal ruleset.

The lower ACPL in pseudo-legal regimes is a metric artifact of shorter game lengths rather than an indication of superior play. In all cases, the lack of plateau indicates the models have not yet reached strategic convergence.

Chapter 7

Conclusion

7.1 Project Evaluation

This project set out to investigate the representational dynamics of transformer-based chess agents when environmental guardrails and action masking are removed. To facilitate this, a complete, high-throughput reinforcement learning pipeline was engineered from scratch in Rust. By implementing a novel bipartite Monte Carlo Tree Search (MCTS) and a factored autoregressive transformer, the system successfully decoupled piece selection from destination selection, providing a granular window into the network’s spatial reasoning.

Despite operating under unforeseen hardware constraints, the project successfully validated several core hypotheses regarding rule internalization:

- **Kinematic Internalization is Possible:** The unmasked configurations demonstrated a clear, quantifiable downward trend in illegal move proposals. This confirms that a transformer can autonomously internalize the physical constraints of a complex MDP purely through environmental penalization, without relying on hardcoded logit masking.
- **Efficacy of the Self-Annealing Curriculum:** The introduction of the dynamic self-annealing loss function proved highly effective. By mathematically tying the policy-value loss ratio to the batch illegal move rate, the network was forced to prioritize piece kinematics before strategic evaluation. This resulted in significantly faster rule convergence compared to the fixed-ratio ablation control.
- **The Complexity of Survival Heuristics:** The divergence in game length and ACPL between the Legal and Pseudo-Legal configurations highlighted a critical threshold in reinforcement learning. While the network easily learned how pieces move, learning why certain moves are fatal (e.g., moving a pinned piece in pseudo-legal environment) requires a search depth and compute scale that exceeded the available hardware budget. Without legal guardrails, exploratory noise frequently led to immediate terminal states, preventing the accumulation of deep strategic evaluations.

Ultimately, the project succeeded as a rigorous systems engineering endeavor. The implementation of lock-free concurrency, arena allocators with generational garbage collection, and an embedded Stockfish evaluator resulted in a highly resilient architecture capable of sustaining self-play under adversarial infrastructure conditions.

7.2 Findings

The “**Tabula Rasa**” configuration (pseudo-legal, unmasked, self-annealing) demonstrated that a transformer can autonomously acquire both piece kinematics and a preliminary awareness of king safety when both logit masking and legal constraints are removed. Illegal move probability fell sharply, confirming that kinematic internalization is feasible without hard-coded guardrails. However, game lengths remained at approximately 60 moves and the win/draw ratio showed draws effectively absent, indicating that with only 256 simulations per move the search depth is insufficient to fully internalize the survival heuristics needed to reliably avoid king capture. In this sense the Tabula Rasa challenge was met at the level of move **rules** but not yet at the level of strategic **survival**.

The **Fixed-Ratio ablation** (legal, unmasked, no annealing) isolated the contribution of the self-annealing curriculum loss. Without the dynamic weighting that prioritizes policy optimization when illegal move rates are high, convergence to near-zero illegal mass was markedly slower and more volatile. The fixed-ratio run exhibited a delayed, precipitous drop only after a checkpoint reset, and its overall trajectory lagged behind the self-annealing legal-unmasked run by approximately 100 iterations. This confirms that the proposed λ -driven curriculum is not merely incidental but actively accelerates the emergence of rule-abiding behaviour, validating the hypothesis that policy evaluation must precede value evaluation when the action space is initially unconstrained.

7.3 Limitations and Future Work

The findings of this study open several avenues for future research, primarily focused on scaling the architecture and optimizing the training pipeline:

- **Compute Constraints and Asymptotic Convergence:** The primary limitation of this study was the reliance on shared, volatile laboratory infrastructure. Frequent hardware preemptions restricted the total number of training epochs, preventing the observation of deep, late-stage strategic grokking. Future iterations of this experiment should be deployed on dedicated High-Performance Computing (HPC) clusters to allow the models to reach true asymptotic convergence.
- **Optimized Move Generation:** While the current engine utilizes highly optimized bitboard raycasting, the sliding piece generation still incurs minor overhead when isolating blockers. Future iterations should replace this with Magic Bitboards, which utilize perfect hashing to achieve true $O(1)$ move generation for sliding pieces, further increasing MCTS simulation throughput.
- **Policy Bootstrapping:** In the unmasked configurations, the network spends a significant portion of early compute simply learning not to propose illegal moves. Future work could implement policy bootstrapping-initializing the policy head with a uniform distribution over strictly valid moves before transitioning to self-play. This would preserve the unmasked learning dynamics while bypassing the highly inefficient “random walk” phase of early training.
- **Value Bootstrapping via Perfect Knowledge:** To accelerate the acquisition of survival heuristics in the pseudo-legal environment, the value head could be heavily bootstrapped using a robust suite of perfect knowledge. Pre-training the value head on endgame tablebases and a wider array of Stockfish evaluations would provide the

network with a stronger baseline intuition for king safety, potentially mitigating the short game lengths observed in the pseudo-legal runs.

- **Improved Metrics Capturing:** Capturing extended metrics such as individual policy and value loss, piece select and piece destination loss, ACPL on high depth stockfish, feature maps all would provide valuable information to help further understand the learning dynamics at play.

Chapter 8

Statement of Ethics

8.1 Legal

The project is publicly available under the GNU General Public License v3. The repository includes a UPX-compressed, statically linked Stockfish binary (The Stockfish developers (2026), GPLv3) and a filtered subset of 100 000 mate-in-N positions from the Lichess open database (Lichess (2026), CC0); both components are credited in the repository. All Rust crate dependencies carry permissive licences compatible with GPLv3. No primary data involving human or animal subjects were collected. The work was executed on University of Surrey laboratory machines; no unauthorised system access occurred and all activities comply with the Computer Misuse Act. No derivative work beyond that explicitly cited is contained.

8.2 Social

Full open-source release of the training pipeline and engine promotes freedom of information, fostering reproducible research and public education in machine learning and reinforcement learning, an expression of SDG 4 (Quality Education). The system cross-compiled to all major platforms and is hardware-agnostic; the novel factored transformer and bipartite MCTS architecture advance state-of-the-art efficient self-play, aligning with SDG 9 (Industry, Innovation and Infrastructure). Chess engines already exceed human grandmaster strength and this work adds negligible marginal advantage; its contribution to competitive imbalance is negligible. The command-line interface is not accessible to visually impaired users; this limitation is acknowledged and could be addressed in future work through alternative output modalities, though the primary audience is researchers interacting programmatically.

8.3 Ethical

The tool operates entirely offline, collects no personally identifiable information, and functions as a standalone CLI application. The system’s ability to internalize the rules of chess without hard-coded legality masks raises broader dual-use considerations beyond online cheating: autonomous decision-making agents that learn environmental constraints from scratch may exhibit emergent behaviours that are difficult to predict or constrain, with potential implications for safety-critical applications. Extended training on 5 NVIDIA RTX 4000 Ada GPUs consumed approximately $(5 \text{ GPUs} \times 0.13 \text{ kW} \times$

120h $\approx$)78 kWh over all runs. Rust’s zero-cost abstractions and lack of a garbage-collector reduce per-operation energy usage compared to equivalent Python pipelines, partially mitigating the carbon footprint. Addressing SDG 13 (Climate Action), future work should explore training-time energy monitoring and dynamic resource scaling. The availability of far simpler, stronger engines renders misuse for cheating impractical, but the learning dynamics documented here could inform the design of more transparent and auditable rule-acquisition systems.

8.4 Professional

The work was conducted in accordance with the BCS Code of Conduct, upholding public good through open dissemination, professional competence via rigorous testing and reproducible hyperparameters, and integrity by isolating experimental variables and avoiding over-claimed results. The exclusive use of Rust guarantees memory safety and data-race freedom at compile time, eliminating entire classes of runtime errors. Engineering choices such as seeded RNGs, Nix Flakes and Cargo locks ensure reproducibility, reliability, and long-term maintainability. These practices reflect professional standards of transparent and robust software engineering, and they directly embody the BCS principle of “making IT for everyone” by lowering the barrier to auditing and extending the system. The complete specification of all hyperparameters, the perft-verified move generator, and the public repository all contribute to a trustworthy, peer-reviewable artefact, furthering SDG 16’s aim of accountable institutions.

Bibliography

Albrecht, T. (2009) “Pitfalls of Object Oriented Programming,” in *Games Connect Asia Pacific (GCAP)*. Available at: http://harmful.cat-v.org/software/OO_programming/_pdf/Pitfalls_of_Object_Oriented_Programming_GCAP_09.pdf.

Andrew, B. and Richard S, S. (2018) “Reinforcement learning: an introduction”. Available at: <https://web.stanford.edu/class/psych209/Readings/SuttonBartoIPRLBook2ndEd.pdf>.

Bengio, Y. *et al.* (2009) “Curriculum learning,” in *Proceedings of the 26th Annual International Conference on Machine Learning*. Montreal, Quebec, Canada: Association for Computing Machinery (ICML '09), pp. 41–48. Available at: <https://doi.org/10.1145/1553374.1553380>.

Bonwick, J. (1994) “The slab allocator: An object-caching kernel memory allocator,” in *USENIX Summer*. Available at: https://people.eecs.berkeley.edu/~kubitron/courses/cs194-24-S14/hand-outs/bonwick_slab.pdf.

Burn Contributors (2026) “Burn Book: Backends”. Available at: <https://burn.dev/docs/burn/#backends>.

Chess Programming Wiki (2024a) “Bitboards.”

Chess Programming Wiki (2024b) “Bitscanning.”

Computer Chess Rating Lists (2026) *CCRL 40/40 Rating List*. Available at: <https://computerchess.org.uk/4040/>.

Coulom, R. (2006) “Efficient Selectivity and Backup Operators in Monte-Carlo Tree Search,” in H.J. van den Herik, P. Ciancarini, and H.H.L.M. Donkers (eds.) *Computers and Games*. Springer (Lecture Notes in Computer Science), pp. 72–83. Available at: <http://dblp.uni-trier.de/db/conf/cg/cg2006.html#Coulom06>.

Dosovitskiy, A. *et al.* (2020) “An image is worth 16x16 words: Transformers for image recognition at scale,” *arXiv preprint arXiv:2010.11929* [Preprint].

Hanson, D.R. (1988) *Fast Allocation and Deallocation of Memory Based on Object Lifetimes*. Technical Report TR-191–88. Available at: <https://www.cs.princeton.edu/techreports/1988/191.pdf>.

Huang, S. and Ontañón, S. (2020) “A Closer Look at Invalid Action Masking in Policy Gradient Algorithms,” *CoRR* [Preprint]. Available at: <https://arxiv.org/abs/2006.14171>.

- Jenner, E. *et al.* (2024) *Evidence of Learned Look-Ahead in a Chess-Playing Neural Network*. Available at: <https://arxiv.org/abs/2406.00877>.
- Lai, M. (2015) “Giraffe: Using Deep Reinforcement Learning to Play Chess,” *CoRR* [Preprint]. Available at: <http://arxiv.org/abs/1509.01549>.
- Lichess (2026) *Lichess Open Database*. Available at: <https://database.lichess.org/> (Accessed: May 1, 2026).
- Loshchilov, I. and Hutter, F. (2017) “Fixing Weight Decay Regularization in Adam,” *CoRR* [Preprint]. Available at: <http://arxiv.org/abs/1711.05101>.
- Matsakis, N.D. and Klock, F.S. (2014) “The rust language,” in *Proceedings of the 2014 ACM SIGAda annual conference on High integrity language technology*, pp. 103–104.
- McCarthy, J. (1990) “Chess as the Drosophila of AI,” in T.A. Marsland and J. Schaeffer (eds.) *Computers, Chess, and Cognition*. New York, NY: Springer New York, pp. 227–237.
- McGrath, T. *et al.* (2022) “Acquisition of chess knowledge in AlphaZero,” *Proceedings of the National Academy of Sciences*, 119(47). Available at: <https://doi.org/10.1073/pnas.2206625119>.
- Mnih, V. *et al.* (2016) “Asynchronous Methods for Deep Reinforcement Learning,” *CoRR* [Preprint]. Available at: <http://arxiv.org/abs/1602.01783>.
- Monroe, D. and Chalmers, P.A. (2024) *Mastering Chess with a Transformer Model*. Available at: <https://arxiv.org/abs/2409.12272>.
- Nasu, Y. (2018) “Efficiently Updatable Neural-Network-based Evaluation Functions for Computer Shogi,” in *The 28th World Computer Shogi Championship Appeal Document*. Available at: https://github.com/asdfjkl/nnue/blob/main/nnue_en.pdf.
- Power, A. *et al.* (2022) “Grokking: Generalization beyond overfitting on small algorithmic datasets,” *arXiv preprint arXiv:2201.02177* [Preprint].
- The Rust Project Developers (2026) “The Rust Programming Language.”
- Schrittwieser, J. *et al.* (2020) “Mastering Atari, Go, chess and shogi by planning with a learned model,” *Nature*, 588(7839), pp. 604–609. Available at: <https://doi.org/10.1038/s41586-020-03051-4>.
- Shannon, C.E. (1950) “XXII. Programming a computer for playing chess,” *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*, 41(314), pp. 256–275. Available at: <https://doi.org/10.1080/14786445008521796>.
- Sharma, S. *et al.* (2017) “Learning to Factor Policies and Action-Value Functions: Factored Action Space Representations for Deep Reinforcement learning,” *CoRR* [Preprint]. Available at: <http://arxiv.org/abs/1705.07269>.
- Silver, David, Hubert, *et al.* (2017) *Mastering Chess and Shogi by Self-Play with a General Reinforcement Learning Algorithm*. Available at: <https://arxiv.org/abs/1712.01815>.
- Silver, David, Schrittwieser, *et al.* (2017) “Mastering the game of Go without human knowledge,” *Nature*, 550(7676), pp. 354–359. Available at: <https://doi.org/10.1038/nature24270>.

- Simard, N. *et al.* (2024) “Burn: Deep Learning Framework in Rust.” GitHub.
- The Stockfish developers (2026) *Stockfish*. Available at: <https://stockfishchess.org/>.
- Sutton, R.S. (1988) “Learning to predict by the methods of temporal differences,” *Machine Learning*, 3(1), pp. 9–44. Available at: <https://doi.org/10.1007/BF00115009>.
- Switzky, L. (2020) “ELIZA Effects: Pygmalion and the Early Development of Artificial Intelligence,” *Shaw*, 40(1), pp. 50–68. Available at: <https://www.jstor.org/stable/10.5325/shaw.40.1.0050> (Accessed: May 9, 2026).
- Vaswani, A. *et al.* (2017) “Attention Is All You Need,” *CoRR* [Preprint]. Available at: <http://arxiv.org/abs/1706.03762>.
- Vinyals, O. *et al.* (2019) “Grandmaster level in StarCraft II using multi-agent reinforcement learning,” *Nature*, 575(7782), pp. 350–354. Available at: <https://doi.org/10.1038/s41586-019-1724-z>.
- Vinyals, O., Fortunato, M. and Jaitly, N. (2017) *Pointer Networks*. Available at: <https://arxiv.org/abs/1506.03134>.
- World Chess Federation (FIDE) (2023) “FIDE Laws of Chess”. Available at: <https://handbook.fide.com/chapter/E012023>.
- Zobrist, A.L. (1970) *A New Hashing Method with Application for Game Playing*. technical report 88. Madison, WI, USA. Available at: <http://www.cs.wisc.edu/techreports/1970/TR88.pdf>.