

Get started

HOME ABOUT

# Hunting Malicious Windows Defender Activity

Posted on March 4, 2020 by Craig



Recently I was demo-ing Azure Sentinel to a large organization, and someone asked me "what if an attacker manages to compromise my system and disabled Windows Defender"



Follow me on LinkedIN



#### Categories

- Automation (11)
- **■** Azure (85)
- Azure Security (36)
- Azure Sentinel (43)
- **■** CMD (1)
- cybersecurity (5)
- Exchange (2)
- Exchange 2010 (2)

## W

Design a site like this with WordPress.com

Get started

Malware protection...inside job or clever exploitation using a Phishing technique to download a payload??

I've wrote this blog to hopefully help you combat and protect yourself from this type of scenario.

Below are some basic pre reqs to be comfortable following this blog:


#### Pre Reqs & Assumptions:

- Azure Experience (essential)
- IT Security Experience (essential)
- Log Analytics (essential)
- Azure Sentinel (essential)
- · A Physical Asset or Virtual Machine (essential)
- PowerShell (Not essential)

Firstly let's configure our Log Analytics workspace (which Sentinel reports too), this will collect all the data for what we're going to be querying on in relation to Windows Defender activity.

We're looking to collect data on any Anti-malware events from Microsoft Antimalware or Windows Defender.

Type "Microsoft-Windows-Windows Defender/Operational" – then tick Error, Warning & Information and click Save



- OSD Deployment (1)
- Powershell (17)
- SCCM (7)
- SCOM (1)
- Software (1)
- **■** Terraform (1)
- **■** Windows 10 (1)

#### **Recent Posts**

- How to Detect North Korean Threat Actors Kimsuky October 3, 2024
- How Microsoft
  Sentinel, MDE and
  AADIP Intelligently
  Resolve Security
  Incidents Automatically
  September 24, 2024
- Poortry or BurntCigar with Defender for XDR September 17, 2024
- Implementing CSI
  Detection Best
  Practices with KQL
  August 29, 2024
- Securing Azure Al workloads with Azure Policy June 21, 2024




Get started

Let's jump over to our Sentinel Workspace, and Click Logs.

We can test that our Windows Defender is reporting by running a simple query which the EventID 1150 will report on the Endpoint Protection being in a healthy state.





Now we need to write a query which will alert us if any configuration changes happen on Windows Defender.






Get started

defender has had some configuration changes.


Let's go to Playbook and click "Add Playbook" give your playbook a name and click create.

Select "Blank Logic App"




I'd like to receive and email when Sentinel picks up this alert.

Search "Sentinel" within the connections and triggers bar.



At the time of writing this there is only 1 Trigger for Sentinel.

- October 2024
- September 2024
- August 2024
- **■** June 2024
- May 2024
- April 2024
- March 2024
- February 2024
- January 2024
- December 2023
- November 2023
- October 2023
- September 2023
- August 2023
- **■** July 2023
- **■** June 2023
- March 2023
- **■** July 2022
- August 2021
- **■** July 2021
- **■** June 2021
- May 2021
- April 2021
- March 2021
- **■** February 2021
- December 2020
- November 2020
- October 2020
- August 2020
- **■** July 2020
- May 2020
- March 2020
- **■** February 2020
- November 2019
- September 2019



Get started



Click Save, we can now attach our playbook to the security query, for us to be notified of this we need to create a Scheduled Analytic Query Rule.

Let's go to our Sentinel Dashboard and click "Analytics"



Get started

Let's create a New Rule.



Get started

**Event ID: 5101** 

Symbolic name:

MALWAREPROTECTION\_DISABLED\_EXPIRED\_STATE

**Event ID: 5012** 

Symbolic name: MALWAREPROTECTION\_ANTIVIRUS\_DISABLED

Event ID: 5010 Symbolic name:

MALWAREPROTECTION\_ANTISPYWARE\_DISABLED

**Event ID: 5001** 

Symbolic name: MALWAREPROTECTION\_RTP\_DISABLED

Realistically these ID's should never appear, if they do...you know


something is wrong.

So once we've captured them Event ID's we need to enter these into our Rule Logic, this will be our query which is below.

```
Event
```

where EventID in (5101, 5001, 5012, 5010)

order by TimeGenerated desc





Get started

Now let's get into the juicy stuff, below is a few lines of simple PowerShell that will disable Microsoft Windows Defender \*NOTE\* please don't use this on a production VM or your own machine!!

Before that we can see that Defender has a green tick, all healthy and running nicely.

So let's execute the code below.



Get started

Set-ExecutionPolicy Unrestricted -Force Set-MpPreference -DisableRealtimeMonitoring \$true

Set-MpPreference -DisableRemovableDriveScanning \$true

Set-MpPreference -PUAProtection 1

New-ItemProperty -Path "HKLM:\SOFTWARE\Policies\Microsc

Now after running all that, you should see a bunch of Pops notifying you that defender isn't running and it should turn Red (or have a red X)



Get started

Let's hop back to our Sentinel dashboard and check the situation out.

So we can see straight away that our Incident blade in Sentinel has captured the Analytic alert we've configured.

And after 1 or so minutes an email lands in my inbox.



Get started

Coupling all of the above will help defend how you alert and respond too Malicious Defender Activity with Azure Sentinel.

#alwayssecurity #alwaysready #alwayscloud #alwaysazure

### Follow @CraigCloudITPro

Share this:





Loading...

Azure Defender and Azure Sentinel Alerts Bi-Directional Sync July 13, 2021 In "Azure" Receive SMS Alerts from Azure Sentinel for Critical Incidents July 15, 2020 In "Azure" Azure Sentinel
Solution Packages!!
May 13, 2021
In "Azure"



Posted in Azure, Azure Security, Azure Sentinel Tagged #alwayscloud, #alwaysready, #alwaysthinking, atp, Azure, azureautomation, azuredevops,



Get started

defender, hunting, huntingusb, maliciousactivity, Powershell, Script, Scripting, sentinel, sentinelhunting, windowsdefender

← Hunting USB Devices with Azure Sentinel Part 2

Azure Identity + Security →

#### Leave a comment



Loading...