



We use optional cookies to improve your experience on our websites, such as through social media connections, and to display personalized advertising based on your online activity. If you reject optional cookies, only cookies necessary to provide you the services will be used. You may change your selection by clicking "Manage Cookies" at the bottom of the page. [Privacy Statement](#) [Third-Party Cookies](#)

Accept

Reject

Manage cookies



Learn

Discover ▾

Product documentation ▾

Development languages ▾

Topics ▾



Sign in

Windows Server

Get started

Failover clustering

Management

Identity and access

Networking

Troubleshooting

More ▾



Filter by title

Windows Commands

Command-Line Syntax Key

▾ Reference

▸ Commands by Server Role

adprep

append

arp

assoc

at

atmadm

attrib

▸ auditpol

autochk

autoconv

autofmt

bcdboot

bcdedit

▸ bdehdcfg

▸ bitsadmin

▸ bootcfg

break

cacsl

call

cd

certreq

Learn / Windows Server /



# hostname

Article • 02/03/2023 • [10 contributors](#)

[Feedback](#)

## In this article

[Syntax](#)

[Related links](#)

Applies to: Windows Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012 R2, Windows Server 2012

Displays the host name portion of the full computer name of the computer.

### Important

This command is available only if the Internet Protocol (TCP/IP) protocol is installed as a component in the properties of a network adapter in Network.

## Syntax

```
hostname
```

## Parameters

 Download PDF

 Expand table

Parameter	Description
/?	Displays help at the command prompt.

Any parameter different than `/?` produces an error message and sets the errorlevel to 1.

## Notes

- Environment variable `%COMPUTERNAME%` usually will print the same string as `hostname`, but in uppercase.
- If environment variable `_CLUSTER_NETWORK_NAME_` is defined, `hostname` will print its value.

## Examples

- To display the name of the computer, type:

```
hostname
```

- To display the name of the computer in uppercase:

```
echo %COMPUTERNAME%
```

- To alter the hostname output:

```
set "_CLUSTER_NETWORK_NAME_=Altered Computer Name"  
hostname
```

## Related links


- [Command-Line Syntax Key](#)

## Feedback



Was this page helpful?

 Yes

 No

 English (United States)

 Your Privacy Choices


 Theme 

[Manage cookies](#)


[Previous Versions](#)

[Blog](#) 

[Contribute](#)

[Privacy](#) 

[Terms of Use](#)

[Trademarks](#) 

© Microsoft 2024