



[Contact Us](#)

[Start free](#)

[Google Cloud Observability](#) > [Logging](#) > [Documentation](#) > [Guides](#)

# Audit logs for Google Workspace



[Send feedback](#)

## On this page ▼

[Overview](#)

[Types of audit logs](#)

[Google Workspace services forwarding audit logs to Google Cloud](#)

[Service-specific information](#)

[Audit log permissions](#)



This document provides a conceptual overview of the audit logs that Google Workspace provides as a part of Cloud Audit Logs.



[Sign in](#)

[Contact Us](#)

[Start free](#)

If you don't enable Google Workspace data sharing with Google Cloud, then you can't see audit logs for Google Workspace in Google Cloud.

★ **Note:** Some Enterprise Groups Audit membership changes automatically populate the `principalEmail` field in the audit log with `cloud-support@google.com`. For example, an audit log might show `cloud-support@google.com` as the principal removing a user from the group, when the removal of the user is automatic due to the expiration of a user's membership.

## Types of audit logs

[Admin Activity audit logs](#) contain log entries for API calls or other actions that modify the configuration or metadata of resources. For example, these logs record when users create VM instances or change Identity and Access Management (IAM) permissions.

[Data Access audit logs](#) contain API calls that read the configuration or metadata of

Contact Us

Start free

captured in the Google Workspace Enterprise Groups Audit logs. When you use the Google Admin console, changes to Group settings are captured in the Google Workspace Admin Audit logs. For example, if you changed a Group email address in groups.google.com, then those changes are captured in Google Workspace Enterprise Groups Audit logs.

- **Google Workspace Enterprise Groups Audit:** Enterprise Groups Audit logs provide a record of actions performed on groups and group memberships. For example, you can see when an administrator added a user or when a group owner deleted their group.

Enterprise Groups Audit writes Admin Activity audit logs only.

- **Google Workspace Login Audit:** Login Audit logs track user sign-ins to your domain. These logs only record the login event. They don't record which system was used to perform the login action.

Login Audit writes Data Access audit logs only.



Sign in

Contact Us

Start free

# Google Workspace Admin Activities



Google Workspace Admin Audit audit logs use the resource type `audited_resource` for all audit logs.

Google Workspace Admin Audit audit logs use the service name `admin.googleapis.com`.

Google Workspace Admin Audit writes Admin Activity audit logs only. The following are the audited operations:

Activity type	AuditLog.method_name
AI_CLASSIFICATION_SETTINGS	<code>google.admin.AdminService.aiClassificationInsufficientTrainingE</code> <code>google.admin.AdminService.aiClassific</code> <code>google.admin.AdminService.aiClassific</code>



Sign in

Contact Us

Start free

google.admin.AdminService.createManag  
google.admin.AdminService.deleteManag  
google.admin.AdminService.updateManag  
google.admin.AdminService.  
flashlightEduNonFeaturedServicesSelec

CALENDAR\_SETTINGS

google.admin.AdminService.createBuild  
google.admin.AdminService.deleteBuild  
google.admin.AdminService.updateBuild  
google.admin.AdminService.createCalen  
google.admin.AdminService.deleteCalen  
google.admin.AdminService.createCalen  
google.admin.AdminService.deleteCalen  
google.admin.AdminService.updateCalen  
google.admin.AdminService.renameCalen  
google.admin.AdminService.updateCalen  
google.admin.AdminService.changeCalen  
google.admin.AdminService.cancelCalen  
google.admin.AdminService.releaseCalen

CHAT\_SETTINGS

google.admin.AdminService.meetInteron



Sign in

Contact Us

Start free

	google.admin.AdminService.createRole google.admin.AdminService.deleteRole google.admin.AdminService.addPrivilege google.admin.AdminService.removePrivilege google.admin.AdminService.renameRole google.admin.AdminService.updateRole google.admin.AdminService.unassignRole
DEVICE_SETTINGS	google.admin.AdminService.deleteDevice google.admin.AdminService.moveDeviceTo
DOCS_SETTINGS	google.admin.AdminService.transferDoc google.admin.AdminService.driveDataRe google.admin.AdminService.changeDocsS
DOMAIN_SETTINGS	google.admin.AdminService.changeAccou google.admin.AdminService.addApplicat google.admin.AdminService.addApplicat google.admin.AdminService.changeAdver google.admin.AdminService.createAlert google.admin.AdminService.changeAlert



[Sign in](#)

[Contact Us](#)

[Start free](#)

```
google.admin.AdminService.toggleSsoEn
google.admin.AdminService.changeCusto
google.admin.AdminService.
changeDataLocalizationForRussia
google.admin.AdminService.changeDataL
google.admin.AdminService.
changeDataProtectionOfficerContactInf
google.admin.AdminService.deletePlayF
google.admin.AdminService.viewDnsLogi
google.admin.AdminService.changeDomain
google.admin.AdminService.changeDomain
google.admin.AdminService.changeDomain
google.admin.AdminService.toggleEnabl
google.admin.AdminService.changeDomain
google.admin.AdminService.addTrustedD
google.admin.AdminService.removeTrust
google.admin.AdminService.changeEduTy
google.admin.AdminService.toggleEnabl
google.admin.AdminService.toggleSsoEn
google.admin.AdminService.toggleSsl
google.admin.AdminService
```



Sign in

Contact Us

Start free

google.admin.AdminService.createRule  
google.admin.AdminService.changeRuleC  
google.admin.AdminService.deleteRule  
google.admin.AdminService.renameRule  
google.admin.AdminService.ruleStatusCl  
google.admin.AdminService.addSecondary  
google.admin.AdminService.removeSecon  
google.admin.AdminService.skipSeconda  
google.admin.AdminService.verifySecon  
google.admin.AdminService.verifySecon  
google.admin.AdminService.updateDomain  
google.admin.AdminService.changeSsoSe  
google.admin.AdminService.generatePin  
google.admin.AdminService.updateRule

EMAIL\_SETTINGS

google.admin.AdminService.dropFromQua  
google.admin.AdminService.emailLogSea  
google.admin.AdminService.emailUndele  
google.admin.AdminService.changeEmail  
google.admin.AdminService.chanqeGmail





Sign in

Contact Us

Start free

LICENSES\_SETTINGS

google.admin.AdminService.labelPermis  
google.admin.AdminService.labelPermis  
google.admin.AdminService.labelPublisl  
google.admin.AdminService.labelCreate  
google.admin.AdminService.labelUpdate

google.admin.AdminService.orgUsersLic  
google.admin.AdminService.orgAllUsersl  
google.admin.AdminService.userLicense  
google.admin.AdminService.changeLicen  
google.admin.AdminService.userLicense  
google.admin.AdminService.orgLicenseR  
google.admin.AdminService.userLicense  
google.admin.AdminService.updateDynam  
google.admin.AdminService.licenseUsag

MOBILE\_SETTINGS

google.admin.AdminService.actionCance  
google.admin.AdminService.actionReque  
google.admin.AdminService.addMobileCe  
google.admin.AdminService.companyDevi



Sign in

Contact Us

Start free

google.admin.AdminService.  
enrollForGoogleDeviceManagement  
google.admin.AdminService.useGoogleMol  
google.admin.AdminService.  
useGoogleMobileManagementForNonIos  
google.admin.AdminService.  
useGoogleMobileManagementForIos  
google.admin.AdminService.mobileAccou  
google.admin.AdminService.  
mobileDeviceCancelWipeThenApprove  
google.admin.AdminService.  
mobileDeviceCancelWipeThenBlock

ORG\_SETTINGS

google.admin.AdminService.chromeLicen  
google.admin.AdminService.  
chromeApplicationLicenseReservationCro  
google.admin.AdminService.  
chromeApplicationLicenseReservationDe  
google.admin.AdminService.  
chromeApplicationLicenseReservationUp



[Sign in](#)

[Contact Us](#)

[Start free](#)

```
google.admin.AdminService.  
securityInvestigationChartCreate  
google.admin.AdminService.  
securityInvestigationContentAccess  
google.admin.AdminService.  
securityInvestigationDownloadAttachment  
google.admin.AdminService.  
securityInvestigationExportActionResult  
google.admin.AdminService.  
securityInvestigationExportQuery  
google.admin.AdminService.  
securityInvestigationObjectCreateDraft  
google.admin.AdminService.  
securityInvestigationObjectDeleteInvestigation  
google.admin.AdminService.  
securityInvestigationObjectDuplicateInvestigation  
google.admin.AdminService.  
securityInvestigationObjectOwnershipTransfer  
google.admin.AdminService.  
securityInvestigationObjectSaveInvestigation  
google.admin.AdminService
```



Sign in

Contact Us

Start free

google.admin.AdminService.  
changeTwoStepVerificationGracePeriodD  
google.admin.AdminService.  
changeTwoStepVerificationStartDate  
google.admin.AdminService.disallowSer  
google.admin.AdminService.  
enableNonAdminUserPasswordRecovery  
google.admin.AdminService.enforceStro  
google.admin.AdminService.removeFromT  
google.admin.AdminService.sessionCont  
google.admin.AdminService.toggleCaaEn  
google.admin.AdminService.trustDomain  
google.admin.AdminService.unblockOnDe  
google.admin.AdminService.untrustDoma  
google.admin.AdminService.  
updateErrorMsgForRestrictedOauth2Apps  
google.admin.AdminService.  
weakProgrammaticLoginSettingsChanged

SITES\_SETTINGS

google.admin.AdminService.addWebAddre  
google.admin.AdminService.deleteWebAd



[Sign in](#)

[Contact Us](#)

[Start free](#)

```
google.admin.AdminService.changeUserO  
google.admin.AdminService.changeUserPl  
google.admin.AdminService.changeRecov  
google.admin.AdminService.changeRecov  
google.admin.AdminService.changeUserR  
google.admin.AdminService.changeUserA  
google.admin.AdminService.createEmail  
google.admin.AdminService.createDataT  
google.admin.AdminService.grantDelega  
google.admin.AdminService.deleteAccou  
google.admin.AdminService.deleteEmail  
google.admin.AdminService.deleteMailb  
google.admin.AdminService.changeFirstl  
google.admin.AdminService.gmailResetU  
google.admin.AdminService.changeLastN  
google.admin.AdminService.mailRoutingl  
google.admin.AdminService.mailRoutingl  
google.admin.AdminService.addNickname  
google.admin.AdminService.removeNickn  
google.admin.AdminService.changePassw
```

Contact Us

Start free

google.admin.AdminService.  
userPutInTwoStepVerificationGracePeriod  
google.admin.AdminService.renameUser  
google.admin.AdminService.unenrollUser  
google.admin.AdminService.suspendUser  
google.admin.AdminService.unarchiveUser  
google.admin.AdminService.undeleteUser  
google.admin.AdminService.unsuspendUser  
google.admin.AdminService.upgradeUser  
google.admin.AdminService.usersBulkUpload  
google.admin.AdminService.  
usersBulkUploadNotificationSent

Google Workspace Enterprise Groups



Google Workspace Login Audit





[Sign in](#)

[Contact Us](#)

[Start free](#)

## Audit log format

Google Workspace audit log entries include the following objects:

- The log entry itself, which is an object of type `LogEntry`. When examining audit logging data, you might find the following useful:
  - `logName` contains the organization ID and audit log type.
  - `resource` contains the target of the audited operation.
  - `timeStamp` contains the time of the audited operation.
  - `protoPayload` contains the Google Workspace audit log in its `metadata` field.

The `protoPayload.metadata` field holds the audited Google Workspace information. The following is an example of a Login Audit log:



[Sign in](#)

[Contact Us](#)

[Start free](#)

```
    },
    {
      "name": "login_challenge_method",
      "type": "TYPE_STRING",
      "label": "LABEL_REPEATED",
      "multiStrValue": [
        "password",
        "idv_preregistered_phone",
        "idv_preregistered_phone"
      ]
    },
  ],
},
{
  "activityId": {
    "uniqQualifier": "358068855354",
    "timeUsec": "1632500217183212"
  },
  "@type": "type.googleapis.com/ccc_hosted_reporting.ActivityProto"
}
```





[Sign in](#)

[Contact Us](#)

[Start free](#)

## Route audit logs

You can route Google Workspace audit logs from Cloud Logging to supported destinations, including other Logging buckets.

Here are some applications for routing audit logs:

- To use more powerful search capabilities, you can route copies of your audit logs to Cloud Storage, BigQuery, or Pub/Sub. Using Pub/Sub, you can route to other applications, other repositories, and to third parties.
- To manage your audit logs across an entire organization, you can create [aggregated sinks](#) that combine and route logs from all the Google Cloud projects, billing accounts, and folders contained by your organization. For instance, you might aggregate and route audit log entries from an organization's folders to a Cloud Storage bucket.



[Sign in](#)

[Contact Us](#)

[Start free](#)

You can configure Cloud Logging to retain the logs in the `_Default` logs bucket for a period ranging from 1 day to 3650 days.

To update the retention period for the `_Default` logs bucket, see [Custom retention](#).

You can't change the retention period on the `_Required` bucket.

## Quotas and limits

The same quotas apply to audit logs for Google Workspace and Cloud Audit Logs.

For details about these usage limits, including the maximum sizes of audit logs, see [Quotas and limits](#).

— . . .



[Sign in](#)

[Contact Us](#)

[Start free](#)

Why Google	Products and	Solutions	Resources	Engage
Choosing Google Cloud	pricing	Infrastructure modernization	Google Cloud Affiliate Program	Contact sales
Trust and security	Google Cloud pricing	Databases	Google Cloud documentation	Find a Partner
Modern Infrastructure Cloud	Google Workspace pricing	Application modernization	Google Cloud quickstarts	Become a Partner
Multicloud	See all products	Smart analytics	Google Cloud Marketplace	Events
Global infrastructure		Artificial Intelligence	Learn about cloud computing	Podcasts
Customers and case studies		Security	Support	Developer Center
Analyst reports		Productivity & work transformation	Code samples	Press Corner
Whitepapers		Industry solutions	Cloud Architecture Center	Google Cloud on YouTube
				Google Cloud Tech on YouTube
				Follow on X



[Sign in](#)

[Contact Us](#)

[Start free](#)

cloud.google.com uses cookies from Google to deliver and enhance the quality of its services and to analyze traffic. [Learn more.](#)