Learn   Discover   Product documentation   Development languages   Topics   Sign in

Open Specifications   Specifications   Dev Center   Events   Test   Support   Programs   Patents   Blog

Learn /

2.3.1 NTSTATUS Values

Article • 11/16/2021   Feedback

By combining the NTSTATUS into a single 32-bit numbering space, the following NTSTATUS values are defined. Most values also have a defined default message that can be used to map the value to a human-readable text message. When this is done, the NTSTATUS value is also known as a message identifier.

This document provides the common usage details of the NTSTATUS values; individual protocol specifications provide expanded or modified definitions when needed.

In the following descriptions, a percentage sign that is followed by one or more alphanumeric characters (for example, "%1" or "%hs") indicates a variable that is replaced by text at the time the value is returned.

Expand table

Return value/code	Description
0x00000000 STATUS_SUCCESS	The operation
0x00000000 STATUS_WAIT_0	The caller speci the dispatcher set to the signa
0x00000001 STATUS_WAIT_1	The caller speci the dispatcher set to the signa
0x00000002 STATUS_WAIT_2	The caller speci the dispatcher set to the signa
0x00000003 STATUS_WAIT_3	The caller speci the dispatcher set to the signa
0x0000003F STATUS_WAIT_63	The caller speci the dispatcher set to the signa
0x00000080 STATUS_ABANDONED	The caller atten been abandone
0x00000080 STATUS_ABANDONED_WAIT_0	The caller atten been abandone
0x000000BF STATUS_ABANDONED_WAIT_63	The caller atten been abandone

🗎 Download PDF

0x000000C0 STATUS_USER_APC	A user-mode A Interval expired
0x00000101 STATUS_ALERTED	The delay comp
0x00000102 STATUS_TIMEOUT	The given Time
0x00000103 STATUS_PENDING	The operation t completion.
0x00000104 STATUS_REPARSE	A reparse shou Manager becau symbolic link.
0x00000105 STATUS_MORE_ENTRIES	Returned by en information is a
0x00000106 STATUS_NOT_ALL_ASSIGNED	Indicates not al referenced are example, all priv to know exactly
0x00000107 STATUS_SOME_NOT_MAPPED	Some of the inf been translated
0x00000108 STATUS_OPLOCK_BREAK_IN_PROGRESS	An open/create opportunistic lo
0x00000109 STATUS_VOLUME_MOUNTED	A new volume
0x0000010A STATUS_RXACT_COMMITTED	This success lev state already ex transaction con commit has no
0x0000010B STATUS_NOTIFY_CLEANUP	Indicates that a completed due notify change r
0x0000010C STATUS_NOTIFY_ENUM_DIR	Indicates that a completed and returned in the enumerate the
0x0000010D STATUS_NO_QUOTAS_FOR_ACCOUNT	{No Quotas} No set for this acco
0x0000010E STATUS_PRIMARY_TRANSPORT_CONNECT_FAILED	{Connect Failur was made to co the primary tra computer WAS transport.
0x00000110 STATUS_PAGE_FAULT_TRANSITION	The page fault
0x00000111 STATUS_PAGE_FAULT_DEMAND_ZERO	The page fault
0x00000112 STATUS_PAGE_FAULT_COPY_ON_WRITE	The page fault

0x00000113 STATUS_PAGE_FAULT_GUARD_PAGE	The page fault
0x00000114 STATUS_PAGE_FAULT_PAGING_FILE	The page fault secondary stor
0x00000115 STATUS_CACHE_PAGE_LOCKED	The cached pag
0x00000116 STATUS_CRASH_DUMP	The crash dump
0x00000117 STATUS_BUFFER_ALL_ZEROS	The specified b
0x00000118 STATUS_REPARSE_OBJECT	A reparse shou Manager becau symbolic link.
0x00000119 STATUS_RESOURCE_REQUIREMENTS_CHANGED	The device has resource requir
0x00000120 STATUS_TRANSLATION_COMPLETE	The translator global space an performed.
0x00000121 STATUS_DS_MEMBERSHIP_EVALUATED_LOCALLY	The directory s locally, because catalog server.
0x00000122 STATUS_NOTHING_TO_TERMINATE	A process being terminate.
0x00000123 STATUS_PROCESS_NOT_IN_JOB	The specified p
0x00000124 STATUS_PROCESS_IN_JOB	The specified p
0x00000125 STATUS_VOLSNAP_HIBERNATE_READY	{Volume Shado ready for hibern
0x00000126 STATUS_FSFILTER_OP_COMPLETED_SUCCESSFULLY	A file system or completed an F
0x00000127 STATUS_INTERRUPT_VECTOR_ALREADY_CONNECTED	The specified in
0x00000128 STATUS_INTERRUPT_STILL_CONNECTED	The specified in
0x00000129 STATUS_PROCESS_CLONED	The current pro
0x0000012A STATUS_FILE_LOCKED_WITH_ONLY_READERS	The file was loc read.
0x0000012B STATUS_FILE_LOCKED_WITH_WRITERS	The file was loc write.

0x00000202 STATUS_RESOURCEMANAGER_READ_ONLY	The specified R updates to the
0x00000367 STATUS_WAIT_FOR_OPLOCK	An operation is
0x00010001 DBG_EXCEPTION_HANDLED	Debugger hand
0x00010002 DBG_CONTINUE	The debugger
0x001C0001 STATUS_FLT_IO_COMPLETE	The IO was co
0xC0000467 STATUS_FILE_NOT_AVAILABLE	The file is temp
0xC0000480 STATUS_SHARE_UNAVAILABLE	The share is te
0xC0000721 STATUS_CALLBACK_RETURNED_THREAD_AFFINITY	A threadpool w thread affinity This is unexpe restoring the p
0x40000000 STATUS_OBJECT_NAME_EXISTS	{Object Exists} object but the
0x40000001 STATUS_THREAD_WAS_SUSPENDED	{Thread Suspen while the thre and terminatio
0x40000002 STATUS_WORKING_SET_LIMIT_RANGE	{Working Set R set the workin that are outsid
0x40000003 STATUS_IMAGE_NOT_AT_BASE	{Image Relocat at the address fixes must be p
0x40000004 STATUS_RXACT_STATE_CREATED	This informatio specified regist exist and had t
0x40000005 STATUS_SEGMENT_NOTIFICATION	{Segment Load loading, unload program segme that a debugge and breakpoint
0x40000006 STATUS_LOCAL_USER_SESSION_KEY	{Local Session K for a local remo The session key and not unique
0x40000007 STATUS_BAD_CURRENT_DIRECTORY	{Invalid Current to the startup the current dire
0x40000008 STATUS_SERIAL_MORE_WRITES	{Serial IOCTL C completed by a IOCTL_SERIAL_

0x40000009 STATUS_REGISTRY_RECOVERED	{Registry Recov system registry log or alternate
0x4000000A STATUS_FT_READ_RECOVERY_FROM_BACKUP	{Redundant Rea Windows NT op system success redundant copy system encoun fault-tolerant v failing area of t
0x4000000B STATUS_FT_WRITE_RECOVERY	{Redundant Wr Windows NT fa wrote a redund done because t a member of th unable to reass
0x4000000C STATUS_SERIAL_COUNTER_TIMEOUT	{Serial IOCTL Ti completed beca IOCTL_SERIAL_ zero.)
0x4000000D STATUS_NULL_LM_PASSWORD	{Password Too too complex to password. The is a NULL string
0x4000000E STATUS_IMAGE_MACHINE_TYPE_MISMATCH	{Machine Type but is for a mac machine. Select DLL load.
0x4000000F STATUS_RECEIVE_PARTIAL	{Partial Data Re returned partia will be sent late
0x40000010 STATUS_RECEIVE_EXPEDITED	{Expedited Dat returned data t expedited by th
0x40000011 STATUS_RECEIVE_PARTIAL_EXPEDITED	{Partial Expedit transport retur data was marke The remaining
0x40000012 STATUS_EVENT_DONE	{TDI Event Don successfully.
0x40000013 STATUS_EVENT_PENDING	{TDI Event Penc the pending sta
0x40000014 STATUS_CHECKING_FILE_SYSTEM	Checking file sy
0x40000015 STATUS_FATAL_APP_EXIT	{Fatal Applicatic
0x40000016 STATUS_PREDEFINED_HANDLE	The specified re predefined han
0x40000017 STATUS_WAS_UNLOCKED	{Page Unlocked was changed to unlocked from
0x40000018 STATUS_SERVICE_NOTIFICATION	%hs

0x40000019 STATUS_WAS_LOCKED	{Page Locked} (locked.
0x4000001A STATUS_LOG_HARD_ERROR	Application pop
0x4000001B STATUS_ALREADY_WIN32	A Win32 proce
0x4000001C STATUS_WX86_UNSIMULATE	An exception st x86 emulation
0x4000001D STATUS_WX86_CONTINUE	An exception st x86 emulation
0x4000001E STATUS_WX86_SINGLE_STEP	An exception st x86 emulation
0x4000001F STATUS_WX86_BREAKPOINT	An exception st x86 emulation
0x40000020 STATUS_WX86_EXCEPTION_CONTINUE	An exception st x86 emulation
0x40000021 STATUS_WX86_EXCEPTION_LASTCHANCE	An exception st x86 emulation
0x40000022 STATUS_WX86_EXCEPTION_CHAIN	An exception st x86 emulation
0x40000023 STATUS_IMAGE_MACHINE_TYPE_MISMATCH_EXE	{Machine Type but is for a ma machine.
0x40000024 STATUS_NO_YIELD_PERFORMED	A yield executi available to run
0x40000025 STATUS_TIMER_RESUME_IGNORED	The resume flag
0x40000026 STATUS_ARBITRATION_UNHANDLED	The arbiter has to its parent.
0x40000027 STATUS_CARDBUS_NOT_SUPPORTED	The device has
0x40000028 STATUS_WX86_CREATEWX86TIB	An exception st x86 emulation
0x40000029 STATUS_MP_PROCESSOR_MISMATCH	The CPUs in th same revision l operating syste least capable p occur with this to see if this mi
0x4000002A STATUS_HIBERNATED	The system was

Value	Description
0x4000002B STATUS_RESUME_HIBERNATION	The system was
0x4000002C STATUS_FIRMWARE_UPDATED	Windows has d (BIOS) was upd current firmwar
0x4000002D STATUS_DRIVERS_LEAKING_LOCKED_PAGES	A device driver causing system automatically e catch the culpri
0x4000002E STATUS_MESSAGE_RETRIEVED	The ALPC mess retrieved from
0x4000002F STATUS_SYSTEM_POWERSTATE_TRANSITION	The system pov %3.
0x40000030 STATUS_ALPC_CHECK_COMPLETION_LIST	The receive ope completion list
0x40000031 STATUS_SYSTEM_POWERSTATE_COMPLEX_TRANSITION	The system pov %3 but could e
0x40000032 STATUS_ACCESS_AUDIT_BY_POLICY	Access to %1 is
0x40000033 STATUS_ABANDON_HIBERFILE	A valid hiberna should be aban
0x40000034 STATUS_BIZRULES_NOT_ENABLED	Business rule so application.
0x40000294 STATUS_WAKE_SYSTEM	The system has
0x40000370 STATUS_DS_SHUTTING_DOWN	The directory s
0x40010001 DBG_REPLY_LATER	Debugger will r
0x40010002 DBG_UNABLE_TO_PROVIDE_HANDLE	Debugger cann
0x40010003 DBG_TERMINATE_THREAD	Debugger term
0x40010004 DBG_TERMINATE_PROCESS	Debugger term
0x40010005 DBG_CONTROL_C	Debugger obta
0x40010006 DBG_PRINTEXCEPTION_C	Debugger print
0x40010007 DBG_RIPEXCEPTION	Debugger recei

0x40010008 DBG_CONTROL_BREAK	Debugger recei
0x40010009 DBG_COMMAND_EXCEPTION	Debugger com
0x40020056 RPC_NT_UUID_LOCAL_ONLY	A UUID that is allocated.
0x400200AF RPC_NT_SEND_INCOMPLETE	Some data rem
0x400A0004 STATUS_CTX_CDM_CONNECT	The Client Drive Terminal Conne
0x400A0005 STATUS_CTX_CDM_DISCONNECT	The Client Drive Terminal Conne
0x4015000D STATUS_SXS_RELEASE_ACTIVATION_CONTEXT	A kernel mode an activation c
0x40190034 STATUS_RECOVERY_NOT_NEEDED	The transaction consistent. Rec
0x40190035 STATUS_RM_ALREADY_STARTED	The transaction started.
0x401A000C STATUS_LOG_NO_RESTART	The log service restart area.
0x401B00EC STATUS_VIDEO_DRIVER_DEBUG_REPORT_REQUEST	{Display Driver display driver h from it. Some g The next time y appears, giving about this failu
0x401E000A STATUS_GRAPHICS_PARTIAL_DATA_POPULATED	The specified bu entire requeste to the size of th The caller need specified in the (interface specif
0x401E0117 STATUS_GRAPHICS_DRIVER_MISMATCH	The kernel drive between it and
0x401E0307 STATUS_GRAPHICS_MODE_NOT_PINNED	No mode is pin source/target.
0x401E031E STATUS_GRAPHICS_NO_PREFERRED_MODE	The specified m for one of its m
0x401E034B STATUS_GRAPHICS_DATASET_IS_EMPTY	The specified da frequency rang empty.
0x401E034C STATUS_GRAPHICS_NO_MORE_ELEMENTS_IN_DATASET	The specified da frequency rang not contain any

0x401E0351 STATUS_GRAPHICS_PATH_CONTENT_GEOMETRY_TRANSFORMATION_NOT_PINNED	The specified c... the specified Vi...
0x401E042F STATUS_GRAPHICS_UNKNOWN_CHILD_STATUS	The child device...
0x401E0437 STATUS_GRAPHICS_LEADLINK_START_DEFERRED	Starting the lea... been temporari...
0x401E0439 STATUS_GRAPHICS_POLLING_TOO_FREQUENTLY	The display ada... frequently at th...
0x401E043A STATUS_GRAPHICS_START_DEFERRED	Starting the ad...
0x40230001 STATUS_NDIS_INDICATION_REQUIRED	The request wil... indication.
0x80000001 STATUS_GUARD_PAGE_VIOLATION	{EXCEPTION} G... memory that m... as a stack or ar...
0x80000002 STATUS_DATATYPE_MISALIGNMENT	{EXCEPTION} A... misalignment w... instruction.
0x80000003 STATUS_BREAKPOINT	{EXCEPTION} B... reached.
0x80000004 STATUS_SINGLE_STEP	{EXCEPTION} Si... operation has j...
0x80000005 STATUS_BUFFER_OVERFLOW	{Buffer Overflo... specified buffer...
0x80000006 STATUS_NO_MORE_FILES	{No More Files}... match the file s...
0x80000007 STATUS_WAKE_SYSTEM_DEBUGGER	{Kernel Debugg... was awakened...
0x8000000A STATUS_HANDLES_CLOSED	{Handles Close... automatically c... operation.
0x8000000B STATUS_NO_INHERITANCE	{Non-Inheritab... contains no cor...
0x8000000C STATUS_GUID_SUBSTITUTION_MADE	{GUID Substitu... globally unique... security ID (SID... prefix was foun... will not compro... might provide a...
0x8000000D STATUS_PARTIAL_COPY	Because of prot... bytes could be...
0x8000000E STATUS_DEVICE_PAPER_EMPTY	{Out of Paper} ...
0x8000000F	{Device Power ... turned off.

STATUS_DEVICE_POWERED_OFF	
0x80000010 STATUS_DEVICE_OFF_LINE	{Device Offline}
0x80000011 STATUS_DEVICE_BUSY	{Device Busy} T
0x80000012 STATUS_NO_MORE_EAS	{No More EAs} were found for
0x80000013 STATUS_INVALID_EA_NAME	{Illegal EA} The contains at leas
0x80000014 STATUS_EA_LIST_INCONSISTENT	{Inconsistent EA is inconsistent.
0x80000015 STATUS_INVALID_EA_FLAG	{Invalid EA Flag flag was set.
0x80000016 STATUS_VERIFY_REQUIRED	{Verifying Disk} operation is in can be perform used in the ver
0x80000017 STATUS_EXTRANEOUS_INFORMATION	{Too Much Info list (ACL) conta expected.
0x80000018 STATUS_RXACT_COMMIT_NECESSARY	This warning le state already ex transaction con commit has NC rolled back eith if needed.
0x8000001A STATUS_NO_MORE_ENTRIES	{No More Entri an enumeration
0x8000001B STATUS_FILEMARK_DETECTED	{Filemark Foun
0x8000001C STATUS_MEDIA_CHANGED	{Media Change
0x8000001D STATUS_BUS_RESET	{I/O Bus Reset}
0x8000001E STATUS_END_OF_MEDIA	{End of Media} encountered.
0x8000001F STATUS_BEGINNING_OF_MEDIA	The beginning detected.
0x80000020 STATUS_MEDIA_CHECK	{Media Change
0x80000021 STATUS_SETMARK_DETECTED	A tape access r
0x80000022 STATUS_NO_DATA_DETECTED	During a tape a reached.

0x80000023 STATUS_REDIRECTOR_HAS_OPEN_HANDLES	The redirector i
0x80000024 STATUS_SERVER_HAS_OPEN_HANDLES	The server is in
0x80000025 STATUS_ALREADY_DISCONNECTED	The specified co disconnected.
0x80000026 STATUS_LONGJUMP	A long jump ha
0x80000027 STATUS_CLEANER_CARTRIDGE_INSTALLED	A cleaner cartri
0x80000028 STATUS_PLUGPLAY_QUERY_VETOED	The Plug and P
0x80000029 STATUS_UNWIND_CONSOLIDATE	A frame consol
0x8000002A STATUS_REGISTRY_HIVE_RECOVERED	{Registry Hive F was corrupted might have bee
0x8000002B STATUS_DLL_MIGHT_BE_INSECURE	The application from the modu alternative, %hs use the secure
0x8000002C STATUS_DLL_MIGHT_BE_INCOMPATIBLE	The application module %hs. Th with previous r alternative, %hs use the secure
0x8000002D STATUS_STOPPED_ON_SYMLINK	The create ope symbolic link.
0x80000288 STATUS_DEVICE_REQUIRES_CLEANING	The device has
0x80000289 STATUS_DEVICE_DOOR_OPEN	The device has operations requ
0x80000803 STATUS_DATA_LOST_REPAIR	Windows disco file has now bee file was lost bec
0x80010001 DBG_EXCEPTION_NOT_HANDLED	Debugger did n
0x80130001 STATUS_CLUSTER_NODE_ALREADY_UP	The cluster nod
0x80130002 STATUS_CLUSTER_NODE_ALREADY_DOWN	The cluster nod
0x80130003 STATUS_CLUSTER_NETWORK_ALREADY_ONLINE	The cluster netw
0x80130004	The cluster netw

STATUS_CLUSTER_NETWORK_ALREADY_OFFLINE	
0x80130005 STATUS_CLUSTER_NODE_ALREADY_MEMBER	The cluster nod
0x80190009 STATUS_COULD_NOT_RESIZE_LOG	The log could n
0x80190029 STATUS_NO_TXF_METADATA	There is no tran
0x80190031 STATUS_CANT_RECOVER_WITH_HANDLE_OPEN	The file cannot still open on it.
0x80190041 STATUS_TXF_METADATA_ALREADY_PRESENT	Transaction me and cannot be
0x80190042 STATUS_TRANSACTION_SCOPE_CALLBACKS_NOT_SET	A transaction s scope handler h
0x801B00EB STATUS_VIDEO_HUNG_DISPLAY_DRIVER_THREAD_RECOVERED	{Display Driver The %hs display The recovery ha
0x801C0001 STATUS_FLT_BUFFER_TOO_SMALL	{Buffer too sma the entry. No in buffer.
0x80210001 STATUS_FVE_PARTIAL_METADATA	Volume metada
0x80210002 STATUS_FVE_TRANSIENT_STATE	BitLocker encry volume was in
0xC0000001 STATUS_UNSUCCESSFUL	{Operation Fail unsuccessful.
0xC0000002 STATUS_NOT_IMPLEMENTED	{Not Implemen implemented.
0xC0000003 STATUS_INVALID_INFO_CLASS	{Invalid Parame not a valid info
0xC0000004 STATUS_INFO_LENGTH_MISMATCH	The specified in match the leng information cla
0xC0000005 STATUS_ACCESS_VIOLATION	The instruction 0x%08lx. The m
0xC0000006 STATUS_IN_PAGE_ERROR	The instruction 0x%08lx. The re memory becaus
0xC0000007 STATUS_PAGEFILE_QUOTA	The page file qu exhausted.
0xC0000008 STATUS_INVALID_HANDLE	An invalid HAN
0xC0000009 STATUS_BAD_INITIAL_STACK	An invalid initia NtCreateThread

0xC000000A STATUS_BAD_INITIAL_PC	An invalid initia NtCreateThread
0xC000000B STATUS_INVALID_CID	An invalid clien
0xC000000C STATUS_TIMER_NOT_CANCELED	An attempt wa: has an associat the thread that associated APC
0xC000000D STATUS_INVALID_PARAMETER	An invalid para function.
0xC000000E STATUS_NO_SUCH_DEVICE	A device that d
0xC000000F STATUS_NO_SUCH_FILE	{File Not Found
0xC0000010 STATUS_INVALID_DEVICE_REQUEST	The specified re target device.
0xC0000011 STATUS_END_OF_FILE	The end-of-file valid data in th
0xC0000012 STATUS_WRONG_VOLUME	{Wrong Volume Insert volume 9
0xC0000013 STATUS_NO_MEDIA_IN_DEVICE	{No Disk} There into drive %hs.
0xC0000014 STATUS_UNRECOGNIZED_MEDIA	{Unknown Disk formatted prop needed.
0xC0000015 STATUS_NONEXISTENT_SECTOR	{Sector Not Fou
0xC0000016 STATUS_MORE_PROCESSING_REQUIRED	{Still Busy} The cannot be dispo not complete.
0xC0000017 STATUS_NO_MEMORY	{Not Enough Q paging file quot operation.
0xC0000018 STATUS_CONFLICTING_ADDRESSES	{Conflicting Ad range conflicts
0xC0000019 STATUS_NOT_MAPPED_VIEW	The address rar
0xC000001A STATUS_UNABLE_TO_FREE_VM	The virtual mer
0xC000001B STATUS_UNABLE_TO_DELETE_SECTION	The specified se
0xC000001C STATUS_INVALID_SYSTEM_SERVICE	An invalid syste service call.

0xC000001D STATUS_ILLEGAL_INSTRUCTION	{EXCEPTION} Ill to execute an il
0xC000001E STATUS_INVALID_LOCK_SEQUENCE	{Invalid Lock Se execute an inva
0xC000001F STATUS_INVALID_VIEW_SIZE	{Invalid Mappin view for a secti
0xC0000020 STATUS_INVALID_FILE_FOR_SECTION	{Bad File} The a for a section of
0xC0000021 STATUS_ALREADY_COMMITTED	{Already Comm already commit
0xC0000022 STATUS_ACCESS_DENIED	{Access Denied} object but has
0xC0000023 STATUS_BUFFER_TOO_SMALL	{Buffer Too Sma the entry. No in buffer.
0xC0000024 STATUS_OBJECT_TYPE_MISMATCH	{Wrong Type} T of object that is and the type of
0xC0000025 STATUS_NONCONTINUABLE_EXCEPTION	{EXCEPTION} C continue from t
0xC0000026 STATUS_INVALID_DISPOSITION	An invalid excep exception hand
0xC0000027 STATUS_UNWIND	Unwind excepti
0xC0000028 STATUS_BAD_STACK	An invalid or un an unwind ope
0xC0000029 STATUS_INVALID_UNWIND_TARGET	An invalid unwi unwind operati
0xC000002A STATUS_NOT_LOCKED	An attempt was that was not lo
0xC000002B STATUS_PARITY_ERROR	A device parity
0xC000002C STATUS_UNABLE_TO_DECOMMIT_VM	An attempt was virtual memory
0xC000002D STATUS_NOT_COMMITTED	An attempt was memory that h
0xC000002E STATUS_INVALID_PORT_ATTRIBUTES	Invalid object a invalid port att
0xC000002F STATUS_PORT_MESSAGE_TOO_LONG	The length of th NtRequestPort than the maxim port.

0xC0000030 STATUS_INVALID_PARAMETER_MIX	An invalid com...
0xC0000031 STATUS_INVALID_QUOTA_LOWER	An attempt wa... the current usa...
0xC0000032 STATUS_DISK_CORRUPT_ERROR	{Corrupt Disk} ... corrupt and un... volume %hs.
0xC0000033 STATUS_OBJECT_NAME_INVALID	The object nam...
0xC0000034 STATUS_OBJECT_NAME_NOT_FOUND	The object nam...
0xC0000035 STATUS_OBJECT_NAME_COLLISION	The object nam...
0xC0000037 STATUS_PORT_DISCONNECTED	An attempt wa... disconnected c...
0xC0000038 STATUS_DEVICE_ALREADY_ATTACHED	An attempt wa... already attache...
0xC0000039 STATUS_OBJECT_PATH_INVALID	The object path... object.
0xC000003A STATUS_OBJECT_PATH_NOT_FOUND	{Path Not Foun...
0xC000003B STATUS_OBJECT_PATH_SYNTAX_BAD	The object path... object.
0xC000003C STATUS_DATA_OVERRUN	{Data Overrun}
0xC000003D STATUS_DATA_LATE_ERROR	{Data Late} A d...
0xC000003E STATUS_DATA_ERROR	{Data Error} An... data.
0xC000003F STATUS_CRC_ERROR	{Bad CRC} A cy... error occurred.
0xC0000040 STATUS_SECTION_TOO_BIG	{Section Too La... map the file.
0xC0000041 STATUS_PORT_CONNECTION_REFUSED	The NtConnect...
0xC0000042 STATUS_INVALID_PORT_HANDLE	The type of por... that is requeste...
0xC0000043 STATUS_SHARING_VIOLATION	A file cannot be... flags are incom...
0xC0000044	Insufficient quo...

STATUS_QUOTA_EXCEEDED		
0xC0000045 STATUS_INVALID_PAGE_PROTECTION		The specified pa
0xC0000046 STATUS_MUTANT_NOT_OWNED		An attempt to thread that was
0xC0000047 STATUS_SEMAPHORE_LIMIT_EXCEEDED		An attempt was that its maximu
0xC0000048 STATUS_PORT_ALREADY_SET		An attempt was ExceptionPort c the process, or CompletionPor the file, or an a completion por
0xC0000049 STATUS_SECTION_NOT_IMAGE		An attempt was a section that c
0xC000004A STATUS_SUSPEND_COUNT_EXCEEDED		An attempt was suspend count
0xC000004B STATUS_THREAD_IS_TERMINATING		An attempt was begun terminat
0xC000004C STATUS_BAD_WORKING_SET_LIMIT		An attempt was an invalid value than maximum
0xC000004D STATUS_INCOMPATIBLE_FILE_MAP		A section was c compatible with the same file.
0xC000004E STATUS_SECTION_PROTECTION		A view to a sec incompatible w
0xC000004F STATUS_EAS_NOT_SUPPORTED		An operation in system does no
0xC0000050 STATUS_EA_TOO_LARGE		An EA operatio
0xC0000051 STATUS_NONEXISTENT_EA_ENTRY		An EA operatio is invalid.
0xC0000052 STATUS_NO_EAS_ON_FILE		The file for whic
0xC0000053 STATUS_EA_CORRUPT_ERROR		The EA is corru
0xC0000054 STATUS_FILE_LOCK_CONFLICT		A requested rea conflicting file l
0xC0000055 STATUS_LOCK_NOT_GRANTED		A requested file existing locks.
0xC0000056 STATUS_DELETE_PENDING		A non-close op object that has

0xC0000057 STATUS_CTL_FILE_NOT_SUPPORTED	An attempt wa a file. This attrib destination file
0xC0000058 STATUS_UNKNOWN_REVISION	Indicates a revi specified is not might be a mo aware of.
0xC0000059 STATUS_REVISION_MISMATCH	Indicates that t
0xC000005A STATUS_INVALID_OWNER	Indicates a part as the owner o
0xC000005B STATUS_INVALID_PRIMARY_GROUP	Indicates a part as the primary
0xC000005C STATUS_NO_IMPERSONATION_TOKEN	An attempt has impersonation impersonating
0xC000005D STATUS_CANT_DISABLE_MANDATORY	A mandatory g
0xC000005E STATUS_NO_LOGON_SERVERS	No logon serve logon request.
0xC000005F STATUS_NO_SUCH_LOGON_SESSION	A specified logo already have be
0xC0000060 STATUS_NO_SUCH_PRIVILEGE	A specified priv
0xC0000061 STATUS_PRIVILEGE_NOT_HELD	A required priv
0xC0000062 STATUS_INVALID_ACCOUNT_NAME	The name prov name.
0xC0000063 STATUS_USER_EXISTS	The specified a
0xC0000064 STATUS_NO_SUCH_USER	The specified a
0xC0000065 STATUS_GROUP_EXISTS	The specified g
0xC0000066 STATUS_NO_SUCH_GROUP	The specified g
0xC0000067 STATUS_MEMBER_IN_GROUP	The specified u group account. be deleted beca
0xC0000068 STATUS_MEMBER_NOT_IN_GROUP	The specified u specified group
0xC0000069 STATUS_LAST_ADMIN	Indicates the re delete the last is not allowed t the system can

0xC000006A STATUS_WRONG_PASSWORD	When trying to indicates that t password is no
0xC000006B STATUS_ILL_FORMED_PASSWORD	When trying to indicates that t password conta passwords.
0xC000006C STATUS_PASSWORD_RESTRICTION	When trying to indicates that s violated. For ex length criteria.
0xC000006D STATUS_LOGON_FAILURE	The attempted bad username
0xC000006E STATUS_ACCOUNT_RESTRICTION	Indicates a refe information are restriction has (such as time-c
0xC000006F STATUS_INVALID_LOGON_HOURS	The user accou logged onto at
0xC0000070 STATUS_INVALID_WORKSTATION	The user accou used to log on
0xC0000071 STATUS_PASSWORD_EXPIRED	The user accou
0xC0000072 STATUS_ACCOUNT_DISABLED	The referenced cannot be logg
0xC0000073 STATUS_NONE_MAPPED	None of the inf translated.
0xC0000074 STATUS_TOO_MANY_LUIDS_REQUESTED	The number of with a single all
0xC0000075 STATUS_LUIDS_EXHAUSTED	Indicates there
0xC0000076 STATUS_INVALID_SUB_AUTHORITY	Indicates the su particular use.
0xC0000077 STATUS_INVALID_ACL	Indicates the A
0xC0000078 STATUS_INVALID_SID	Indicates the SI
0xC0000079 STATUS_INVALID_SECURITY_DESCR	Indicates the SI valid.
0xC000007A STATUS_PROCEDURE_NOT_FOUND	Indicates the sp found in the DL
0xC000007B STATUS_INVALID_IMAGE_FORMAT	{Bad Image} %h Windows or it c program again contact your sy vendor for supp

0xC000007C STATUS_NO_TOKEN	An attempt wa not exist. This is token that is as thread is not in
0xC000007D STATUS_BAD_INHERITANCE_ACL	Indicates that a ACL or ACE wa a number of th is the replacem not fit into the
0xC000007E STATUS_RANGE_NOT_LOCKED	The range spec
0xC000007F STATUS_DISK_FULL	An operation fa
0xC0000080 STATUS_SERVER_DISABLED	The GUID alloc
0xC0000081 STATUS_SERVER_NOT_DISABLED	The GUID alloc
0xC0000082 STATUS_TOO_MANY_GUIDS_REQUESTED	Too many GUID server at once.
0xC0000083 STATUS_GUIDS_EXHAUSTED	The GUIDs cou Authority Agen
0xC0000084 STATUS_INVALID_ID_AUTHORITY	The value provi identifier autho
0xC0000085 STATUS_AGENTS_EXHAUSTED	No more autho particular ident
0xC0000086 STATUS_INVALID_VOLUME_LABEL	An invalid volu
0xC0000087 STATUS_SECTION_NOT_EXTENDED	A mapped sect
0xC0000088 STATUS_NOT_MAPPED_DATA	Specified sectio
0xC0000089 STATUS_RESOURCE_DATA_NOT_FOUND	Indicates the sp resource sectio
0xC000008A STATUS_RESOURCE_TYPE_NOT_FOUND	Indicates the sp in the image file
0xC000008B STATUS_RESOURCE_NAME_NOT_FOUND	Indicates the sp found in the im
0xC000008C STATUS_ARRAY_BOUNDS_EXCEEDED	{EXCEPTION} A
0xC000008D STATUS_FLOAT_DENORMAL_OPERAND	{EXCEPTION} Fl

0xC000008E STATUS_FLOAT_DIVIDE_BY_ZERO	{EXCEPTION} Fl
0xC000008F STATUS_FLOAT_INEXACT_RESULT	{EXCEPTION} Fl
0xC0000090 STATUS_FLOAT_INVALID_OPERATION	{EXCEPTION} Fl
0xC0000091 STATUS_FLOAT_OVERFLOW	{EXCEPTION} Fl
0xC0000092 STATUS_FLOAT_STACK_CHECK	{EXCEPTION} Fl
0xC0000093 STATUS_FLOAT_UNDERFLOW	{EXCEPTION} Fl
0xC0000094 STATUS_INTEGER_DIVIDE_BY_ZERO	{EXCEPTION} In
0xC0000095 STATUS_INTEGER_OVERFLOW	{EXCEPTION} In
0xC0000096 STATUS_PRIVILEGED_INSTRUCTION	{EXCEPTION} P
0xC0000097 STATUS_TOO_MANY_PAGING_FILES	An attempt wa than the syster
0xC0000098 STATUS_FILE_INVALID	The volume for that the opene
0xC0000099 STATUS_ALLOTTED_SPACE_EXCEEDED	When a block c updates, such a discretionary ac information, su amount of mer quota might al processes that reasonable to a Instead, a requ has been allott STATUS_ALLOT
0xC000009A STATUS_INSUFFICIENT_RESOURCES	Insufficient syst API.
0xC000009B STATUS_DFS_EXIT_PATH_FOUND	An attempt has control file.
0xC000009C STATUS_DEVICE_DATA_ERROR	There are bad b
0xC000009D STATUS_DEVICE_NOT_CONNECTED	There is bad ca controller is no
0xC000009F STATUS_FREE_VM_NOT_AT_BASE	Virtual memory address is not t of zero was spe

0xC00000A0 STATUS_MEMORY_NOT_ALLOCATED	An attempt wa not allocated.
0xC00000A1 STATUS_WORKING_SET_QUOTA	The working se requested page
0xC00000A2 STATUS_MEDIA_WRITE_PROTECTED	{Write Protect E because it is wr protection from
0xC00000A3 STATUS_DEVICE_NOT_READY	{Drive Not Read door might be that a disk is in closed.
0xC00000A4 STATUS_INVALID_GROUP_ATTRIBUTES	The specified at with the attribu
0xC00000A5 STATUS_BAD_IMPERSONATION_LEVEL	A specified imp indicate that a provided.
0xC00000A6 STATUS_CANT_OPEN_ANONYMOUS	An attempt wa token. Anonym
0xC00000A7 STATUS_BAD_VALIDATION_CLASS	The validation i
0xC00000A8 STATUS_BAD_TOKEN_TYPE	The type of a to attempted use.
0xC00000A9 STATUS_BAD_MASTER_BOOT_RECORD	The type of a to attempted use.
0xC00000AA STATUS_INSTRUCTION_MISALIGNMENT	An attempt wa unaligned addr support unalign
0xC00000AB STATUS_INSTANCE_NOT_AVAILABLE	The maximum r reached.
0xC00000AC STATUS_PIPE_NOT_AVAILABLE	An instance of listening state.
0xC00000AD STATUS_INVALID_PIPE_STATE	The named pip state.
0xC00000AE STATUS_PIPE_BUSY	The specified pi there are currer cannot be chan
0xC00000AF STATUS_ILLEGAL_FUNCTION	The specified ha the named pipe
0xC00000B0 STATUS_PIPE_DISCONNECTED	The specified na
0xC00000B1 STATUS_PIPE_CLOSING	The specified na
0xC00000B2 STATUS_PIPE_CONNECTED	The specified na

0xC00000B3 STATUS_PIPE_LISTENING	The specified na
0xC00000B4 STATUS_INVALID_READ_MODE	The specified na
0xC00000B5 STATUS_IO_TIMEOUT	{Device Timeou was not comple expired.
0xC00000B6 STATUS_FILE_FORCED_CLOSED	The specified fil
0xC00000B7 STATUS_PROFILING_NOT_STARTED	Profiling is not
0xC00000B8 STATUS_PROFILING_NOT_STOPPED	Profiling is not
0xC00000B9 STATUS_COULD_NOT_INTERPRET	The passed ACl required inform
0xC00000BA STATUS_FILE_IS_A_DIRECTORY	The file that wa and the caller s directory.
0xC00000BB STATUS_NOT_SUPPORTED	The request is r
0xC00000BC STATUS_REMOTE_NOT_LISTENING	This remote col
0xC00000BD STATUS_DUPLICATE_NAME	A duplicate nar
0xC00000BE STATUS_BAD_NETWORK_PATH	The network pa
0xC00000BF STATUS_NETWORK_BUSY	The network is
0xC00000C0 STATUS_DEVICE_DOES_NOT_EXIST	This device doe
0xC00000C1 STATUS_TOO_MANY_COMMANDS	The network Bl
0xC00000C2 STATUS_ADAPTER_HARDWARE_ERROR	An I/O adapter
0xC00000C3 STATUS_INVALID_NETWORK_RESPONSE	The network re
0xC00000C4 STATUS_UNEXPECTED_NETWORK_ERROR	An unexpected
0xC00000C5 STATUS_BAD_REMOTE_ADAPTER	The remote ad;
0xC00000C6	The print queue

STATUS_PRINT_QUEUE_FULL	
0xC00000C7 STATUS_NO_SPOOL_SPACE	Space to store not available or
0xC00000C8 STATUS_PRINT_CANCELLED	The requested
0xC00000C9 STATUS_NETWORK_NAME_DELETED	The network na
0xC00000CA STATUS_NETWORK_ACCESS_DENIED	Network access
0xC00000CB STATUS_BAD_DEVICE_TYPE	{Incorrect Netw device type (LP device type on
0xC00000CC STATUS_BAD_NETWORK_NAME	{Network Name cannot be foun
0xC00000CD STATUS_TOO_MANY_NAMES	The name limit local computer
0xC00000CE STATUS_TOO_MANY_SESSIONS	The network BI
0xC00000CF STATUS_SHARING_PAUSED	File sharing has
0xC00000D0 STATUS_REQUEST_NOT_ACCEPTED	No more conne computer at th already accepte connections.
0xC00000D1 STATUS_REDIRECTOR_PAUSED	Print or disk re
0xC00000D2 STATUS_NET_WRITE_FAULT	A network data
0xC00000D3 STATUS_PROFILING_AT_LIMIT	The number of maximum and
0xC00000D4 STATUS_NOT_SAME_DEVICE	{Incorrect Volu request is locat source of the re
0xC00000D5 STATUS_FILE_RENAMED	The specified fil be modified.
0xC00000D6 STATUS_VIRTUAL_CIRCUIT_CLOSED	{Network Reque server has been interval for a re
0xC00000D7 STATUS_NO_SECURITY_ON_OBJECT	Indicates an att security of an c associated with
0xC00000D8 STATUS_CANT_WAIT	Used to indicat without blockin

0xC00000D9 STATUS_PIPE_EMPTY	Used to indicat an empty pipe.
0xC00000DA STATUS_CANT_ACCESS_DOMAIN_INFO	Configuration i domain control unavailable or a
0xC00000DB STATUS_CANT_TERMINATE_SELF	Indicates that a by default (calle it was the last t
0xC00000DC STATUS_INVALID_SERVER_STATE	Indicates the Sa perform the de
0xC00000DD STATUS_INVALID_DOMAIN_STATE	Indicates the d perform the de
0xC00000DE STATUS_INVALID_DOMAIN_ROLE	This operation i controller of the
0xC00000DF STATUS_NO_SUCH_DOMAIN	The specified d
0xC00000E0 STATUS_DOMAIN_EXISTS	The specified d
0xC00000E1 STATUS_DOMAIN_LIMIT_EXCEEDED	An attempt wa number of dom
0xC00000E2 STATUS_OPLOCK_NOT_GRANTED	An error status (oplock) reques
0xC00000E3 STATUS_INVALID_OPLOCK_PROTOCOL	An error status opportunistic lo received by a fi
0xC00000E4 STATUS_INTERNAL_DB_CORRUPTION	This error indica cannot be com failure or an on
0xC00000E5 STATUS_INTERNAL_ERROR	An internal erro
0xC00000E6 STATUS_GENERIC_NOT_MAPPED	Indicates gener access mask wh generic access t
0xC00000E7 STATUS_BAD_DESCRIPTOR_FORMAT	Indicates a secu format (absolut
0xC00000E8 STATUS_INVALID_USER_BUFFER	An access to a in time. This co not want to ac filter.
0xC00000E9 STATUS_UNEXPECTED_IO_ERROR	If an I/O error t filter is returne which is guaran information is l handles the exc

0xC00000EA STATUS_UNEXPECTED_MM_CREATE_ERR	If an MM error FsRtl filter is ret following errors filter. In this cas filter correctly h
0xC00000EB STATUS_UNEXPECTED_MM_MAP_ERROR	If an MM error FsRtl filter is ret following errors filter. In this cas filter correctly h
0xC00000EC STATUS_UNEXPECTED_MM_EXTEND_ERR	If an MM error FsRtl filter is ret following errors filter. In this cas filter correctly h
0xC00000ED STATUS_NOT_LOGON_PROCESS	The requested processes only. as a logon proc
0xC00000EE STATUS_LOGON_SESSION_EXISTS	An attempt has manager or LS/ already in use.
0xC00000EF STATUS_INVALID_PARAMETER_1	An invalid para function as the
0xC00000F0 STATUS_INVALID_PARAMETER_2	An invalid para function as the
0xC00000F1 STATUS_INVALID_PARAMETER_3	An invalid para function as the
0xC00000F2 STATUS_INVALID_PARAMETER_4	An invalid para function as the
0xC00000F3 STATUS_INVALID_PARAMETER_5	An invalid para function as the
0xC00000F4 STATUS_INVALID_PARAMETER_6	An invalid para function as the
0xC00000F5 STATUS_INVALID_PARAMETER_7	An invalid para function as the
0xC00000F6 STATUS_INVALID_PARAMETER_8	An invalid para function as the
0xC00000F7 STATUS_INVALID_PARAMETER_9	An invalid para function as the
0xC00000F8 STATUS_INVALID_PARAMETER_10	An invalid para function as the
0xC00000F9 STATUS_INVALID_PARAMETER_11	An invalid para function as the
0xC00000FA STATUS_INVALID_PARAMETER_12	An invalid para function as the
0xC00000FB 	An attempt wa the network so

STATUS_REDIRECTOR_NOT_STARTED	
0xC00000FC STATUS_REDIRECTOR_STARTED	An attempt wa redirector has a
0xC00000FD STATUS_STACK_OVERFLOW	A new guard p
0xC00000FE STATUS_NO_SUCH_PACKAGE	A specified auth
0xC00000FF STATUS_BAD_FUNCTION_TABLE	A malformed fu an unwind ope
0xC0000100 STATUS_VARIABLE_NOT_FOUND	Indicates the sp was not found
0xC0000101 STATUS_DIRECTORY_NOT_EMPTY	Indicates that t empty.
0xC0000102 STATUS_FILE_CORRUPT_ERROR	{Corrupt File} T unreadable. Ru
0xC0000103 STATUS_NOT_A_DIRECTORY	A requested op
0xC0000104 STATUS_BAD_LOGON_SESSION_STATE	The logon sessi with the reques
0xC0000105 STATUS_LOGON_SESSION_COLLISION	An internal LSA package has re but the ID of ar been specified.
0xC0000106 STATUS_NAME_TOO_LONG	A specified nam use.
0xC0000107 STATUS_FILES_OPEN	The user attem redirected drive drive, and the u force.
0xC0000108 STATUS_CONNECTION_IN_USE	The user attem redirected drive the drive, and t of force.
0xC0000109 STATUS_MESSAGE_NOT_FOUND	RtlFindMessage message ID in t
0xC000010A STATUS_PROCESS_IS_TERMINATING	An attempt wa into or out of a
0xC000010B STATUS_INVALID_LOGON_TYPE	Indicates an inv LogonType req
0xC000010C STATUS_NO_GUID_TRANSLATION	Indicates that a protection to a the SIDs in the translated into system. This ca which might ca

0xC000010D STATUS_CANNOT_IMPERSONATE	Indicates that a impersonate via read from.
0xC000010E STATUS_IMAGE_ALREADY_LOADED	Indicates that t
0xC0000117 STATUS_NO_LDT	Indicates that a size of the LDT
0xC0000118 STATUS_INVALID_LDT_SIZE	Indicates that a by setting its si number of sele
0xC0000119 STATUS_INVALID_LDT_OFFSET	Indicates that t information wa selector size.
0xC000011A STATUS_INVALID_LDT_DESCRIPTOR	Indicates that t when trying to
0xC000011B STATUS_INVALID_IMAGE_NE_FORMAT	The specified in format. It appe
0xC000011C STATUS_RXACT_INVALID_STATE	Indicates that t subtree is incor For example, a transaction wit has been made not currently in
0xC000011D STATUS_RXACT_COMMIT_FAILURE	Indicates an err transaction con unknown, but p of the registry
0xC000011E STATUS_MAPPED_FILE_SIZE_ZERO	An attempt wa the maximum s
0xC000011F STATUS_TOO_MANY_OPENED_FILES	Too many files error should on redirector on a
0xC0000120 STATUS_CANCELLED	The I/O request
0xC0000121 STATUS_CANNOT_DELETE	An attempt has directory that c
0xC0000122 STATUS_INVALID_COMPUTER_NAME	Indicates a nam computer name
0xC0000123 STATUS_FILE_DELETED	An I/O request file after it was request that did was closed via I
0xC0000124 STATUS_SPECIAL_ACCOUNT	Indicates an op in accounts has SAM account. F be deleted.
0xC0000125 STATUS_SPECIAL_GROUP	The operation specified group

0xC0000126 STATUS_SPECIAL_USER	The operation r specified user b
0xC0000127 STATUS_MEMBERS_PRIMARY_GROUP	Indicates a mer because the gr group.
0xC0000128 STATUS_FILE_CLOSED	An I/O request special case op object that had
0xC0000129 STATUS_TOO_MANY_THREADS	Indicates a pro the requested a primary token c has zero or one
0xC000012A STATUS_THREAD_NOT_IN_PROCESS	An attempt wa: specific process specified proce:
0xC000012B STATUS_TOKEN_ALREADY_IN_USE	An attempt wa: a primary toker token can only at a time.
0xC000012C STATUS_PAGEFILE_QUOTA_EXCEEDED	The page file qi
0xC000012D STATUS_COMMITMENT_LIMIT	{Out of Virtual memory. To en: increase the siz For more inforr
0xC000012E STATUS_INVALID_IMAGE_LE_FORMAT	The specified in format: it appe:
0xC000012F STATUS_INVALID_IMAGE_NOT_MZ	The specified in format: it did n
0xC0000130 STATUS_INVALID_IMAGE_PROTECT	The specified in format: it did n header.
0xC0000131 STATUS_INVALID_IMAGE_WIN_16	The specified in format: it appe:
0xC0000132 STATUS_LOGON_SERVER_CONFLICT	The Netlogon s Netlogon servic the specified ro
0xC0000133 STATUS_TIME_DIFFERENCE_AT_DC	The time at the from the time a member server
0xC0000134 STATUS_SYNCHRONIZATION_REQUIRED	On applicable V database is sigr the copy on th synchronizatior
0xC0000135 STATUS_DLL_NOT_FOUND	{Unable To Loc failed to start b the application
0xC0000136 STATUS_OPEN_FAILED	The NtCreateFi returned to an Windows LAN internal error-n

0xC0000137 STATUS_IO_PRIVILEGE_FAILED	{Privilege Failed could not be ch
0xC0000138 STATUS_ORDINAL_NOT_FOUND	{Ordinal Not Fo located in the c
0xC0000139 STATUS_ENTRYPOINT_NOT_FOUND	{Entry Point No %hs could not %hs.
0xC000013A STATUS_CONTROL_C_EXIT	{Application Exi terminated as a
0xC000013B STATUS_LOCAL_DISCONNECT	{Virtual Circuit computer has c might or might
0xC000013C STATUS_REMOTE_DISCONNECT	{Virtual Circuit remote comput There might or outstanding.
0xC000013D STATUS_REMOTE_RESOURCES	{Insufficient Res remote comput complete the n remote comput memory to car
0xC000013E STATUS_LINK_FAILED	{Virtual Circuit circuit) has bee There is probab software protoc remote compu
0xC000013F STATUS_LINK_TIMEOUT	{Virtual Circuit computer has c had to wait toc computer.
0xC0000140 STATUS_INVALID_CONNECTION	The connection transport was i
0xC0000141 STATUS_INVALID_ADDRESS	The address ha was invalid.
0xC0000142 STATUS_DLL_INIT_FAILED	{DLL Initializati link library %hs abnormally.
0xC0000143 STATUS_MISSING_SYSTEMFILE	{Missing Syster bad or missing.
0xC0000144 STATUS_UNHANDLED_EXCEPTION	{Application Err occurred in the
0xC0000145 STATUS_APP_INIT_FAILURE	{Application Err properly (0x%lx application.
0xC0000146 STATUS_PAGEFILE_CREATE_FAILED	{Unable to Crea paging file %hs %ld.
0xC0000147 STATUS_NO_PAGEFILE	{No Paging File in the system c

0xC0000148 STATUS_INVALID_LEVEL	{Incorrect Syste passed into the
0xC0000149 STATUS_WRONG_PASSWORD_CORE	{Incorrect Passw specified an inc or MS-NET serv
0xC000014A STATUS_ILLEGAL_FLOAT_CONTEXT	{EXCEPTION} A floating-point i is not present.
0xC000014B STATUS_PIPE_BROKEN	The pipe operat of the pipe has
0xC000014C STATUS_REGISTRY_CORRUPT	{The Registry Is files that contai of the file in me be recovered be absent or corru
0xC000014D STATUS_REGISTRY_IO_FAILED	An I/O operatio cannot be reco write out, or flu system's image
0xC000014E STATUS_NO_EVENT_PAIR	An event pair s performed usin event pair obje associated with
0xC000014F STATUS_UNRECOGNIZED_VOLUME	The volume do Be sure that all and that the vo
0xC0000150 STATUS_SERIAL_NO_DEVICE_INITED	No serial device driver will unloa
0xC0000151 STATUS_NO_SUCH_ALIAS	The specified lo
0xC0000152 STATUS_MEMBER_NOT_IN_ALIAS	The specified ac group.
0xC0000153 STATUS_MEMBER_IN_ALIAS	The specified ac the group.
0xC0000154 STATUS_ALIAS_EXISTS	The specified lo
0xC0000155 STATUS_LOGON_NOT_GRANTED	A requested typ network, and se security policy administrator to
0xC0000156 STATUS_TOO_MANY_SECRETS	The maximum a single system of secrets is lim export restricti
0xC0000157 STATUS_SECRET_TOO_LONG	The length of a length. The len satisfy U.S. Stat
0xC0000158 STATUS_INTERNAL_DB_ERROR	The local securi an internal inco

0xC0000159 STATUS_FULLSCREEN_MODE	The requested screen mode.
0xC000015A STATUS_TOO_MANY_CONTEXT_IDS	During a logon accumulated to unusual situatic or local groups to incorporate
0xC000015B STATUS_LOGON_TYPE_NOT_GRANTED	A user has requ interactive or n administrator h interactively an
0xC000015C STATUS_NOT_REGISTRY_FILE	The system has into the registr format of a reg
0xC000015D STATUS_NT_CROSS_ENCRYPTION_REQUIRED	An attempt wa: the security acc necessary Wind
0xC000015E STATUS_DOMAIN_CTRLR_CONFIG_ERROR	A domain serve
0xC000015F STATUS_FT_MISSING_MEMBER	An attempt wa: secondary copy the fault tolerar not present in t
0xC0000160 STATUS_ILL_FORMED_SERVICE_ENTRY	A configuration service entry w required value
0xC0000161 STATUS_ILLEGAL_CHARACTER	An illegal chara character set, tl succeeding trai this includes th
0xC0000162 STATUS_UNMAPPABLE_CHARACTER	No mapping fo target multibyt
0xC0000163 STATUS_UNDEFINED_CHARACTER	The Unicode ch character set th
0xC0000164 STATUS_FLOPPY_VOLUME	The paging file
0xC0000165 STATUS_FLOPPY_ID_MARK_NOT_FOUND	{Floppy Disk Er ID address mar
0xC0000166 STATUS_FLOPPY_WRONG_CYLINDER	{Floppy Disk Er track address fr different from t the controller.
0xC0000167 STATUS_FLOPPY_UNKNOWN_ERROR	{Floppy Disk Er an error that is driver.
0xC0000168 STATUS_FLOPPY_BAD_REGISTERS	{Floppy Disk Er controller retur registers.
0xC0000169 STATUS_DISK_RECALIBRATE_FAILED	{Hard Disk Erro recalibrate oper

0xC000016A STATUS_DISK_OPERATION_FAILED	{Hard Disk Erro operation failed
0xC000016B STATUS_DISK_RESET_FAILED	{Hard Disk Erro controller reset
0xC000016C STATUS_SHARED_IRQ_BUSY	An attempt was sharing an inte At least one oth already opened share an IRQ ar supported for t use.
0xC000016D STATUS_FT_ORPHANING	{FT Orphaning} volume can no
0xC000016E STATUS_BIOS_FAILED_TO_CONNECT_INTERRUPT	The basic input connect a syste which the devic
0xC0000172 STATUS_PARTITION_FAILURE	The tape could
0xC0000173 STATUS_INVALID_BLOCK_LENGTH	When accessing partition, the cu
0xC0000174 STATUS_DEVICE_NOT_PARTITIONED	The tape partiti when loading a
0xC0000175 STATUS_UNABLE_TO_LOCK_MEDIA	An attempt to
0xC0000176 STATUS_UNABLE_TO_UNLOAD_MEDIA	An attempt to
0xC0000177 STATUS_EOM_OVERFLOW	The physical en
0xC0000178 STATUS_NO_MEDIA	{No Media} The media into driv
0xC000017A STATUS_NO_SUCH_MEMBER	A member coul the local group
0xC000017B STATUS_INVALID_MEMBER	A new member because the me
0xC000017C STATUS_KEY_DELETED	An illegal opera that has been r
0xC000017D STATUS_NO_LOG_SPACE	The system cou registry log.
0xC000017E STATUS_TOO_MANY_SIDS	Too many SIDs
0xC000017F STATUS_LM_CROSS_ENCRYPTION_REQUIRED	An attempt was the security ac necessary LM c

0xC0000180 STATUS_KEY_HAS_CHILDREN	An attempt wa registry key tha
0xC0000181 STATUS_CHILD_MUST_BE_VOLATILE	An attempt wa a volatile paren
0xC0000182 STATUS_DEVICE_CONFIGURATION_ERROR	The I/O device configuration p
0xC0000183 STATUS_DRIVER_INTERNAL_ERROR	An error was de an I/O driver.
0xC0000184 STATUS_INVALID_DEVICE_STATE	The device is no request.
0xC0000185 STATUS_IO_DEVICE_ERROR	The I/O device
0xC0000186 STATUS_DEVICE_PROTOCOL_ERROR	A protocol erro the device.
0xC0000187 STATUS_BACKUP_CONTROLLER	This operation i controller of th
0xC0000188 STATUS_LOG_FILE_FULL	The log file spa operation.
0xC0000189 STATUS_TOO_LATE	A write operatio was dismounte
0xC000018A STATUS_NO_TRUST_LSA_SECRET	The workstatior primary domair
0xC000018B STATUS_NO_TRUST_SAM_ACCOUNT	On applicable V database does workstation tru
0xC000018C STATUS_TRUSTED_DOMAIN_FAILURE	The logon requ relationship bet trusted domain
0xC000018D STATUS_TRUSTED_RELATIONSHIP_FAILURE	The logon requ relationship bet domain failed.
0xC000018E STATUS_EVENTLOG_FILE_CORRUPT	The Eventlog lo
0xC000018F STATUS_EVENTLOG_CANT_START	No Eventlog log service did not
0xC0000190 STATUS_TRUST_FAILURE	The network log validation auth
0xC0000191 STATUS_MUTANT_LIMIT_EXCEEDED	An attempt wa its maximum co
0xC0000192 STATUS_NETLOGON_NOT_STARTED	An attempt wa service was not
0xC0000193	The user accou

STATUS_ACCOUNT_EXPIRED	
0xC0000194 STATUS_POSSIBLE_DEADLOCK	{EXCEPTION} P
0xC0000195 STATUS_NETWORK_CREDENTIAL_CONFLICT	Multiple conne by the same us are not allowed to the server o
0xC0000196 STATUS_REMOTE_SESSION_LIMIT	An attempt wa network server, sessions establi
0xC0000197 STATUS_EVENTLOG_FILE_CHANGED	The log file has
0xC0000198 STATUS_NOLOGON_INTERDOMAIN_TRUST_ACCOUNT	The account us Use your globa access this serv
0xC0000199 STATUS_NOLOGON_WORKSTATION_TRUST_ACCOUNT	The account us global user acc this server.
0xC000019A STATUS_NOLOGON_SERVER_TRUST_ACCOUNT	The account us global user acc this server.
0xC000019B STATUS_DOMAIN_TRUST_INCONSISTENT	The name or SI inconsistent wi domain.
0xC000019C STATUS_FS_DRIVER_REQUIRED	A volume has b driver is require
0xC000019D STATUS_IMAGE_ALREADY_LOADED_AS_DLL	Indicates that t a DLL.
0xC000019E STATUS_INCOMPATIBLE_WITH_GLOBAL_SHORT_NAME_REGISTRY_SETTING	Short name set volume due to
0xC000019F STATUS_SHORT_NAMES_NOT_ENABLED_ON_VOLUME	Short names ar
0xC00001A0 STATUS_SECURITY_STREAM_IS_INCONSISTENT	The security str inconsistent sta
0xC00001A1 STATUS_INVALID_LOCK_RANGE	A requested file due to an inval
0xC00001A2 STATUS_INVALID_ACE_CONDITION	The specified a invalid conditio
0xC00001A3 STATUS_IMAGE_SUBSYSTEM_NOT_PRESENT	The subsystem not present.
0xC00001A4 STATUS_NOTIFICATION_GUID_ALREADY_DEFINED	The specified fil associated with
0xC0000201 STATUS_NETWORK_OPEN_RESTRICTION	A remote open restrictions wer
0xC0000202	There is no use session.

STATUS_NO_USER_SESSION_KEY	
0xC0000203 STATUS_USER_SESSION_DELETED	The remote use
0xC0000204 STATUS_RESOURCE_LANG_NOT_FOUND	Indicates the sp be found in the
0xC0000205 STATUS_INSUFF_SERVER_RESOURCES	Insufficient serv request.
0xC0000206 STATUS_INVALID_BUFFER_SIZE	The size of the operation.
0xC0000207 STATUS_INVALID_ADDRESS_COMPONENT	The transport r as invalid.
0xC0000208 STATUS_INVALID_ADDRESS_WILDCARD	The transport r due to invalid u
0xC0000209 STATUS_TOO_MANY_ADDRESSES	The transport a all the available
0xC000020A STATUS_ADDRESS_ALREADY_EXISTS	The transport a already exists.
0xC000020B STATUS_ADDRESS_CLOSED	The transport a
0xC000020C STATUS_CONNECTION_DISCONNECTED	The transport c
0xC000020D STATUS_CONNECTION_RESET	The transport c
0xC000020E STATUS_TOO_MANY_NODES	The transport c nodes.
0xC000020F STATUS_TRANSACTION_ABORTED	The transport a
0xC0000210 STATUS_TRANSACTION_TIMED_OUT	The transport t response.
0xC0000211 STATUS_TRANSACTION_NO_RELEASE	The transport c response.
0xC0000212 STATUS_TRANSACTION_NO_MATCH	The transport c the specific tok
0xC0000213 STATUS_TRANSACTION_RESPONDED	The transport h transaction req
0xC0000214 STATUS_TRANSACTION_INVALID_ID	The transport c transaction req
0xC0000215 STATUS_TRANSACTION_INVALID_TYPE	The transport c transaction req

0xC0000216 STATUS_NOT_SERVER_SESSION	The transport o on the server si
0xC0000217 STATUS_NOT_CLIENT_SESSION	The transport o on the client si
0xC0000218 STATUS_CANNOT_LOAD_REGISTRY_FILE	{Registry File Fa (file): %hs or its or not writable.
0xC0000219 STATUS_DEBUG_ATTACH_FAILED	{Unexpected Fa unexpected fail DebugActivePro terminate the p ignore the erro
0xC000021A STATUS_SYSTEM_PROCESS_TERMINATED	{Fatal System E terminated une (0x%08x 0x%08
0xC000021B STATUS_DATA_NOT_ACCEPTED	{Data Not Acce the data receive
0xC000021C STATUS_NO_BROWSER_SERVERS_FOUND	{Unable to Retr servers for this
0xC000021D STATUS_VDM_HARD_ERROR	NTVDM encou
0xC000021E STATUS_DRIVER_CANCEL_TIMEOUT	{Cancel Timeou canceled I/O re
0xC000021F STATUS_REPLY_MESSAGE_MISMATCH	{Reply Message reply to an LPC the client ID in message.
0xC0000220 STATUS_MAPPED_ALIGNMENT	{Mapped View made to map a base address o aligned on the
0xC0000221 STATUS_IMAGE_CHECKSUM_MISMATCH	{Bad Image Ch corrupt. The he computed chec
0xC0000222 STATUS_LOST_WRITEBEHIND_DATA	{Delayed Write the data for the error might be hardware or ne elsewhere.
0xC0000223 STATUS_CLIENT_SERVER_PARAMETERS_INVALID	The parameters client/server sh much data mig memory windo
0xC0000224 STATUS_PASSWORD_MUST_CHANGE	The user passw on the first tim
0xC0000225 STATUS_NOT_FOUND	The object was
0xC0000226 STATUS_NOT_TINY_STREAM	The stream is n

0xC0000227 STATUS_RECOVERY_FAILURE	A transaction r
0xC0000228 STATUS_STACK_OVERFLOW_READ	The request mu code.
0xC0000229 STATUS_FAIL_CHECK	A consistency
0xC000022A STATUS_DUPLICATE_OBJECTID	The attempt to because the ID
0xC000022B STATUS_OBJECTID_EXISTS	The attempt to object already
0xC000022C STATUS_CONVERT_TO_LARGE	Internal OFS st operation is ha containing oNc converted to a
0xC000022D STATUS_RETRY	The request ne
0xC000022E STATUS_FOUND_OUT_OF_SCOPE	The attempt to volume that ma scope of the ha
0xC000022F STATUS_ALLOCATE_BUCKET	The bucket arra transaction afte
0xC0000230 STATUS_PROPSET_NOT_FOUND	The specified p object.
0xC0000231 STATUS_MARSHALL_OVERFLOW	The user/kerne
0xC0000232 STATUS_INVALID_VARIANT	The supplied va
0xC0000233 STATUS_DOMAIN_CONTROLLER_NOT_FOUND	A domain cont
0xC0000234 STATUS_ACCOUNT_LOCKED_OUT	The user accou because too ma password chan
0xC0000235 STATUS_HANDLE_NOT_CLOSABLE	NtClose was ca from close via
0xC0000236 STATUS_CONNECTION_REFUSED	The transport- remote system.
0xC0000237 STATUS_GRACEFUL_DISCONNECT	The transport
0xC0000238 STATUS_ADDRESS_ALREADY_ASSOCIATED	The transport e associated with
0xC0000239 STATUS_ADDRESS_NOT_ASSOCIATED	An address has transport endp

0xC000023A STATUS_CONNECTION_INVALID	An operation w transport conne
0xC000023B STATUS_CONNECTION_ACTIVE	An invalid oper transport conne
0xC000023C STATUS_NETWORK_UNREACHABLE	The remote net
0xC000023D STATUS_HOST_UNREACHABLE	The remote sys
0xC000023E STATUS_PROTOCOL_UNREACHABLE	The remote sys protocol.
0xC000023F STATUS_PORT_UNREACHABLE	No service is op transport on th
0xC0000240 STATUS_REQUEST_ABORTED	The request wa
0xC0000241 STATUS_CONNECTION_ABORTED	The transport c system.
0xC0000242 STATUS_BAD_COMPRESSION_BUFFER	The specified bu
0xC0000243 STATUS_USER_MAPPED_FILE	The requested file with a user
0xC0000244 STATUS_AUDIT_FAILED	{Audit Failed} A failed.
0xC0000245 STATUS_TIMER_RESOLUTION_NOT_SET	The timer reso current process
0xC0000246 STATUS_CONNECTION_COUNT_LIMIT	A connection to because the lim connections for
0xC0000247 STATUS_LOGIN_TIME_RESTRICTION	Attempting to day for this acc
0xC0000248 STATUS_LOGIN_WKSTA_RESTRICTION	The account is station.
0xC0000249 STATUS_IMAGE_MP_UP_MISMATCH	{UP/MP Image modified for us are running it c the image file.
0xC0000250 STATUS_INSUFFICIENT_LOGON_INFO	There is insuffic on.
0xC0000251 STATUS_BAD_DLL_ENTRYPOINT	{Invalid DLL Ent is not written c in an inconsiste declared as WIN DLL load. Selec NO might caus

0xC0000252 STATUS_BAD_SERVICE_ENTRYPOINT	{Invalid Service not written cor in an inconsiste should be decla OK will cause th However, the se incorrectly.
0xC0000253 STATUS_LPC_REPLY_LOST	The server rece reply.
0xC0000254 STATUS_IP_ADDRESS_CONFLICT1	There is an IP a the network.
0xC0000255 STATUS_IP_ADDRESS_CONFLICT2	There is an IP a the network.
0xC0000256 STATUS_REGISTRY_QUOTA_LIMIT	{Low On Regist maximum size t the registry. Ad ignored.
0xC0000257 STATUS_PATH_NOT_COVERED	The contacted s part of the DFS
0xC0000258 STATUS_NO_CALLBACK_ACTIVE	A callback retur when no callba
0xC0000259 STATUS_LICENSE_QUOTA_EXCEEDED	The service bein number of conr made to the se has already acc connections.
0xC000025A STATUS_PWD_TOO_SHORT	The password p of your user ac
0xC000025B STATUS_PWD_TOO_RECENT	The policy of yc change passwo prevent users f potentially disc password has b administrator ir assigned.
0xC000025C STATUS_PWD_HISTORY_CONFLICT	You have attem that you have u user account do that you have r
0xC000025E STATUS_PLUGPLAY_NO_DEVICE	You have attem while its device
0xC000025F STATUS_UNSUPPORTED_COMPRESSION	The specified cc
0xC0000260 STATUS_INVALID_HW_PROFILE	The specified ha
0xC0000261 STATUS_INVALID_PLUGPLAY_DEVICE_PATH	The specified Pl invalid.
0xC0000262 STATUS_DRIVER_ORDINAL_NOT_FOUND	{Driver Entry Po could not locate

0xC0000263 STATUS_DRIVER_ENTRYPOINT_NOT_FOUND	{Driver Entry Po could not locate
0xC0000264 STATUS_RESOURCE_NOT_OWNED	{Application Err release a resou terminate the a
0xC0000265 STATUS_TOO_MANY_LINKS	An attempt was than the file sys
0xC0000266 STATUS_QUOTA_LIST_INCONSISTENT	The specified qu its descriptor.
0xC0000267 STATUS_FILE_IS_OFFLINE	The specified fil
0xC0000268 STATUS_EVALUATION_EXPIRATION	{Windows Evalu period for this i This system will to this installati installation by u product.
0xC0000269 STATUS_ILLEGAL_DLL_RELOCATION	{Illegal System was relocated i properly. The re %hs occupied a Windows syste should be cont
0xC000026A STATUS_LICENSE_VIOLATION	{License Violati tampering with violation of you product type is
0xC000026B STATUS_DLL_INIT_FAILED_LOGOFF	{DLL Initializati initialize becaus
0xC000026C STATUS_DRIVER_UNABLE_TO_LOAD	{Unable to Load could not be lo
0xC000026D STATUS_DFS_UNAVAILABLE	DFS is unavaila
0xC000026E STATUS_VOLUME_DISMOUNTED	An operation w dismounted.
0xC000026F STATUS_WX86_INTERNAL_ERROR	An internal erro emulation subs
0xC0000270 STATUS_WX86_FLOAT_STACK_CHECK	Win32 x86 emu check.
0xC0000271 STATUS_VALIDATE_CONTINUE	The validation p next step.
0xC0000272 STATUS_NO_MATCH	There was no n
0xC0000273 STATUS_NO_MORE_MATCHES	There are no m enumeration.
0xC0000275	The NTFS file or

STATUS_NOT_A_REPARSE_POINT		
0xC0000276 STATUS_IO_REPARSE_TAG_INVALID	The Windows I/ reparse point is	
0xC0000277 STATUS_IO_REPARSE_TAG_MISMATCH	The Windows I/ that is in the N	
0xC0000278 STATUS_IO_REPARSE_DATA_INVALID	The user data p invalid.	
0xC0000279 STATUS_IO_REPARSE_TAG_NOT_HANDLED	The layered file handle it when	
0xC0000280 STATUS_REPARSE_POINT_NOT_RESOLVED	The NTFS symb though the init	
0xC0000281 STATUS_DIRECTORY_IS_A_REPARSE_POINT	The NTFS direct	
0xC0000282 STATUS_RANGE_LIST_CONFLICT	The range could because of a co	
0xC0000283 STATUS_SOURCE_ELEMENT_EMPTY	The specified m contains no me	
0xC0000284 STATUS_DESTINATION_ELEMENT_FULL	The specified m already contain	
0xC0000285 STATUS_ILLEGAL_ELEMENT_ADDRESS	The specified m	
0xC0000286 STATUS_MAGAZINE_NOT_PRESENT	The specified el is no longer pre	
0xC0000287 STATUS_REINITIALIZATION_NEEDED	The device requ errors.	
0xC000028A STATUS_ENCRYPTION_FAILED	The file encrypt	
0xC000028B STATUS_DECRYPTION_FAILED	The file decrypt	
0xC000028C STATUS_RANGE_NOT_FOUND	The specified ra list.	
0xC000028D STATUS_NO_RECOVERY_POLICY	There is no enc this system.	
0xC000028E STATUS_NO_EFS	The required en system.	
0xC000028F STATUS_WRONG_EFS	The file was enc driver than is cu	
0xC0000290 STATUS_NO_USER_KEYS	There are no EF	

0xC0000291 STATUS_FILE_NOT_ENCRYPTED	The specified fil
0xC0000292 STATUS_NOT_EXPORT_FORMAT	The specified fil format.
0xC0000293 STATUS_FILE_ENCRYPTED	The specified fil have the ability
0xC0000295 STATUS_WMI_GUID_NOT_FOUND	The GUID pass WMI data prov
0xC0000296 STATUS_WMI_INSTANCE_NOT_FOUND	The instance na by a WMI data
0xC0000297 STATUS_WMI_ITEMID_NOT_FOUND	The data item I by a WMI data
0xC0000298 STATUS_WMI_TRY_AGAIN	The WMI reque be retried.
0xC0000299 STATUS_SHARED_POLICY	The policy obje at the root.
0xC000029A STATUS_POLICY_OBJECT_NOT_FOUND	The policy obje
0xC000029B STATUS_POLICY_ONLY_IN_DS	The requested
0xC000029C STATUS_VOLUME_NOT_UPGRADED	The volume mu
0xC000029D STATUS_REMOTE_STORAGE_NOT_ACTIVE	The remote sto time.
0xC000029E STATUS_REMOTE_STORAGE_MEDIA_ERROR	The remote sto error.
0xC000029F STATUS_NO_TRACKING_SERVICE	The tracking (w
0xC00002A0 STATUS_SERVER_SID_MISMATCH	The server proc different from t
0xC00002A1 STATUS_DS_NO_ATTRIBUTE_OR_VALUE	The specified di not exist.
0xC00002A2 STATUS_DS_INVALID_ATTRIBUTE_SYNTAX	The attribute sy is invalid.
0xC00002A3 STATUS_DS_ATTRIBUTE_TYPE_UNDEFINED	The attribute ty not defined.
0xC00002A4 STATUS_DS_ATTRIBUTE_OR_VALUE_EXISTS	The specified di already exists.

0xC00002A5 STATUS_DS_BUSY	The directory s…
0xC00002A6 STATUS_DS_UNAVAILABLE	The directory s…
0xC00002A7 STATUS_DS_NO_RIDS_ALLOCATED	The directory s… identifier.
0xC00002A8 STATUS_DS_NO_MORE_RIDS	The directory s… relative identifie…
0xC00002A9 STATUS_DS_INCORRECT_ROLE_OWNER	The requested … because the dir… that type of op…
0xC00002AA STATUS_DS_RIDMGR_INIT_ERROR	The directory s… subsystem that…
0xC00002AB STATUS_DS_OBJ_CLASS_VIOLATION	The requested … constraints tha… object.
0xC00002AC STATUS_DS_CANT_ON_NON_LEAF	The directory s… operation only …
0xC00002AD STATUS_DS_CANT_ON_RDN	The directory s… operation on th… attribute of an …
0xC00002AE STATUS_DS_CANT_MOD_OBJ_CLASS	The directory s… the object class…
0xC00002AF STATUS_DS_CROSS_DOM_MOVE_FAILED	An error occurr… move operation…
0xC00002B0 STATUS_DS_GC_NOT_AVAILABLE	Unable to cont…
0xC00002B1 STATUS_DIRECTORY_SERVICE_REQUIRED	The requested … and none was …
0xC00002B2 STATUS_REPARSE_ATTRIBUTE_CONFLICT	The reparse att… incompatible w…
0xC00002B3 STATUS_CANT_ENABLE_DENY_ONLY	A group marke… enabled.
0xC00002B4 STATUS_FLOAT_MULTIPLE_FAULTS	{EXCEPTION} M…
0xC00002B5 STATUS_FLOAT_MULTIPLE_TRAPS	{EXCEPTION} M…
0xC00002B6 STATUS_DEVICE_REMOVED	The device has …
0xC00002B7 STATUS_JOURNAL_DELETE_IN_PROGRESS	The volume cha…
0xC00002B8	The volume cha…

STATUS_JOURNAL_NOT_ACTIVE	
0xC00002B9 STATUS_NOINTERFACE	The requested i
0xC00002C1 STATUS_DS_ADMIN_LIMIT_EXCEEDED	A directory serv
0xC00002C2 STATUS_DRIVER_FAILED_SLEEP	{System Standb support standb the system to g
0xC00002C3 STATUS_MUTUAL_AUTHENTICATION_FAILED	Mutual Authen out of date at t
0xC00002C4 STATUS_CORRUPT_SYSTEM_FILE	The system file replaced.
0xC00002C5 STATUS_DATATYPE_MISALIGNMENT_ERROR	{EXCEPTION} A misalignment e instruction.
0xC00002C6 STATUS_WMI_READ_ONLY	The WMI data i
0xC00002C7 STATUS_WMI_SET_FAILURE	The WMI data i changed.
0xC00002C8 STATUS_COMMITMENT_MINIMUM	{Virtual Memor low on virtual r of your virtual r process, memo might be denie
0xC00002C9 STATUS_REG_NAT_CONSUMPTION	{EXCEPTION} R value is consun
0xC00002CA STATUS_TRANSPORT_FULL	The transport e contains media
0xC00002CB STATUS_DS_SAM_INIT_FAILURE	Security Accoun because of the Click OK to shu Directory Servic for more detail
0xC00002CC STATUS_ONLY_IF_CONNECTED	This operation i connected to th
0xC00002CD STATUS_DS_SENSITIVE_GROUP_VIOLATION	Only an admini of an administr
0xC00002CE STATUS_PNP_RESTART_ENUMERATION	A device was re restarted.
0xC00002CF STATUS_JOURNAL_ENTRY_DELETED	The journal ent
0xC00002D0 STATUS_DS_CANT_MOD_PRIMARYGROUPID	Cannot change controller accou
0xC00002D1 STATUS_SYSTEM_IMAGE_BAD_SIGNATURE	{Fatal System E properly signed signed file. The

0xC00002D2 STATUS_PNP_REBOOT_REQUIRED	The device will
0xC00002D3 STATUS_POWER_STATE_INVALID	The power stat this request.
0xC00002D4 STATUS_DS_INVALID_GROUP_TYPE	The specified gr
0xC00002D5 STATUS_DS_NO_NEST_GLOBALGROUP_IN_MIXEDDOMAIN	In a mixed dom group is securit
0xC00002D6 STATUS_DS_NO_NEST_LOCALGROUP_IN_MIXEDDOMAIN	In a mixed dom other local grou
0xC00002D7 STATUS_DS_GLOBAL_CANT_HAVE_LOCAL_MEMBER	A global group member.
0xC00002D8 STATUS_DS_GLOBAL_CANT_HAVE_UNIVERSAL_MEMBER	A global group member.
0xC00002D9 STATUS_DS_UNIVERSAL_CANT_HAVE_LOCAL_MEMBER	A universal gro member.
0xC00002DA STATUS_DS_GLOBAL_CANT_HAVE_CROSSDOMAIN_MEMBER	A global group
0xC00002DB STATUS_DS_LOCAL_CANT_HAVE_CROSSDOMAIN_LOCAL_MEMBER	A local group c group as a mer
0xC00002DC STATUS_DS_HAVE_PRIMARY_MEMBERS	Cannot change primary membe
0xC00002DD STATUS_WMI_NOT_SUPPORTED	The WMI opera block or metho
0xC00002DE STATUS_INSUFFICIENT_POWER	There is not en operation.
0xC00002DF STATUS_SAM_NEED_BOOTKEY_PASSWORD	The Security Ac password.
0xC00002E0 STATUS_SAM_NEED_BOOTKEY_FLOPPY	The Security Ac key from the flo
0xC00002E1 STATUS_DS_CANT_START	The directory se
0xC00002E2 STATUS_DS_INIT_FAILURE	The directory se following error: shut down this Services Restore detailed inform
0xC00002E3 STATUS_SAM_INIT_FAILURE	The Security Ac because of the Click OK to shu Mode. Check th information.

0xC00002E4 STATUS_DS_GC_REQUIRED	The requested global catalog s
0xC00002E5 STATUS_DS_LOCAL_MEMBER_OF_LOCAL_ONLY	A local group c groups in the s
0xC00002E6 STATUS_DS_NO_FPO_IN_UNIVERSAL_GROUPS	Foreign security universal group
0xC00002E7 STATUS_DS_MACHINE_ACCOUNT_QUOTA_EXCEEDED	Your computer You have excee computer accou domain. Contac this limit reset
0xC00002E9 STATUS_CURRENT_DOMAIN_NOT_ALLOWED	This operation domain.
0xC00002EA STATUS_CANNOT_MAKE	The directory o
0xC00002EB STATUS_SYSTEM_SHUTDOWN	The system is i
0xC00002EC STATUS_DS_INIT_FAILURE_CONSOLE	Directory Servic following error: shut down the console to diag
0xC00002ED STATUS_DS_SAM_INIT_FAILURE_CONSOLE	Security Accoun because of the Click OK to shu recovery conso
0xC00002EE STATUS_UNFINISHED_CONTEXT_DELETED	A security cont completed. This
0xC00002EF STATUS_NO_TGT_REPLY	The client is try server requires reply.
0xC00002F0 STATUS_OBJECTID_NOT_FOUND	An object ID wa
0xC00002F1 STATUS_NO_IP_ADDRESSES	Unable to acco local machine d
0xC00002F2 STATUS_WRONG_CREDENTIAL_HANDLE	The supplied cr credential that
0xC00002F3 STATUS_CRYPTO_SYSTEM_INVALID	The crypto syst because a requ
0xC00002F4 STATUS_MAX_REFERRALS_EXCEEDED	The number of exceeded.
0xC00002F5 STATUS_MUST_BE_KDC	The local machi controller) and
0xC00002F6 STATUS_STRONG_CRYPTO_NOT_SUPPORTED	The other end strong crypto b machine.

0xC00002F7 STATUS_TOO_MANY_PRINCIPALS	The KDC reply name.
0xC00002F8 STATUS_NO_PA_DATA	Expected to find use, but it was
0xC00002F9 STATUS_PKINIT_NAME_MISMATCH	The client certif does not match Contact your a
0xC00002FA STATUS_SMARTCARD_LOGON_REQUIRED	Smart card logo
0xC00002FB STATUS_KDC_INVALID_REQUEST	An invalid requ
0xC00002FC STATUS_KDC_UNABLE_TO_REFER	The KDC was u service request
0xC00002FD STATUS_KDC_UNKNOWN_ETYPE	The encryption the KDC.
0xC00002FE STATUS_SHUTDOWN_IN_PROGRESS	A system shutd
0xC00002FF STATUS_SERVER_SHUTDOWN_IN_PROGRESS	The server mac
0xC0000300 STATUS_NOT_SUPPORTED_ON_SBS	This operation i running Windo Small Business
0xC0000301 STATUS_WMI_GUID_DISCONNECTED	The WMI GUID
0xC0000302 STATUS_WMI_ALREADY_DISABLED	Collection or ev disabled.
0xC0000303 STATUS_WMI_ALREADY_ENABLED	Collection or ev enabled.
0xC0000304 STATUS_MFT_TOO_FRAGMENTED	The master file to complete thi
0xC0000305 STATUS_COPY_PROTECTION_FAILURE	Copy protectio
0xC0000306 STATUS_CSS_AUTHENTICATION_FAILURE	Copy protectio failed.
0xC0000307 STATUS_CSS_KEY_NOT_PRESENT	Copy protectio contain a valid
0xC0000308 STATUS_CSS_KEY_NOT_ESTABLISHED	Copy protectio established.
0xC0000309 STATUS_CSS_SCRAMBLED_SECTOR	Copy protectio sector is encryp
0xC000030A	Copy protectio DVD does not

STATUS_CSS_REGION_MISMATCH	drive.
0xC000030B STATUS_CSS_RESETS_EXHAUSTED	Copy protectio drive might be
0xC0000320 STATUS_PKINIT_FAILURE	The Kerberos p validating the K There is more i
0xC0000321 STATUS_SMARTCARD_SUBSYSTEM_FAILURE	The Kerberos p attempting to u
0xC0000322 STATUS_NO_KERB_KEY	The target serv credentials.
0xC0000350 STATUS_HOST_DOWN	The transport c down.
0xC0000351 STATUS_UNSUPPORTED_PREAUTH	An unsupporte presented to th
0xC0000352 STATUS_EFS_ALG_BLOB_TOO_BIG	The encryption file needs a big used on the de
0xC0000353 STATUS_PORT_NOT_SET	An attempt to made, but a po process.
0xC0000354 STATUS_DEBUGGER_INACTIVE	An attempt to because the po
0xC0000355 STATUS_DS_VERSION_CHECK_FAILURE	This version of behavior versio domain control
0xC0000356 STATUS_AUDITING_DISABLED	The specified ev
0xC0000357 STATUS_PRENT4_MACHINE_ACCOUNT	The machine ac NT 4.0 operatir recreated.
0xC0000358 STATUS_DS_AG_CANT_HAVE_UNIVERSAL_MEMBER	An account gro member.
0xC0000359 STATUS_INVALID_IMAGE_WIN_32	The specified in format; it appea
0xC000035A STATUS_INVALID_IMAGE_WIN_64	The specified in format; it appea
0xC000035B STATUS_BAD_BINDINGS	The client's sup incorrect.
0xC000035C STATUS_NETWORK_SESSION_EXPIRED	The client sessi authenticate to resources.
0xC000035D STATUS_APPHELP_BLOCK	The AppHelp d application fror
0xC000035E STATUS_ALL_SIDS_FILTERED	The SID filterin

0xC000035F STATUS_NOT_SAFE_MODE_DRIVER	The driver was starting in safe
0xC0000361 STATUS_ACCESS_DISABLED_BY_POLICY_DEFAULT	Access to %1 h Administrator b policy level.
0xC0000362 STATUS_ACCESS_DISABLED_BY_POLICY_PATH	Access to %1 h Administrator b on path %3.
0xC0000363 STATUS_ACCESS_DISABLED_BY_POLICY_PUBLISHER	Access to %1 h Administrator b
0xC0000364 STATUS_ACCESS_DISABLED_BY_POLICY_OTHER	Access to %1 h Administrator b
0xC0000365 STATUS_FAILED_DRIVER_ENTRY	The driver was initialization cal
0xC0000366 STATUS_DEVICE_ENUMERATION_ERROR	The device enc or reading the caused by a fail connection.
0xC0000368 STATUS_MOUNT_POINT_NOT_RESOLVED	The create oper contained at lea volume to whic attached.
0xC0000369 STATUS_INVALID_DEVICE_OBJECT_PARAMETER	The device obje device object o specified by the
0xC000036A STATUS_MCA_OCCURED	A machine chec system event lo
0xC000036B STATUS_DRIVER_BLOCKED_CRITICAL	Driver %2 has b
0xC000036C STATUS_DRIVER_BLOCKED	Driver %2 has b
0xC000036D STATUS_DRIVER_DATABASE_ERROR	There was error
0xC000036E STATUS_SYSTEM_HIVE_TOO_LARGE	System hive siz
0xC000036F STATUS_INVALID_IMPORT_OF_NON_DLL	A dynamic link was neither a D
0xC0000371 STATUS_NO_SECRETS	The local accou material for the
0xC0000372 STATUS_ACCESS_DISABLED_NO_SAFER_UI_BY_POLICY	Access to %1 h Administrator b
0xC0000373 STATUS_FAILED_STACK_SWITCH	The system was to perform a st
0xC0000374 STATUS_HEAP_CORRUPTION	A heap has bee

0xC0000380 STATUS_SMARTCARD_WRONG_PIN	An incorrect PI
0xC0000381 STATUS_SMARTCARD_CARD_BLOCKED	The smart card
0xC0000382 STATUS_SMARTCARD_CARD_NOT_AUTHENTICATED	No PIN was pre
0xC0000383 STATUS_SMARTCARD_NO_CARD	No smart card
0xC0000384 STATUS_SMARTCARD_NO_KEY_CONTAINER	The requested smart card.
0xC0000385 STATUS_SMARTCARD_NO_CERTIFICATE	The requested card.
0xC0000386 STATUS_SMARTCARD_NO_KEYSET	The requested
0xC0000387 STATUS_SMARTCARD_IO_ERROR	A communicati detected.
0xC0000388 STATUS_DOWNGRADE_DETECTED	The system det compromise se server that aut
0xC0000389 STATUS_SMARTCARD_CERT_REVOKED	The smart card been revoked. There might be log.
0xC000038A STATUS_ISSUING_CA_UNTRUSTED	An untrusted c processing the authentication.
0xC000038B STATUS_REVOCATION_OFFLINE_C	The revocation is used for auth Contact your s
0xC000038C STATUS_PKINIT_CLIENT_FAILURE	The smart card not trusted. Co
0xC000038D STATUS_SMARTCARD_CERT_EXPIRED	The smart card expired. Contac
0xC000038E STATUS_DRIVER_FAILED_PRIOR_UNLOAD	The driver coul version of the
0xC000038F STATUS_SMARTCARD_SILENT_CONTEXT	The smart card because the co
0xC0000401 STATUS_PER_USER_TRUST_QUOTA_EXCEEDED	The delegated t has been excee
0xC0000402 STATUS_ALL_USER_TRUST_QUOTA_EXCEEDED	The total deleg exceeded.
0xC0000403 STATUS_USER_DELETE_TRUST_QUOTA_EXCEEDED	The delegated t has been excee

0xC0000404 STATUS_DS_NAME_NOT_UNIQUE	The requested identifier.
0xC0000405 STATUS_DS_DUPLICATE_ID_FOUND	The requested cannot be retric
0xC0000406 STATUS_DS_GROUP_CONVERSION_ERROR	The group cann restrictions on
0xC0000407 STATUS_VOLSNAP_PREPARE_HIBERNATE	{Volume Shado Shadow Copy S hibernation.
0xC0000408 STATUS_USER2USER_REQUIRED	Kerberos sub-p
0xC0000409 STATUS_STACK_BUFFER_OVERRUN	The system det buffer in this ap potentially allow this application
0xC000040A STATUS_NO_S4U_PROT_SUPPORT	The Kerberos su service for user domain control user.
0xC000040B STATUS_CROSSREALM_DELEGATION_FAILURE	An attempt wa: Kerberos const that is outside supported and misconfiguratic for this server.
0xC000040C STATUS_REVOCATION_OFFLINE_KDC	The revocation certificate used not be determi the system eve administrator.
0xC000040D STATUS_ISSUING_CA_UNTRUSTED_KDC	An untrusted c processing the authentication. system event lo
0xC000040E STATUS_KDC_CERT_EXPIRED	The domain co logon has expir with the conter
0xC000040F STATUS_KDC_CERT_REVOKED	The domain co logon has been administrator w log.
0xC0000410 STATUS_PARAMETER_QUOTA_EXCEEDED	Data present in the function ca
0xC0000411 STATUS_HIBERNATION_FAILURE	The system has %hs). Hibernati restarted.
0xC0000412 STATUS_DELAY_LOAD_FAILED	An attempt to address in a de
0xC0000413 STATUS_AUTHENTICATION_FIREWALL_FAILED	Logon Failure: protected by ar account is not : machine.

0xC0000414 STATUS_VDM_DISALLOWED	%hs is a 16-bit permissions to your permission
0xC0000415 STATUS_HUNG_DISPLAY_DRIVER_THREAD	{Display Driver driver has stop and reboot the functionality. Th dialog will be d this failure to M
0xC0000416 STATUS_INSUFFICIENT_RESOURCE_FOR_SPECIFIED_SHARED_SECTION_SIZE	The Desktop he allocating sessio in the system e
0xC0000417 STATUS_INVALID_CRUNTIME_PARAMETER	An invalid para function.
0xC0000418 STATUS_NTLM_BLOCKED	The authenticat
0xC0000419 STATUS_DS_SRC_SID_EXISTS_IN_FOREST	The source obje forest.
0xC000041A STATUS_DS_DOMAIN_NAME_EXISTS_IN_FOREST	The domain na exists in the for
0xC000041B STATUS_DS_FLAT_NAME_EXISTS_IN_FOREST	The flat name o the forest.
0xC000041C STATUS_INVALID_USER_PRINCIPAL_NAME	The User Princi
0xC0000420 STATUS_ASSERTION_FAILURE	There has been
0xC0000421 STATUS_VERIFIER_STOP	Application ver process.
0xC0000423 STATUS_CALLBACK_POP_STACK	A user mode ur
0xC0000424 STATUS_INCOMPATIBLE_DRIVER_BLOCKED	%2 has been bl incompatibility software vendo driver.
0xC0000425 STATUS_HIVE_UNLOADED	Illegal operatio has already bee
0xC0000426 STATUS_COMPRESSION_DISABLED	Compression is
0xC0000427 STATUS_FILE_SYSTEM_LIMITATION	The requested to a file system
0xC0000428 STATUS_INVALID_IMAGE_HASH	The hash for im system catalog victim of tampe
0xC0000429 STATUS_NOT_CAPABLE	The implementa request.

0xC000042A STATUS_REQUEST_OUT_OF_SEQUENCE	The requested to other operat
0xC000042B STATUS_IMPLEMENTATION_LIMIT	An operation a implementation
0xC000042C STATUS_ELEVATION_REQUIRED	The requested
0xC000042D STATUS_NO_SECURITY_CONTEXT	The required se
0xC000042E STATUS_PKU2U_CERT_FAILURE	The PKU2U pro attempting to u
0xC0000432 STATUS_BEYOND_VDL	The operation v length of the fil
0xC0000433 STATUS_ENCOUNTERED_WRITE_IN_PROGRESS	The attempted already in prog
0xC0000434 STATUS_PTE_CHANGED	The page fault processing a fa
0xC0000435 STATUS_PURGE_FAILED	The attempt to purge some or
0xC0000440 STATUS_CRED_REQUIRES_CONFIRMATION	The requested
0xC0000441 STATUS_CS_ENCRYPTION_INVALID_SERVER_RESPONSE	The remote ser being opened v
0xC0000442 STATUS_CS_ENCRYPTION_UNSUPPORTED_SERVER	Client Side Encr server even tho
0xC0000443 STATUS_CS_ENCRYPTION_EXISTING_ENCRYPTED_FILE	File is encrypte Encryption mod
0xC0000444 STATUS_CS_ENCRYPTION_NEW_ENCRYPTED_FILE	A new encrypte needs to be pro
0xC0000445 STATUS_CS_ENCRYPTION_FILE_NOT_CSE	The SMB client file.
0xC0000446 STATUS_INVALID_LABEL	Indicates a part as the label of a
0xC0000450 STATUS_DRIVER_PROCESS_TERMINATED	The process ho terminated.
0xC0000451 STATUS_AMBIGUOUS_SYSTEM_DEVICE	The requested s to multiple indi matching the id
0xC0000452 STATUS_SYSTEM_DEVICE_NOT_FOUND	The requested s
0xC0000453	This boot appli

STATUS_RESTART_BOOT_APPLICATION	
0xC0000454 STATUS_INSUFFICIENT_NVRAM_RESOURCES	Insufficient NVF API. A reboot
0xC0000460 STATUS_NO_RANGES_PROCESSED	No ranges for t processed.
0xC0000463 STATUS_DEVICE_FEATURE_NOT_SUPPORTED	The storage de
0xC0000464 STATUS_DEVICE_UNREACHABLE	Data cannot be cannot commu
0xC0000465 STATUS_INVALID_TOKEN	The token repr
0xC0000466 STATUS_SERVER_UNAVAILABLE	The file server i
0xC0000500 STATUS_INVALID_TASK_NAME	The specified ta
0xC0000501 STATUS_INVALID_TASK_INDEX	The specified ta
0xC0000502 STATUS_THREAD_ALREADY_IN_TASK	The specified th
0xC0000503 STATUS_CALLBACK_BYPASS	A callback has
0xC0000602 STATUS_FAIL_FAST_EXCEPTION	A fail fast excep not be invoked immediately.
0xC0000603 STATUS_IMAGE_CERT_REVOKED	Windows canno file. The signing revoked.
0xC0000700 STATUS_PORT_CLOSED	The ALPC port
0xC0000701 STATUS_MESSAGE_LOST	The ALPC mess
0xC0000702 STATUS_INVALID_MESSAGE	The ALPC mess
0xC0000703 STATUS_REQUEST_CANCELED	The ALPC mess
0xC0000704 STATUS_RECURSIVE_DISPATCH	Invalid recursiv
0xC0000705 STATUS_LPC_RECEIVE_BUFFER_EXPECTED	No receive buff request.
0xC0000706 STATUS_LPC_INVALID_CONNECTION_USAGE	The connection

0xC0000707 STATUS_LPC_REQUESTS_NOT_ALLOWED	The ALPC port messages.
0xC0000708 STATUS_RESOURCE_IN_USE	The resource re
0xC0000709 STATUS_HARDWARE_MEMORY_ERROR	The hardware h error.
0xC000070A STATUS_THREADPOOL_HANDLE_EXCEPTION	Status 0x%08x for wait 0x%p, i
0xC000070B STATUS_THREADPOOL_SET_EVENT_ON_COMPLETION_FAILED	After a callback Set event(0x%p
0xC000070C STATUS_THREADPOOL_RELEASE_SEMAPHORE_ON_COMPLETION_FAILED	After a callback ReleaseSemaph 0x%08x.
0xC000070D STATUS_THREADPOOL_RELEASE_MUTEX_ON_COMPLETION_FAILED	After a callback ReleaseMutex(%
0xC000070E STATUS_THREADPOOL_FREE_LIBRARY_ON_COMPLETION_FAILED	After a callback FreeLibrary(%p)
0xC000070F STATUS_THREADPOOL_RELEASED_DURING_OPERATION	The thread poc was posting a c
0xC0000710 STATUS_CALLBACK_RETURNED_WHILE_IMPERSONATING	A thread pool v after a callback indicating that the impersonat
0xC0000711 STATUS_APC_RETURNED_WHILE_IMPERSONATING	A thread pool v after executing that the APC is impersonation.
0xC0000712 STATUS_PROCESS_IS_PROTECTED	Either the targe containing proc
0xC0000713 STATUS_MCA_EXCEPTION	A thread is gett because of MC.
0xC0000714 STATUS_CERTIFICATE_MAPPING_NOT_UNIQUE	The client certif
0xC0000715 STATUS_SYMLINK_CLASS_DISABLED	The symbolic lir is disabled.
0xC0000716 STATUS_INVALID_IDN_NORMALIZATION	Indicates that t normalization.
0xC0000717 STATUS_NO_UNICODE_TRANSLATION	No mapping fo target multi-by
0xC0000718 STATUS_ALREADY_REGISTERED	The provided c
0xC0000719 STATUS_CONTEXT_MISMATCH	The provided c

0xC000071A STATUS_PORT_ALREADY_HAS_COMPLETION_LIST	The specified po
0xC000071B STATUS_CALLBACK_RETURNED_THREAD_PRIORITY	A threadpool w thread base pri This is unexpec restoring the p
0xC000071C STATUS_INVALID_THREAD	An invalid threa operation. Poss specified.
0xC000071D STATUS_CALLBACK_RETURNED_TRANSACTION	A threadpool w left transaction This is unexpec clearing the tra
0xC000071E STATUS_CALLBACK_RETURNED_LDR_LOCK	A threadpool w left the loader l This is unexpec releasing the lo
0xC000071F STATUS_CALLBACK_RETURNED_LANG	A threadpool w left with preferr This is unexpec clearing them.
0xC0000720 STATUS_CALLBACK_RETURNED_PRI_BACK	A threadpool w left with backgr This is unexpec restoring the o
0xC0000800 STATUS_DISK_REPAIR_DISABLED	The attempted enabled.
0xC0000801 STATUS_DS_DOMAIN_RENAME_IN_PROGRESS	The directory se operation beca progress.
0xC0000802 STATUS_DISK_QUOTA_EXCEEDED	An operation fa exceeded.
0xC0000804 STATUS_CONTENT_BLOCKED	An operation fa
0xC0000805 STATUS_BAD_CLUSTERS	The operation clusters on disk
0xC0000806 STATUS_VOLUME_DIRTY	The operation volume is dirty. again.
0xC0000901 STATUS_FILE_CHECKED_OUT	This file is check another user.
0xC0000902 STATUS_CHECKOUT_REQUIRED	The file must be
0xC0000903 STATUS_BAD_FILE_TYPE	The file type be blocked.

0xC0000904 STATUS_FILE_TOO_LARGE	The file size exc saved.
0xC0000905 STATUS_FORMS_AUTH_REQUIRED	Access Denied. you must first k option to log o
0xC0000906 STATUS_VIRUS_INFECTED	The operation o the file contains
0xC0000907 STATUS_VIRUS_DELETED	This file contain to the nature o from this locatio
0xC0000908 STATUS_BAD_MCFG_TABLE	The resources r MCFG table.
0xC0000909 STATUS_CANNOT_BREAK_OPLOCK	The operation o it would cause requested that
0xC0009898 STATUS_WOW_ASSERTION	WOW Assertion
0xC000A000 STATUS_INVALID_SIGNATURE	The cryptograp
0xC000A001 STATUS_HMAC_NOT_SUPPORTED	The cryptograp
0xC000A010 STATUS_IPSEC_QUEUE_OVERFLOW	The IPsec queu
0xC000A011 STATUS_ND_QUEUE_OVERFLOW	The neighbor d
0xC000A012 STATUS_HOPLIMIT_EXCEEDED	An Internet Co limit exceeded
0xC000A013 STATUS_PROTOCOL_NOT_SUPPORTED	The protocol is
0xC000A080 STATUS_LOST_WRITEBEHIND_DATA_NETWORK_DISCONNECTED	{Delayed Write the data for the error might be Try to save this
0xC000A081 STATUS_LOST_WRITEBEHIND_DATA_NETWORK_SERVER_ERROR	{Delayed Write the data for the error was retur exists. Try to sa
0xC000A082 STATUS_LOST_WRITEBEHIND_DATA_LOCAL_DISK_ERROR	{Delayed Write the data for the error might be or the media is
0xC000A083 STATUS_XML_PARSE_ERROR	Windows was u data.
0xC000A084 STATUS_XMLDSIG_ERROR	An error was e digital signatur

0xC000A085 STATUS_WRONG_COMPARTMENT	This indicates th request in the v
0xC000A086 STATUS_AUTHIP_FAILURE	This indicates th attempting to c
0xC000A087 STATUS_DS_OID_MAPPED_GROUP_CANT_HAVE_MEMBERS	OID mapped g
0xC000A088 STATUS_DS_OID_NOT_FOUND	The specified O
0xC000A100 STATUS_HASH_NOT_SUPPORTED	Hash generatio type is not ena
0xC000A101 STATUS_HASH_NOT_PRESENT	The hash reque with the curren
0xC000A2A1 STATUS_OFFLOAD_READ_FLT_NOT_SUPPORTED	A file system fil Offload Read su
0xC000A2A2 STATUS_OFFLOAD_WRITE_FLT_NOT_SUPPORTED	A file system fil Offload Write s
0xC000A2A3 STATUS_OFFLOAD_READ_FILE_NOT_SUPPORTED	Offload read op • Compres • Sparse fil • Encrypte • File syste
0xC000A2A4 STATUS_OFFLOAD_WRITE_FILE_NOT_SUPPORTED	Offload write o • Compres • Sparse fil • Encrypte • File syste
0xC0010001 DBG_NO_STATE_CHANGE	The debugger c
0xC0010002 DBG_APP_NOT_IDLE	The debugger f
0xC0020001 RPC_NT_INVALID_STRING_BINDING	The string bind
0xC0020002 RPC_NT_WRONG_KIND_OF_BINDING	The binding ha
0xC0020003 RPC_NT_INVALID_BINDING	The binding ha
0xC0020004 RPC_NT_PROTSEQ_NOT_SUPPORTED	The RPC protoc
0xC0020005 RPC_NT_INVALID_RPC_PROTSEQ	The RPC protoc
0xC0020006	The string UUII

RPC_NT_INVALID_STRING_UUID	
0xC0020007 RPC_NT_INVALID_ENDPOINT_FORMAT	The endpoint f
0xC0020008 RPC_NT_INVALID_NET_ADDR	The network ac
0xC0020009 RPC_NT_NO_ENDPOINT_FOUND	No endpoint wa
0xC002000A RPC_NT_INVALID_TIMEOUT	The time-out va
0xC002000B RPC_NT_OBJECT_NOT_FOUND	The object UUI
0xC002000C RPC_NT_ALREADY_REGISTERED	The object UUI
0xC002000D RPC_NT_TYPE_ALREADY_REGISTERED	The type UUID
0xC002000E RPC_NT_ALREADY_LISTENING	The RPC server
0xC002000F RPC_NT_NO_PROTSEQS_REGISTERED	No protocol se
0xC0020010 RPC_NT_NOT_LISTENING	The RPC server
0xC0020011 RPC_NT_UNKNOWN_MGR_TYPE	The manager ty
0xC0020012 RPC_NT_UNKNOWN_IF	The interface is
0xC0020013 RPC_NT_NO_BINDINGS	There are no bi
0xC0020014 RPC_NT_NO_PROTSEQS	There are no pr
0xC0020015 RPC_NT_CANT_CREATE_ENDPOINT	The endpoint c
0xC0020016 RPC_NT_OUT_OF_RESOURCES	Insufficient reso operation.
0xC0020017 RPC_NT_SERVER_UNAVAILABLE	The RPC server
0xC0020018 RPC_NT_SERVER_TOO_BUSY	The RPC server operation.
0xC0020019 RPC_NT_INVALID_NETWORK_OPTIONS	The network op

0xC002001A RPC_NT_NO_CALL_ACTIVE	No RPCs are ac
0xC002001B RPC_NT_CALL_FAILED	The RPC failed.
0xC002001C RPC_NT_CALL_FAILED_DNE	The RPC failed
0xC002001D RPC_NT_PROTOCOL_ERROR	An RPC proto
0xC002001F RPC_NT_UNSUPPORTED_TRANS_SYN	The RPC server
0xC0020021 RPC_NT_UNSUPPORTED_TYPE	The type UUID
0xC0020022 RPC_NT_INVALID_TAG	The tag is inva
0xC0020023 RPC_NT_INVALID_BOUND	The array boun
0xC0020024 RPC_NT_NO_ENTRY_NAME	The binding do
0xC0020025 RPC_NT_INVALID_NAME_SYNTAX	The name synt
0xC0020026 RPC_NT_UNSUPPORTED_NAME_SYNTAX	The name synt
0xC0020028 RPC_NT_UUID_NO_ADDRESS	No network ad
0xC0020029 RPC_NT_DUPLICATE_ENDPOINT	The endpoint is
0xC002002A RPC_NT_UNKNOWN_AUTHN_TYPE	The authenticat
0xC002002B RPC_NT_MAX_CALLS_TOO_SMALL	The maximum
0xC002002C RPC_NT_STRING_TOO_LONG	The string is to
0xC002002D RPC_NT_PROTSEQ_NOT_FOUND	The RPC proto
0xC002002E RPC_NT_PROCNUM_OUT_OF_RANGE	The procedure
0xC002002F RPC_NT_BINDING_HAS_NO_AUTH	The binding do information.

0xC0020030 RPC_NT_UNKNOWN_AUTHN_SERVICE	The authentica
0xC0020031 RPC_NT_UNKNOWN_AUTHN_LEVEL	The authentica
0xC0020032 RPC_NT_INVALID_AUTH_IDENTITY	The security co
0xC0020033 RPC_NT_UNKNOWN_AUTHZ_SERVICE	The authorizati
0xC0020034 EPT_NT_INVALID_ENTRY	The entry is inv
0xC0020035 EPT_NT_CANT_PERFORM_OP	The operation
0xC0020036 EPT_NT_NOT_REGISTERED	No more endpc mapper.
0xC0020037 RPC_NT_NOTHING_TO_EXPORT	No interfaces h
0xC0020038 RPC_NT_INCOMPLETE_NAME	The entry name
0xC0020039 RPC_NT_INVALID_VERS_OPTION	The version opt
0xC002003A RPC_NT_NO_MORE_MEMBERS	There are no m
0xC002003B RPC_NT_NOT_ALL_OBJS_UNEXPORTED	There is nothin
0xC002003C RPC_NT_INTERFACE_NOT_FOUND	The interface w
0xC002003D RPC_NT_ENTRY_ALREADY_EXISTS	The entry alrea
0xC002003E RPC_NT_ENTRY_NOT_FOUND	The entry was
0xC002003F RPC_NT_NAME_SERVICE_UNAVAILABLE	The name servi
0xC0020040 RPC_NT_INVALID_NAF_ID	The network ac
0xC0020041 RPC_NT_CANNOT_SUPPORT	The requested
0xC0020042 RPC_NT_NO_CONTEXT_AVAILABLE	No security con impersonation.

0xC0020043 RPC_NT_INTERNAL_ERROR	An internal err
0xC0020044 RPC_NT_ZERO_DIVIDE	The RPC server zero.
0xC0020045 RPC_NT_ADDRESS_ERROR	An addressing
0xC0020046 RPC_NT_FP_DIV_ZERO	A floating point divide by zero.
0xC0020047 RPC_NT_FP_UNDERFLOW	A floating point
0xC0020048 RPC_NT_FP_OVERFLOW	A floating point
0xC0020049 RPC_NT_CALL_IN_PROGRESS	An RPC is alrea
0xC002004A RPC_NT_NO_MORE_BINDINGS	There are no m
0xC002004B RPC_NT_GROUP_MEMBER_NOT_FOUND	The group men
0xC002004C EPT_NT_CANT_CREATE	The endpoint n created.
0xC002004D RPC_NT_INVALID_OBJECT	The object UUI
0xC002004F RPC_NT_NO_INTERFACES	No interfaces h
0xC0020050 RPC_NT_CALL_CANCELLED	The RPC was ca
0xC0020051 RPC_NT_BINDING_INCOMPLETE	The binding ha information.
0xC0020052 RPC_NT_COMM_FAILURE	A communicatic
0xC0020053 RPC_NT_UNSUPPORTED_AUTHN_LEVEL	The requested
0xC0020054 RPC_NT_NO_PRINC_NAME	No principal na
0xC0020055 RPC_NT_NOT_RPC_ERROR	The error specif code.
0xC0020057 RPC_NT_SEC_PKG_ERROR	A security pack

0xC0020058 RPC_NT_NOT_CANCELLED	The thread was
0xC0020062 RPC_NT_INVALID_ASYNC_HANDLE	Invalid asynchr
0xC0020063 RPC_NT_INVALID_ASYNC_CALL	Invalid asynchr operation.
0xC0020064 RPC_NT_PROXY_ACCESS_DENIED	Access to the H
0xC0030001 RPC_NT_NO_MORE_ENTRIES	The list of RPC binding has bee
0xC0030002 RPC_NT_SS_CHAR_TRANS_OPEN_FAIL	The file designa opened.
0xC0030003 RPC_NT_SS_CHAR_TRANS_SHORT_FILE	The file contain fewer than 512
0xC0030004 RPC_NT_SS_IN_NULL_CONTEXT	A null context h
0xC0030005 RPC_NT_SS_CONTEXT_MISMATCH	The context har context handles
0xC0030006 RPC_NT_SS_CONTEXT_DAMAGED	The context har
0xC0030007 RPC_NT_SS_HANDLES_MISMATCH	The binding ha
0xC0030008 RPC_NT_SS_CANNOT_GET_CALL_HANDLE	The stub is una
0xC0030009 RPC_NT_NULL_REF_POINTER	A null reference
0xC003000A RPC_NT_ENUM_VALUE_OUT_OF_RANGE	The enumeratic
0xC003000B RPC_NT_BYTE_COUNT_TOO_SMALL	The byte count
0xC003000C RPC_NT_BAD_STUB_DATA	The stub receiv
0xC0030059 RPC_NT_INVALID_ES_ACTION	Invalid operatic
0xC003005A RPC_NT_WRONG_ES_VERSION	Incompatible ve
0xC003005B RPC_NT_WRONG_STUB_VERSION	Incompatible ve

0xC003005C RPC_NT_INVALID_PIPE_OBJECT	The RPC pipe o
0xC003005D RPC_NT_INVALID_PIPE_OPERATION	An invalid oper object.
0xC003005E RPC_NT_WRONG_PIPE_VERSION	Unsupported R
0xC003005F RPC_NT_PIPE_CLOSED	The RPC pipe o
0xC0030060 RPC_NT_PIPE_DISCIPLINE_ERROR	The RPC call co processed.
0xC0030061 RPC_NT_PIPE_EMPTY	No more data i
0xC0040035 STATUS_PNP_BAD_MPS_TABLE	A device is miss device will not l for a system BI
0xC0040036 STATUS_PNP_TRANSLATION_FAILED	A translator fail
0xC0040037 STATUS_PNP_IRQ_TRANSLATION_FAILED	An IRQ translat
0xC0040038 STATUS_PNP_INVALID_ID	Driver %2 retur (%3).
0xC0040039 STATUS_IO_REISSUE_AS_CACHED	Reissue the give
0xC00A0001 STATUS_CTX_WINSTATION_NAME_INVALID	Session name %
0xC00A0002 STATUS_CTX_INVALID_PD	The protocol dr
0xC00A0003 STATUS_CTX_PD_NOT_FOUND	The protocol dr path.
0xC00A0006 STATUS_CTX_CLOSE_PENDING	A close operatio connection.
0xC00A0007 STATUS_CTX_NO_OUTBUF	No free output
0xC00A0008 STATUS_CTX_MODEM_INF_NOT_FOUND	The MODEM.IN
0xC00A0009 STATUS_CTX_INVALID_MODEMNAME	The modem (% file.
0xC00A000A STATUS_CTX_RESPONSE_ERROR	The modem did Verify that the attached mode
0xC00A000B	The modem did it. Verify that th

STATUS_CTX_MODEM_RESPONSE_TIMEOUT		and the moden
0xC00A000C STATUS_CTX_MODEM_RESPONSE_NO_CARRIER		Carrier detecti dropped due to
0xC00A000D STATUS_CTX_MODEM_RESPONSE_NO_DIALTONE		A dial tone was Verify that the functional.
0xC00A000E STATUS_CTX_MODEM_RESPONSE_BUSY		A busy signal w callback.
0xC00A000F STATUS_CTX_MODEM_RESPONSE_VOICE		A voice was de
0xC00A0010 STATUS_CTX_TD_ERROR		Transport drive
0xC00A0012 STATUS_CTX_LICENSE_CLIENT_INVALID		The client you a system. Your lo
0xC00A0013 STATUS_CTX_LICENSE_NOT_AVAILABLE		The system has again later.
0xC00A0014 STATUS_CTX_LICENSE_EXPIRED		The system lice denied.
0xC00A0015 STATUS_CTX_WINSTATION_NOT_FOUND		The specified se
0xC00A0016 STATUS_CTX_WINSTATION_NAME_COLLISION		The specified se
0xC00A0017 STATUS_CTX_WINSTATION_BUSY		The requested because the ter processing a co operation.
0xC00A0018 STATUS_CTX_BAD_VIDEO_MODE		An attempt has whose video m client.
0xC00A0022 STATUS_CTX_GRAPHICS_INVALID		The application mode. DOS gra
0xC00A0024 STATUS_CTX_NOT_CONSOLE		The requested the system con driver or syster
0xC00A0026 STATUS_CTX_CLIENT_QUERY_TIMEOUT		The client failed message.
0xC00A0027 STATUS_CTX_CONSOLE_DISCONNECT		Disconnecting t
0xC00A0028 STATUS_CTX_CONSOLE_CONNECT		Reconnecting a not supported.
0xC00A002A STATUS_CTX_SHADOW_DENIED		The request to denied.

0xC00A002B STATUS_CTX_WINSTATION_ACCESS_DENIED	A process has r not been grant
0xC00A002E STATUS_CTX_INVALID_WD	The terminal cc
0xC00A002F STATUS_CTX_WD_NOT_FOUND	The terminal cc the system pat
0xC00A0030 STATUS_CTX_SHADOW_INVALID	The requested : You cannot cor trying to contro user logged on
0xC00A0031 STATUS_CTX_SHADOW_DISABLED	The requested : remote control
0xC00A0032 STATUS_RDP_PROTOCOL_ERROR	The RDP protoc the protocol sti
0xC00A0033 STATUS_CTX_CLIENT_LICENSE_NOT_SET	Your request to been rejected. \ number has no terminal client. help in entering terminal server
0xC00A0034 STATUS_CTX_CLIENT_LICENSE_IN_USE	Your request to been rejected. \ number is curre Contact your sy copy of the teri license number
0xC00A0035 STATUS_CTX_SHADOW_ENDED_BY_MODE_CHANGE	The remote cor because the dis display mode ir supported.
0xC00A0036 STATUS_CTX_SHADOW_NOT_RUNNING	Remote contro specified sessio controlled.
0xC00A0037 STATUS_CTX_LOGON_DISABLED	Your interactive Contact your sy
0xC00A0038 STATUS_CTX_SECURITY_LAYER_ERROR	The terminal se the protocol sti
0xC00A0039 STATUS_TS_INCOMPATIBLE_SESSIONS	The target sess session.
0xC00B0001 STATUS_MUI_FILE_NOT_FOUND	The resource lo
0xC00B0002 STATUS_MUI_INVALID_FILE	The resource lo the file failed tc
0xC00B0003 STATUS_MUI_INVALID_RC_CONFIG	The RC manifes unsupported vc
0xC00B0004 STATUS_MUI_INVALID_LOCALE_NAME	The RC manifes

0xC00B0005 STATUS_MUI_INVALID_ULTIMATEFALLBACK_NAME	The RC manifes name.
0xC00B0006 STATUS_MUI_FILE_NOT_LOADED	The resource lo MUI entry.
0xC00B0007 STATUS_RESOURCE_ENUM_USER_STOP	The user stopp
0xC0130001 STATUS_CLUSTER_INVALID_NODE	The cluster nod
0xC0130002 STATUS_CLUSTER_NODE_EXISTS	The cluster nod
0xC0130003 STATUS_CLUSTER_JOIN_IN_PROGRESS	A node is in the
0xC0130004 STATUS_CLUSTER_NODE_NOT_FOUND	The cluster nod
0xC0130005 STATUS_CLUSTER_LOCAL_NODE_NOT_FOUND	The cluster loca
0xC0130006 STATUS_CLUSTER_NETWORK_EXISTS	The cluster net
0xC0130007 STATUS_CLUSTER_NETWORK_NOT_FOUND	The cluster net
0xC0130008 STATUS_CLUSTER_NETINTERFACE_EXISTS	The cluster net
0xC0130009 STATUS_CLUSTER_NETINTERFACE_NOT_FOUND	The cluster net
0xC013000A STATUS_CLUSTER_INVALID_REQUEST	The cluster requ
0xC013000B STATUS_CLUSTER_INVALID_NETWORK_PROVIDER	The cluster net
0xC013000C STATUS_CLUSTER_NODE_DOWN	The cluster nod
0xC013000D STATUS_CLUSTER_NODE_UNREACHABLE	The cluster nod
0xC013000E STATUS_CLUSTER_NODE_NOT_MEMBER	The cluster nod
0xC013000F STATUS_CLUSTER_JOIN_NOT_IN_PROGRESS	A cluster join o
0xC0130010 STATUS_CLUSTER_INVALID_NETWORK	The cluster net

0xC0130011 STATUS_CLUSTER_NO_NET_ADAPTERS	No network ad
0xC0130012 STATUS_CLUSTER_NODE_UP	The cluster nod
0xC0130013 STATUS_CLUSTER_NODE_PAUSED	The cluster nod
0xC0130014 STATUS_CLUSTER_NODE_NOT_PAUSED	The cluster nod
0xC0130015 STATUS_CLUSTER_NO_SECURITY_CONTEXT	No cluster secu
0xC0130016 STATUS_CLUSTER_NETWORK_NOT_INTERNAL	The cluster netw cluster commun
0xC0130017 STATUS_CLUSTER_POISONED	The cluster nod
0xC0140001 STATUS_ACPI_INVALID_OPCODE	An attempt wa
0xC0140002 STATUS_ACPI_STACK_OVERFLOW	The AML interp
0xC0140003 STATUS_ACPI_ASSERT_FAILED	An inconsistent
0xC0140004 STATUS_ACPI_INVALID_INDEX	An attempt wa bounds.
0xC0140005 STATUS_ACPI_INVALID_ARGUMENT	A required argu
0xC0140006 STATUS_ACPI_FATAL	A fatal error ha
0xC0140007 STATUS_ACPI_INVALID_SUPERNAME	An invalid Supe
0xC0140008 STATUS_ACPI_INVALID_ARGTYPE	An argument w
0xC0140009 STATUS_ACPI_INVALID_OBJTYPE	An object with
0xC014000A STATUS_ACPI_INVALID_TARGETTYPE	A target with a
0xC014000B STATUS_ACPI_INCORRECT_ARGUMENT_COUNT	An incorrect nu
0xC014000C STATUS_ACPI_ADDRESS_NOT_MAPPED	An address faile

0xC014000D STATUS_ACPI_INVALID_EVENTTYPE	An incorrect ev
0xC014000E STATUS_ACPI_HANDLER_COLLISION	A handler for th
0xC014000F STATUS_ACPI_INVALID_DATA	Invalid data for
0xC0140010 STATUS_ACPI_INVALID_REGION	An invalid regic
0xC0140011 STATUS_ACPI_INVALID_ACCESS_SIZE	An attempt wa: defined range.
0xC0140012 STATUS_ACPI_ACQUIRE_GLOBAL_LOCK	The global syst
0xC0140013 STATUS_ACPI_ALREADY_INITIALIZED	An attempt wa: subsystem.
0xC0140014 STATUS_ACPI_NOT_INITIALIZED	The ACPI subsy
0xC0140015 STATUS_ACPI_INVALID_MUTEX_LEVEL	An incorrect mu
0xC0140016 STATUS_ACPI_MUTEX_NOT_OWNED	The mutex is nc
0xC0140017 STATUS_ACPI_MUTEX_NOT_OWNER	An attempt wa: process that wa
0xC0140018 STATUS_ACPI_RS_ACCESS	An error occurr
0xC0140019 STATUS_ACPI_INVALID_TABLE	An attempt wa:
0xC0140020 STATUS_ACPI_REG_HANDLER_FAILED	The registratior
0xC0140021 STATUS_ACPI_POWER_REQUEST_FAILED	An ACPI power
0xC0150001 STATUS_SXS_SECTION_NOT_FOUND	The requested : context.
0xC0150002 STATUS_SXS_CANT_GEN_ACTCTX	Windows was u binding informa further informa
0xC0150003 STATUS_SXS_INVALID_ACTCTXDATA_FORMAT	The application
0xC0150004 STATUS_SXS_ASSEMBLY_NOT_FOUND	The referenced system.
0xC0150005	The manifest fil and format info

STATUS_SXS_MANIFEST_FORMAT_ERROR	
0xC0150006 STATUS_SXS_MANIFEST_PARSE_ERROR	The manifest fil
0xC0150007 STATUS_SXS_ACTIVATION_CONTEXT_DISABLED	The application activation conte
0xC0150008 STATUS_SXS_KEY_NOT_FOUND	The requested activation conte
0xC0150009 STATUS_SXS_VERSION_CONFLICT	A component v conflicts with a already active.
0xC015000A STATUS_SXS_WRONG_SECTION_TYPE	The type reque not match the
0xC015000B STATUS_SXS_THREAD_QUERIES_DISABLED	Lack of system activation to be execution.
0xC015000C STATUS_SXS_ASSEMBLY_MISSING	The referenced
0xC015000E STATUS_SXS_PROCESS_DEFAULT_ALREADY_SET	An attempt to s context failed b context was alr
0xC015000F STATUS_SXS_EARLY_DEACTIVATION	The activation c most recently a
0xC0150010 STATUS_SXS_INVALID_DEACTIVATION	The activation c for the current
0xC0150011 STATUS_SXS_MULTIPLE_DEACTIVATION	The activation c been deactivate
0xC0150012 STATUS_SXS_SYSTEM_DEFAULT_ACTIVATION_CONTEXT_EMPTY	The activation c could not be ge
0xC0150013 STATUS_SXS_PROCESS_TERMINATION_REQUESTED	A component u requested that
0xC0150014 STATUS_SXS_CORRUPT_ACTIVATION_STACK	The activation c thread of execu
0xC0150015 STATUS_SXS_CORRUPTION	The application thread has bec
0xC0150016 STATUS_SXS_INVALID_IDENTITY_ATTRIBUTE_VALUE	The value of an the legal range.
0xC0150017 STATUS_SXS_INVALID_IDENTITY_ATTRIBUTE_NAME	The name of an the legal range.
0xC0150018 STATUS_SXS_IDENTITY_DUPLICATE_ATTRIBUTE	An identity con attribute.
0xC0150019 STATUS_SXS_IDENTITY_PARSE_ERROR	The identity str a trailing comm a missing attrib

0xC015001A STATUS_SXS_COMPONENT_STORE_CORRUPT	The componen
0xC015001B STATUS_SXS_FILE_HASH_MISMATCH	A component's information pre
0xC015001C STATUS_SXS_MANIFEST_IDENTITY_SAME_BUT_CONTENTS_DIFFERENT	The identities o contents are di
0xC015001D STATUS_SXS_IDENTITIES_DIFFERENT	The componen
0xC015001E STATUS_SXS_ASSEMBLY_IS_NOT_A_DEPLOYMENT	The assembly i
0xC015001F STATUS_SXS_FILE_NOT_PART_OF_ASSEMBLY	The file is not a
0xC0150020 STATUS_ADVANCED_INSTALLER_FAILED	An advanced i
0xC0150021 STATUS_XML_ENCODING_MISMATCH	The character e not match the
0xC0150022 STATUS_SXS_MANIFEST_TOO_BIG	The size of the allowed.
0xC0150023 STATUS_SXS_SETTING_NOT_REGISTERED	The setting is n
0xC0150024 STATUS_SXS_TRANSACTION_CLOSURE_INCOMPLETE	One or more re present.
0xC0150025 STATUS_SMI_PRIMITIVE_INSTALLER_FAILED	The SMI primiti servicing.
0xC0150026 STATUS_GENERIC_COMMAND_FAILED	A generic comr indicates failure
0xC0150027 STATUS_SXS_FILE_HASH_MISSING	A component is its manifest.
0xC0190001 STATUS_TRANSACTIONAL_CONFLICT	The function at reserved for us
0xC0190002 STATUS_INVALID_TRANSACTION	The transaction is invalid.
0xC0190003 STATUS_TRANSACTION_NOT_ACTIVE	The requested transaction tha
0xC0190004 STATUS_TM_INITIALIZATION_FAILED	The transaction successfully init supported.
0xC0190005 STATUS_RM_NOT_ACTIVE	Transaction sup resource manag due to an error

0xC0190006 STATUS_RM_METADATA_CORRUPT	The metadata c corrupted. The
0xC0190007 STATUS_TRANSACTION_NOT_JOINED	The resource m transaction tha
0xC0190008 STATUS_DIRECTORY_NOT_RM	The specified di resource manag
0xC019000A STATUS_TRANSACTIONS_UNSUPPORTED_REMOTE	The remote ser transacted file
0xC019000B STATUS_LOG_RESIZE_INVALID_SIZE	The requested manager is inva
0xC019000C STATUS_REMOTE_FILE_VERSION_MISMATCH	The remote ser or Fid for a file
0xC019000F STATUS_CRM_PROTOCOL_ALREADY_EXISTS	The resource m already exists.
0xC0190010 STATUS_TRANSACTION_PROPAGATION_FAILED	The attempt to
0xC0190011 STATUS_CRM_PROTOCOL_NOT_FOUND	The requested registered as a
0xC0190012 STATUS_TRANSACTION_SUPERIOR_EXISTS	The transaction enlistment, and that would hav superior enlistn
0xC0190013 STATUS_TRANSACTION_REQUEST_NOT_VALID	The requested transaction obj
0xC0190014 STATUS_TRANSACTION_NOT_REQUESTED	The caller has c is not expected not issue the c
0xC0190015 STATUS_TRANSACTION_ALREADY_ABORTED	It is too late to because the tra
0xC0190016 STATUS_TRANSACTION_ALREADY_COMMITTED	It is too late to because the tra
0xC0190017 STATUS_TRANSACTION_INVALID_MARSHALL_BUFFER	The buffer pass NtPullTransactic
0xC0190018 STATUS_CURRENT_TRANSACTION_NOT_VALID	The current tra thread is not a
0xC0190019 STATUS_LOG_GROWTH_FAILED	An attempt to resource manag been recorded
0xC0190021 STATUS_OBJECT_NO_LONGER_EXISTS	The object (file, the handle has savepoint rollba
0xC0190022 STATUS_STREAM_MINIVERSION_NOT_FOUND	The specified fil transacted file

0xC0190023 STATUS_STREAM_MINIVERSION_NOT_VALID	The specified fil invalidated. The savepoint rollba
0xC0190024 STATUS_MINIVERSION_INACCESSIBLE_FROM_SPECIFIED_TRANSACTION	A miniversion c the transaction
0xC0190025 STATUS_CANT_OPEN_MINIVERSION_WITH_MODIFY_INTENT	It is not possibl access.
0xC0190026 STATUS_CANT_CREATE_MORE_STREAM_MINIVERSIONS	It is not possibl this stream.
0xC0190028 STATUS_HANDLE_NO_LONGER_VALID	The handle has most likely caus on a file or an c ended or rolled
0xC0190030 STATUS_LOG_CORRUPTION_DETECTED	The log data is
0xC0190032 STATUS_RM_DISCONNECTED	The transaction resource manac
0xC0190033 STATUS_ENLISTMENT_NOT_SUPERIOR	The request wa question is not
0xC0190036 STATUS_FILE_IDENTITY_NOT_PERSISTENT	The file cannot identity depend transaction.
0xC0190037 STATUS_CANT_BREAK_TRANSACTIONAL_DEPENDENCY	The operation c transaction is d changing.
0xC0190038 STATUS_CANT_CROSS_RM_BOUNDARY	The operation v transactional re allowed.
0xC0190039 STATUS_TXF_DIR_NOT_EMPTY	The $Txf directc to succeed.
0xC019003A STATUS_INDOUBT_TRANSACTIONS_EXIST	The operation v manager in an allowed.
0xC019003B STATUS_TM_VOLATILE	The operation c transaction ma
0xC019003C STATUS_ROLLBACK_TIMER_EXPIRED	A rollback coulc previously sche been queued fc
0xC019003D STATUS_TXF_ATTRIBUTE_CORRUPT	The transaction directory %hs i:
0xC019003E STATUS_EFS_NOT_ALLOWED_IN_TRANSACTION	The encryption because a trans
0xC019003F STATUS_TRANSACTIONAL_OPEN_NOT_ALLOWED	This object is nc transaction.
0xC0190040 STATUS_TRANSACTED_MAPPING_UNSUPPORTED_REMOTE	Memory mappi remote file und

0xC0190043 STATUS_TRANSACTION_REQUIRED_PROMOTION	Promotion was manager to en disallow it.
0xC0190044 STATUS_CANNOT_EXECUTE_FILE_IN_TRANSACTION	This file is open transaction and transacted read
0xC0190045 STATUS_TRANSACTIONS_NOT_FROZEN	The request to because transa
0xC0190046 STATUS_TRANSACTION_FREEZE_IN_PROGRESS	Transactions ca already in prog
0xC0190047 STATUS_NOT_SNAPSHOT_VOLUME	The target volu operation is val snapshot.
0xC0190048 STATUS_NO_SAVEPOINT_WITH_OPEN_FILES	The savepoint on the transact
0xC0190049 STATUS_SPARSE_NOT_ALLOWED_IN_TRANSACTION	The sparse ope a transaction is
0xC019004A STATUS_TM_IDENTITY_MISMATCH	The call to crea because the Tm does not match an argument.
0xC019004B STATUS_FLOATED_SECTION	I/O was attemp floated as a res valid data.
0xC019004C STATUS_CANNOT_ACCEPT_TRANSACTED_WORK	The transaction accept transact such as low res
0xC019004D STATUS_CANNOT_ABORT_TRANSACTIONS	The transaction transactions ou The transaction down.
0xC019004E STATUS_TRANSACTION_NOT_FOUND	The specified tr because it was
0xC019004F STATUS_RESOURCEMANAGER_NOT_FOUND	The specified re opened becaus
0xC0190050 STATUS_ENLISTMENT_NOT_FOUND	The specified en because it was
0xC0190051 STATUS_TRANSACTIONMANAGER_NOT_FOUND	The specified tr opened becaus
0xC0190052 STATUS_TRANSACTIONMANAGER_NOT_ONLINE	The specified re an enlistment b manager is not
0xC0190053 STATUS_TRANSACTIONMANAGER_RECOVERY_NAME_COLLISION	The specified tr create the obje namespace. The unable to recov
0xC0190054 STATUS_TRANSACTION_NOT_ROOT	The call to crea transaction obj the transaction

	subordinate br... of the transacti...
0xC0190055 STATUS_TRANSACTION_OBJECT_EXPIRED	Because the ass... resource manag... longer valid.
0xC0190056 STATUS_COMPRESSION_NOT_ALLOWED_IN_TRANSACTION	The compressic... because a trans...
0xC0190057 STATUS_TRANSACTION_RESPONSE_NOT_ENLISTED	The specified o... this superior er... not created wit... response in the...
0xC0190058 STATUS_TRANSACTION_RECORD_TOO_LONG	The specified o... because the rec... can occur becau... enlistments on... RecoveryInform... enlistments is t...
0xC0190059 STATUS_NO_LINK_TRACKING_IN_TRANSACTION	The link-trackin... because a trans...
0xC019005A STATUS_OPERATION_NOT_SUPPORTED_IN_TRANSACTION	This operation...
0xC019005B STATUS_TRANSACTION_INTEGRITY_VIOLATED	The kernel tran... forget the trans... progress.
0xC0190060 STATUS_EXPIRED_HANDLE	The handle is n... transaction. It... transactional re... subsequently fc... handle and ope...
0xC0190061 STATUS_TRANSACTION_NOT_ENLISTED	The specified o... because the res... transaction.
0xC01A0001 STATUS_LOG_SECTOR_INVALID	The log service...
0xC01A0002 STATUS_LOG_SECTOR_PARITY_INVALID	The log service... block parity.
0xC01A0003 STATUS_LOG_SECTOR_REMAPPED	The log service...
0xC01A0004 STATUS_LOG_BLOCK_INCOMPLETE	The log service... log block.
0xC01A0005 STATUS_LOG_INVALID_RANGE	The log service... data outside th...
0xC01A0006 STATUS_LOG_BLOCKS_EXHAUSTED	The log service... exhausted.
0xC01A0007 STATUS_LOG_READ_CONTEXT_INVALID	The log service... a marshaling ar...
0xC01A0008 STATUS_LOG_RESTART_INVALID	The log service... area.

0xC01A0009 STATUS_LOG_BLOCK_VERSION	The log service version.
0xC01A000A STATUS_LOG_BLOCK_INVALID	The log service
0xC01A000B STATUS_LOG_READ_MODE_INVALID	The log service log with an inva
0xC01A000D STATUS_LOG_METADATA_CORRUPT	The log service file.
0xC01A000E STATUS_LOG_METADATA_INVALID	The log service not be created
0xC01A000F STATUS_LOG_METADATA_INCONSISTENT	The log service inconsistent da
0xC01A0010 STATUS_LOG_RESERVATION_INVALID	The log service erroneously allo
0xC01A0011 STATUS_LOG_CANT_DELETE	The log service system contain
0xC01A0012 STATUS_LOG_CONTAINER_LIMIT_EXCEEDED	The log service containers allo
0xC01A0013 STATUS_LOG_START_OF_LOG	The log service backward past
0xC01A0014 STATUS_LOG_POLICY_ALREADY_INSTALLED	The log policy of the same typ
0xC01A0015 STATUS_LOG_POLICY_NOT_INSTALLED	The log policy i time of the req
0xC01A0016 STATUS_LOG_POLICY_INVALID	The installed se
0xC01A0017 STATUS_LOG_POLICY_CONFLICT	A policy on the operation from
0xC01A0018 STATUS_LOG_PINNED_ARCHIVE_TAIL	The log space o pinned by the a
0xC01A0019 STATUS_LOG_RECORD_NONEXISTENT	The log record
0xC01A001A STATUS_LOG_RECORDS_RESERVED_INVALID	The number of adjustment of t invalid.
0xC01A001B STATUS_LOG_SPACE_RESERVED_INVALID	The reserved lo space is invalid.
0xC01A001C STATUS_LOG_TAIL_INVALID	A new or existir log is invalid.
0xC01A001D	The log space i

STATUS_LOG_FULL	
0xC01A001E STATUS_LOG_MULTIPLEXED	The log is multi log are allowed
0xC01A001F STATUS_LOG_DEDICATED	The operation f
0xC01A0020 STATUS_LOG_ARCHIVE_NOT_IN_PROGRESS	The operation r
0xC01A0021 STATUS_LOG_ARCHIVE_IN_PROGRESS	Log archival is i
0xC01A0022 STATUS_LOG_EPHEMERAL	The operation r log is ephemera
0xC01A0023 STATUS_LOG_NOT_ENOUGH_CONTAINERS	The log must h can be read fro
0xC01A0024 STATUS_LOG_CLIENT_ALREADY_REGISTERED	A log client has
0xC01A0025 STATUS_LOG_CLIENT_NOT_REGISTERED	A log client has
0xC01A0026 STATUS_LOG_FULL_HANDLER_IN_PROGRESS	A request has a full condition.
0xC01A0027 STATUS_LOG_CONTAINER_READ_FAILED	The log service attempting to r
0xC01A0028 STATUS_LOG_CONTAINER_WRITE_FAILED	The log service attempting to v
0xC01A0029 STATUS_LOG_CONTAINER_OPEN_FAILED	The log service attempting to c
0xC01A002A STATUS_LOG_CONTAINER_STATE_INVALID	The log service when attemptir
0xC01A002B STATUS_LOG_STATE_INVALID	The log service requested actic
0xC01A002C STATUS_LOG_PINNED	The log space c pinned.
0xC01A002D STATUS_LOG_METADATA_FLUSH_FAILED	The log metada
0xC01A002E STATUS_LOG_INCONSISTENT_SECURITY	Security on the
0xC01A002F STATUS_LOG_APPENDED_FLUSH_FAILED	Records were a changes were r
0xC01A0030 STATUS_LOG_PINNED_RESERVATION	The log is pinne of the log space space available.

0xC01B00EA STATUS_VIDEO_HUNG_DISPLAY_DRIVER_THREAD	{Display Driver driver has stop and reboot the functionality. Th a dialog box wi failure to Micro
0xC01C0001 STATUS_FLT_NO_HANDLER_DEFINED	A handler was operation.
0xC01C0002 STATUS_FLT_CONTEXT_ALREADY_DEFINED	A context is alre
0xC01C0003 STATUS_FLT_INVALID_ASYNCHRONOUS_REQUEST	Asynchronous operation.
0xC01C0004 STATUS_FLT_DISALLOW_FAST_IO	This is an interr manager to det be forced down path. Minifilters
0xC01C0005 STATUS_FLT_INVALID_NAME_REQUEST	An invalid nam requested cann
0xC01C0006 STATUS_FLT_NOT_SAFE_TO_POST_OPERATION	Posting this op processing is n lead to a syster
0xC01C0007 STATUS_FLT_NOT_INITIALIZED	The Filter Mana tried to register loaded as a driv
0xC01C0008 STATUS_FLT_FILTER_NOT_READY	The filter is not because it has has not been c
0xC01C0009 STATUS_FLT_POST_OPERATION_CLEANUP	The filter must at this time bec system before lower drivers.
0xC01C000A STATUS_FLT_INTERNAL_ERROR	The Filter Mana cannot recover This is usually t value from a pr
0xC01C000B STATUS_FLT_DELETING_OBJECT	The object spec being deleted; be completed a
0xC01C000C STATUS_FLT_MUST_BE_NONPAGED_POOL	A nonpaged pc context.
0xC01C000D STATUS_FLT_DUPLICATE_ENTRY	A duplicate har an operation.
0xC01C000E STATUS_FLT_CBDQ_DISABLED	The callback da
0xC01C000F STATUS_FLT_DO_NOT_ATTACH	Do not attach t
0xC01C0010 STATUS_FLT_DO_NOT_DETACH	Do not detach

0xC01C0011 STATUS_FLT_INSTANCE_ALTITUDE_COLLISION	An instance alr volume specifie
0xC01C0012 STATUS_FLT_INSTANCE_NAME_COLLISION	An instance alr volume specifie
0xC01C0013 STATUS_FLT_FILTER_NOT_FOUND	The system cou
0xC01C0014 STATUS_FLT_VOLUME_NOT_FOUND	The system cou
0xC01C0015 STATUS_FLT_INSTANCE_NOT_FOUND	The system cou
0xC01C0016 STATUS_FLT_CONTEXT_ALLOCATION_NOT_FOUND	No registered c for the given re
0xC01C0017 STATUS_FLT_INVALID_CONTEXT_REGISTRATION	An invalid para registration.
0xC01C0018 STATUS_FLT_NAME_CACHE_MISS	The name requ Manager name the file system.
0xC01C0019 STATUS_FLT_NO_DEVICE_OBJECT	The requested given volume.
0xC01C001A STATUS_FLT_VOLUME_ALREADY_MOUNTED	The specified v
0xC01C001B STATUS_FLT_ALREADY_ENLISTED	The specified tr a transaction.
0xC01C001C STATUS_FLT_CONTEXT_ALREADY_LINKED	The specified c object.
0xC01C0020 STATUS_FLT_NO_WAITER_FOR_REPLY	No waiter is pre message.
0xC01D0001 STATUS_MONITOR_NO_DESCRIPTOR	A monitor desc
0xC01D0002 STATUS_MONITOR_UNKNOWN_DESCRIPTOR_FORMAT	This release doc obtained monit
0xC01D0003 STATUS_MONITOR_INVALID_DESCRIPTOR_CHECKSUM	The checksum c invalid.
0xC01D0004 STATUS_MONITOR_INVALID_STANDARD_TIMING_BLOCK	The monitor de timing block.
0xC01D0005 STATUS_MONITOR_WMI_DATABLOCK_REGISTRATION_FAILED	WMI data-bloc MSMonitorClas
0xC01D0006 STATUS_MONITOR_INVALID_SERIAL_NUMBER_MONDSC_BLOCK	The provided m corrupted or do serial number.
0xC01D0007	The provided m corrupted or do

STATUS_MONITOR_INVALID_USER_FRIENDLY_MONDSC_BLOCK	friendly name.
0xC01D0008 STATUS_MONITOR_NO_MORE_DESCRIPTOR_DATA	There is no mo (offset or size)
0xC01D0009 STATUS_MONITOR_INVALID_DETAILED_TIMING_BLOCK	The monitor de timing block.
0xC01D000A STATUS_MONITOR_INVALID_MANUFACTURE_DATE	Monitor descrip
0xC01E0000 STATUS_GRAPHICS_NOT_EXCLUSIVE_MODE_OWNER	Exclusive mode unmanaged pri
0xC01E0001 STATUS_GRAPHICS_INSUFFICIENT_DMA_BUFFER	The driver need the requested
0xC01E0002 STATUS_GRAPHICS_INVALID_DISPLAY_ADAPTER	The specified di
0xC01E0003 STATUS_GRAPHICS_ADAPTER_WAS_RESET	The specified di been reset.
0xC01E0004 STATUS_GRAPHICS_INVALID_DRIVER_MODEL	The driver stack model.
0xC01E0005 STATUS_GRAPHICS_PRESENT_MODE_CHANGED	Present happen desktop mode.
0xC01E0006 STATUS_GRAPHICS_PRESENT_OCCLUDED	Nothing to pre
0xC01E0007 STATUS_GRAPHICS_PRESENT_DENIED	Not able to pre
0xC01E0008 STATUS_GRAPHICS_CANNOTCOLORCONVERT	Not able to pre
0xC01E000B STATUS_GRAPHICS_PRESENT_REDIRECTION_DISABLED	Present redirec management s
0xC01E000C STATUS_GRAPHICS_PRESENT_UNOCCLUDED	Previous exclus its ownership
0xC01E0100 STATUS_GRAPHICS_NO_VIDEO_MEMORY	Not enough vid the operation.
0xC01E0101 STATUS_GRAPHICS_CANT_LOCK_MEMORY	Could not prob an allocation.
0xC01E0102 STATUS_GRAPHICS_ALLOCATION_BUSY	The allocation i
0xC01E0103 STATUS_GRAPHICS_TOO_MANY_REFERENCES	An object being maximum refer further.
0xC01E0104 STATUS_GRAPHICS_TRY_AGAIN_LATER	A problem coul condition. Try a

0xC01E0105 STATUS_GRAPHICS_TRY_AGAIN_NOW	A problem coul condition. Try a
0xC01E0106 STATUS_GRAPHICS_ALLOCATION_INVALID	The allocation i
0xC01E0107 STATUS_GRAPHICS_UNSWIZZLING_APERTURE_UNAVAILABLE	No more unswi
0xC01E0108 STATUS_GRAPHICS_UNSWIZZLING_APERTURE_UNSUPPORTED	The current allo aperture.
0xC01E0109 STATUS_GRAPHICS_CANT_EVICT_PINNED_ALLOCATION	The request fail be evicted.
0xC01E0110 STATUS_GRAPHICS_INVALID_ALLOCATION_USAGE	The allocation c segment locatio
0xC01E0111 STATUS_GRAPHICS_CANT_RENDER_LOCKED_ALLOCATION	A locked alloca command buffe
0xC01E0112 STATUS_GRAPHICS_ALLOCATION_CLOSED	The allocation b permanently.
0xC01E0113 STATUS_GRAPHICS_INVALID_ALLOCATION_INSTANCE	An invalid alloc
0xC01E0114 STATUS_GRAPHICS_INVALID_ALLOCATION_HANDLE	An invalid alloc
0xC01E0115 STATUS_GRAPHICS_WRONG_ALLOCATION_DEVICE	The allocation b the current dev
0xC01E0116 STATUS_GRAPHICS_ALLOCATION_CONTENT_LOST	The specified al
0xC01E0200 STATUS_GRAPHICS_GPU_EXCEPTION_ON_DEVICE	A GPU exceptic The device cann
0xC01E0300 STATUS_GRAPHICS_INVALID_VIDPN_TOPOLOGY	The specified V
0xC01E0301 STATUS_GRAPHICS_VIDPN_TOPOLOGY_NOT_SUPPORTED	The specified V supported by t
0xC01E0302 STATUS_GRAPHICS_VIDPN_TOPOLOGY_CURRENTLY_NOT_SUPPORTED	The specified V currently suppo allocation of its
0xC01E0303 STATUS_GRAPHICS_INVALID_VIDPN	The specified V
0xC01E0304 STATUS_GRAPHICS_INVALID_VIDEO_PRESENT_SOURCE	The specified vi
0xC01E0305 STATUS_GRAPHICS_INVALID_VIDEO_PRESENT_TARGET	The specified vi
0xC01E0306	The specified V example, at leas

STATUS_GRAPHICS_VIDPN_MODALITY_NOT_SUPPORTED		functional).
0xC01E0308 STATUS_GRAPHICS_INVALID_VIDPN_SOURCEMODESET		The specified V
0xC01E0309 STATUS_GRAPHICS_INVALID_VIDPN_TARGETMODESET		The specified V
0xC01E030A STATUS_GRAPHICS_INVALID_FREQUENCY		The specified vi
0xC01E030B STATUS_GRAPHICS_INVALID_ACTIVE_REGION		The specified vi
0xC01E030C STATUS_GRAPHICS_INVALID_TOTAL_REGION		The specified vi
0xC01E0310 STATUS_GRAPHICS_INVALID_VIDEO_PRESENT_SOURCE_MODE		The specified vi
0xC01E0311 STATUS_GRAPHICS_INVALID_VIDEO_PRESENT_TARGET_MODE		The specified vi
0xC01E0312 STATUS_GRAPHICS_PINNED_MODE_MUST_REMAIN_IN_SET		The pinned mo VidPN's co-fun
0xC01E0313 STATUS_GRAPHICS_PATH_ALREADY_IN_TOPOLOGY		The specified vi VidPN's topolo
0xC01E0314 STATUS_GRAPHICS_MODE_ALREADY_IN_MODESET		The specified m
0xC01E0315 STATUS_GRAPHICS_INVALID_VIDEOPRESENTSOURCESET		The specified vi
0xC01E0316 STATUS_GRAPHICS_INVALID_VIDEOPRESENTTARGETSET		The specified vi
0xC01E0317 STATUS_GRAPHICS_SOURCE_ALREADY_IN_SET		The specified vi video present s
0xC01E0318 STATUS_GRAPHICS_TARGET_ALREADY_IN_SET		The specified vi video present t
0xC01E0319 STATUS_GRAPHICS_INVALID_VIDPN_PRESENT_PATH		The specified V
0xC01E031A STATUS_GRAPHICS_NO_RECOMMENDED_VIDPN_TOPOLOGY		The miniport ha the specified Vi
0xC01E031B STATUS_GRAPHICS_INVALID_MONITOR_FREQUENCYRANGESET		The specified m
0xC01E031C STATUS_GRAPHICS_INVALID_MONITOR_FREQUENCYRANGE		The specified m
0xC01E031D STATUS_GRAPHICS_FREQUENCYRANGE_NOT_IN_SET		The specified fr monitor freque

0xC01E031F STATUS_GRAPHICS_FREQUENCYRANGE_ALREADY_IN_SET	The specified fr specified monit
0xC01E0320 STATUS_GRAPHICS_STALE_MODESET	The specified m mode set.
0xC01E0321 STATUS_GRAPHICS_INVALID_MONITOR_SOURCEMODESET	The specified m
0xC01E0322 STATUS_GRAPHICS_INVALID_MONITOR_SOURCE_MODE	The specified m
0xC01E0323 STATUS_GRAPHICS_NO_RECOMMENDED_FUNCTIONAL_VIDPN	The miniport de regarding the r given the curre
0xC01E0324 STATUS_GRAPHICS_MODE_ID_MUST_BE_UNIQUE	The ID of the sp mode in the se
0xC01E0325 STATUS_GRAPHICS_EMPTY_ADAPTER_MONITOR_MODE_SUPPORT_INTERSECTION	The system fail supported by b monitor conne
0xC01E0326 STATUS_GRAPHICS_VIDEO_PRESENT_TARGETS_LESS_THAN_SOURCES	The number of than or equal t
0xC01E0327 STATUS_GRAPHICS_PATH_NOT_IN_TOPOLOGY	The specified pr topology.
0xC01E0328 STATUS_GRAPHICS_ADAPTER_MUST_HAVE_AT_LEAST_ONE_SOURCE	The display ada present source.
0xC01E0329 STATUS_GRAPHICS_ADAPTER_MUST_HAVE_AT_LEAST_ONE_TARGET	The display ada present target.
0xC01E032A STATUS_GRAPHICS_INVALID_MONITORDESCRIPTORSET	The specified m
0xC01E032B STATUS_GRAPHICS_INVALID_MONITORDESCRIPTOR	The specified m
0xC01E032C STATUS_GRAPHICS_MONITORDESCRIPTOR_NOT_IN_SET	The specified de descriptor set.
0xC01E032D STATUS_GRAPHICS_MONITORDESCRIPTOR_ALREADY_IN_SET	The specified de monitor descrip
0xC01E032E STATUS_GRAPHICS_MONITORDESCRIPTOR_ID_MUST_BE_UNIQUE	The ID of the sp used by anothe
0xC01E032F STATUS_GRAPHICS_INVALID_VIDPN_TARGET_SUBSET_TYPE	The specified vi invalid.
0xC01E0330 STATUS_GRAPHICS_RESOURCES_NOT_RELATED	Two or more of to each other, a
0xC01E0331 STATUS_GRAPHICS_SOURCE_ID_MUST_BE_UNIQUE	The ID of the sp used by anothe

0xC01E0332 STATUS_GRAPHICS_TARGET_ID_MUST_BE_UNIQUE	The ID of the s used by anothe
0xC01E0333 STATUS_GRAPHICS_NO_AVAILABLE_VIDPN_TARGET	The specified V there is no avai
0xC01E0334 STATUS_GRAPHICS_MONITOR_COULD_NOT_BE_ASSOCIATED_WITH_ADAPTER	The newly arriv with a display a
0xC01E0335 STATUS_GRAPHICS_NO_VIDPNMGR	The particular c associated VidP
0xC01E0336 STATUS_GRAPHICS_NO_ACTIVE_VIDPN	The VidPN mar does not have a
0xC01E0337 STATUS_GRAPHICS_STALE_VIDPN_TOPOLOGY	The specified V topology.
0xC01E0338 STATUS_GRAPHICS_MONITOR_NOT_CONNECTED	No monitor is c present target.
0xC01E0339 STATUS_GRAPHICS_SOURCE_NOT_IN_TOPOLOGY	The specified sc VidPN's topolo
0xC01E033A STATUS_GRAPHICS_INVALID_PRIMARYSURFACE_SIZE	The specified pi
0xC01E033B STATUS_GRAPHICS_INVALID_VISIBLEREGION_SIZE	The specified vi
0xC01E033C STATUS_GRAPHICS_INVALID_STRIDE	The specified st
0xC01E033D STATUS_GRAPHICS_INVALID_PIXELFORMAT	The specified pi
0xC01E033E STATUS_GRAPHICS_INVALID_COLORBASIS	The specified cc
0xC01E033F STATUS_GRAPHICS_INVALID_PIXELVALUEACCESSMODE	The specified pi
0xC01E0340 STATUS_GRAPHICS_TARGET_NOT_IN_TOPOLOGY	The specified ta VidPN's topolo
0xC01E0341 STATUS_GRAPHICS_NO_DISPLAY_MODE_MANAGEMENT_SUPPORT	Failed to acquir interface.
0xC01E0342 STATUS_GRAPHICS_VIDPN_SOURCE_IN_USE	The specified V DMM client an releases it.
0xC01E0343 STATUS_GRAPHICS_CANT_ACCESS_ACTIVE_VIDPN	The specified V
0xC01E0344 STATUS_GRAPHICS_INVALID_PATH_IMPORTANCE_ORDINAL	The specified V is invalid.
0xC01E0345 	The specified V transformation

STATUS_GRAPHICS_INVALID_PATH_CONTENT_GEOMETRY_TRANSFORMATION	
0xC01E0346 STATUS_GRAPHICS_PATH_CONTENT_GEOMETRY_TRANSFORMATION_NOT_SUPPORTED	The specified co supported on t
0xC01E0347 STATUS_GRAPHICS_INVALID_GAMMA_RAMP	The specified ga
0xC01E0348 STATUS_GRAPHICS_GAMMA_RAMP_NOT_SUPPORTED	The specified ga respective VidP
0xC01E0349 STATUS_GRAPHICS_MULTISAMPLING_NOT_SUPPORTED	Multisampling i VidPN present
0xC01E034A STATUS_GRAPHICS_MODE_NOT_IN_MODESET	The specified m
0xC01E034D STATUS_GRAPHICS_INVALID_VIDPN_TOPOLOGY_RECOMMENDATION_REASON	The specified V reason is invali
0xC01E034E STATUS_GRAPHICS_INVALID_PATH_CONTENT_TYPE	The specified V invalid.
0xC01E034F STATUS_GRAPHICS_INVALID_COPYPROTECTION_TYPE	The specified V type is invalid.
0xC01E0350 STATUS_GRAPHICS_UNASSIGNED_MODESET_ALREADY_EXISTS	Only one unass time for a parti
0xC01E0352 STATUS_GRAPHICS_INVALID_SCANLINE_ORDERING	The specified sc
0xC01E0353 STATUS_GRAPHICS_TOPOLOGY_CHANGES_NOT_ALLOWED	The topology c specified VidPN
0xC01E0354 STATUS_GRAPHICS_NO_AVAILABLE_IMPORTANCE_ORDINALS	All available imp specified topolo
0xC01E0355 STATUS_GRAPHICS_INCOMPATIBLE_PRIVATE_FORMAT	The specified pr format attribute
0xC01E0356 STATUS_GRAPHICS_INVALID_MODE_PRUNING_ALGORITHM	The specified m
0xC01E0357 STATUS_GRAPHICS_INVALID_MONITOR_CAPABILITY_ORIGIN	The specified m
0xC01E0358 STATUS_GRAPHICS_INVALID_MONITOR_FREQUENCYRANGE_CONSTRAINT	The specified m invalid.
0xC01E0359 STATUS_GRAPHICS_MAX_NUM_PATHS_REACHED	The maximum s has been reach
0xC01E035A STATUS_GRAPHICS_CANCEL_VIDPN_TOPOLOGY_AUGMENTATION	The miniport re canceled for the VidPN's topolo
0xC01E035B STATUS_GRAPHICS_INVALID_CLIENT_TYPE	The specified cl

0xC01E035C STATUS_GRAPHICS_CLIENTVIDPN_NOT_SET	The client VidP example, no us taken place on
0xC01E0400 STATUS_GRAPHICS_SPECIFIED_CHILD_ALREADY_CONNECTED	The specified di an external dev
0xC01E0401 STATUS_GRAPHICS_CHILD_DESCRIPTOR_NOT_SUPPORTED	The display ada reporting a des
0xC01E0430 STATUS_GRAPHICS_NOT_A_LINKED_ADAPTER	The display ada adapters.
0xC01E0431 STATUS_GRAPHICS_LEADLINK_NOT_ENUMERATED	The lead adapt enumerated ye
0xC01E0432 STATUS_GRAPHICS_CHAINLINKS_NOT_ENUMERATED	Some chain ada not yet been en
0xC01E0433 STATUS_GRAPHICS_ADAPTER_CHAIN_NOT_READY	The chain of lin because of an u
0xC01E0434 STATUS_GRAPHICS_CHAINLINKS_NOT_STARTED	An attempt wa: adapter when t
0xC01E0435 STATUS_GRAPHICS_CHAINLINKS_NOT_POWERED_ON	An attempt wa: adapter when t
0xC01E0436 STATUS_GRAPHICS_INCONSISTENT_DEVICE_LINK_STATE	The adapter lin Not all adapter:
0xC01E0438 STATUS_GRAPHICS_NOT_POST_DEVICE_DRIVER	The driver tryin for the posted
0xC01E043B STATUS_GRAPHICS_ADAPTER_ACCESS_NOT_EXCLUDED	An operation is display adapter
0xC01E0500 STATUS_GRAPHICS_OPM_NOT_SUPPORTED	The driver does
0xC01E0501 STATUS_GRAPHICS_COPP_NOT_SUPPORTED	The driver does
0xC01E0502 STATUS_GRAPHICS_UAB_NOT_SUPPORTED	The driver does
0xC01E0503 STATUS_GRAPHICS_OPM_INVALID_ENCRYPTED_PARAMETERS	The specified en
0xC01E0504 STATUS_GRAPHICS_OPM_PARAMETER_ARRAY_TOO_SMALL	An array passe data that the fu
0xC01E0505 STATUS_GRAPHICS_OPM_NO_PROTECTED_OUTPUTS_EXIST	The GDI display not have any a
0xC01E0506 STATUS_GRAPHICS_PVP_NO_DISPLAY_DEVICE_CORRESPONDS_TO_NAME	The PVP canno corresponds to name.
0xC01E0507 	This function fa passed to it wa

STATUS_GRAPHICS_PVP_DISPLAY_DEVICE_NOT_ATTACHED_TO_DESKTOP	desktop.
0xC01E0508 STATUS_GRAPHICS_PVP_MIRRORING_DEVICES_NOT_SUPPORTED	The PVP does because they d
0xC01E050A STATUS_GRAPHICS_OPM_INVALID_POINTER	The function fa parameter was invalid if it is nu to an invalid ad
0xC01E050B STATUS_GRAPHICS_OPM_INTERNAL_ERROR	An internal erro
0xC01E050C STATUS_GRAPHICS_OPM_INVALID_HANDLE	The function fa invalid OPM us
0xC01E050D STATUS_GRAPHICS_PVP_NO_MONITORS_CORRESPOND_TO_DISPLAY_DEVICE	This function fa it did not have
0xC01E050E STATUS_GRAPHICS_PVP_INVALID_CERTIFICATE_LENGTH	A certificate cou certificate buffe
0xC01E050F STATUS_GRAPHICS_OPM_SPANNING_MODE_ENABLED	DxgkDdiOpmC create a protec yarget is in spa
0xC01E0510 STATUS_GRAPHICS_OPM_THEATER_MODE_ENABLED	DxgkDdiOpmC create a protec target is in thea
0xC01E0511 STATUS_GRAPHICS_PVP_HFS_FAILED	The function ca hardware funct graphics hardw
0xC01E0512 STATUS_GRAPHICS_OPM_INVALID_SRM	The HDCP SRM comply with se
0xC01E0513 STATUS_GRAPHICS_OPM_OUTPUT_DOES_NOT_SUPPORT_HDCP	The protected o system because
0xC01E0514 STATUS_GRAPHICS_OPM_OUTPUT_DOES_NOT_SUPPORT_ACP	The protected o protection beca
0xC01E0515 STATUS_GRAPHICS_OPM_OUTPUT_DOES_NOT_SUPPORT_CGMSA	The protected o protection tech
0xC01E0516 STATUS_GRAPHICS_OPM_HDCP_SRM_NEVER_SET	DxgkDdiOPMG version of the S application nev protected outp
0xC01E0517 STATUS_GRAPHICS_OPM_RESOLUTION_TOO_HIGH	DxgkDdiOPMC enable the spec because the ou
0xC01E0518 STATUS_GRAPHICS_OPM_ALL_HDCP_HARDWARE_ALREADY_IN_USE	DxgkDdiOPMC enable HDCP b using the displa
0xC01E051A STATUS_GRAPHICS_OPM_PROTECTED_OUTPUT_NO_LONGER_EXISTS	The operating s OPM-protected state changed. monitor PDO a was removed o session became protected outp

0xC01E051B STATUS_GRAPHICS_OPM_SESSION_TYPE_CHANGE_IN_PROGRESS	OPM functions changing its typ exist: console, c
0xC01E051C STATUS_GRAPHICS_OPM_PROTECTED_OUTPUT_DOES_NOT_HAVE_COPP_SEMANTICS	The DxgkDdiOF DxgkDdiOPMG DxgkDdiOPMC failed. This erro has OPM sema DxgkDdiOPMG- returns this err semantics. DxgkDdiOPMG the caller reque DxgkDdiOPMC error when the command.
0xC01E051D STATUS_GRAPHICS_OPM_INVALID_INFORMATION_REQUEST	The DxgkDdiOF DxgkDdiOPMG functions return sequence numb number or the
0xC01E051E STATUS_GRAPHICS_OPM_DRIVER_INTERNAL_ERROR	The function fai occurred inside
0xC01E051F STATUS_GRAPHICS_OPM_PROTECTED_OUTPUT_DOES_NOT_HAVE_OPM_SEMANTICS	The DxgkDdiOF DxgkDdiOPMG DxgkDdiOPMC failed. This erro has COPP sema DxgkDdiOPMG returns this err specific informa DxgkDdiOPMG if a protected o DxgkDdiOPMC error when the command.
0xC01E0520 STATUS_GRAPHICS_OPM_SIGNALING_NOT_SUPPORTED	The DxgkDdiOF and DxgkDdiOF functions return not support the DXGKMDT_OPI and DXGKMDT_OPI GUIDs.
0xC01E0521 STATUS_GRAPHICS_OPM_INVALID_CONFIGURATION_REQUEST	The DxgkDdiOF returns this err number is not t passed-in OMA
0xC01E0580 STATUS_GRAPHICS_I2C_NOT_SUPPORTED	The monitor co does not have
0xC01E0581 STATUS_GRAPHICS_I2C_DEVICE_DOES_NOT_EXIST	No device on th
0xC01E0582 STATUS_GRAPHICS_I2C_ERROR_TRANSMITTING_DATA	An error occurr device on the I2

0xC01E0583 STATUS_GRAPHICS_I2C_ERROR_RECEIVING_DATA	An error occurr on the I2C bus
0xC01E0584 STATUS_GRAPHICS_DDCCI_VCP_NOT_SUPPORTED	The monitor d
0xC01E0585 STATUS_GRAPHICS_DDCCI_INVALID_DATA	The data receiv
0xC01E0586 STATUS_GRAPHICS_DDCCI_MONITOR_RETURNED_INVALID_TIMING_STATUS_BYTE	A function call invalid timing s used the DDC/ message comm monitor.
0xC01E0587 STATUS_GRAPHICS_DDCCI_INVALID_CAPABILITIES_STRING	A monitor retu did not comply or MCCS 2 Rev
0xC01E0588 STATUS_GRAPHICS_MCA_INTERNAL_ERROR	An internal err
0xC01E0589 STATUS_GRAPHICS_DDCCI_INVALID_MESSAGE_COMMAND	An operation fa an invalid value
0xC01E058A STATUS_GRAPHICS_DDCCI_INVALID_MESSAGE_LENGTH	This error occur an invalid value
0xC01E058B STATUS_GRAPHICS_DDCCI_INVALID_MESSAGE_CHECKSUM	This error occur message's chec message's com implies that the transmitted fro
0xC01E058C STATUS_GRAPHICS_INVALID_PHYSICAL_MONITOR_HANDLE	This function fa was passed to i
0xC01E058D STATUS_GRAPHICS_MONITOR_NO_LONGER_EXISTS	The operating s monitor that cc operating syste occurs because handle was rem change occurre Windows sends applications.
0xC01E05E0 STATUS_GRAPHICS_ONLY_CONSOLE_SESSION_SUPPORTED	This function ca in the local con program is run on a terminal s
0xC01E05E1 STATUS_GRAPHICS_NO_DISPLAY_DEVICE_CORRESPONDS_TO_NAME	This function ca that correspon name.
0xC01E05E2 STATUS_GRAPHICS_DISPLAY_DEVICE_NOT_ATTACHED_TO_DESKTOP	The function fa device was not
0xC01E05E3 STATUS_GRAPHICS_MIRRORING_DEVICES_NOT_SUPPORTED	This function de devices because have any physic
0xC01E05E4 STATUS_GRAPHICS_INVALID_POINTER	The function fa parameter was invalid if it is nu an invalid addre

0xC01E05E5 STATUS_GRAPHICS_NO_MONITORS_CORRESPOND_TO_DISPLAY_DEVICE	This function fa it did not have
0xC01E05E6 STATUS_GRAPHICS_PARAMETER_ARRAY_TOO_SMALL	An array passe data that the fu
0xC01E05E7 STATUS_GRAPHICS_INTERNAL_ERROR	An internal err
0xC01E05E8 STATUS_GRAPHICS_SESSION_TYPE_CHANGE_IN_PROGRESS	The function fa changing its typ the current sess of sessions curr remote (RDP or
0xC0210000 STATUS_FVE_LOCKED_VOLUME	The volume mu
0xC0210001 STATUS_FVE_NOT_ENCRYPTED	The volume is f
0xC0210002 STATUS_FVE_BAD_INFORMATION	The control blo valid.
0xC0210003 STATUS_FVE_TOO_SMALL	Not enough fre allow encryptio
0xC0210004 STATUS_FVE_FAILED_WRONG_FS	The partition ca system is not su
0xC0210005 STATUS_FVE_FAILED_BAD_FS	The file system utility.
0xC0210006 STATUS_FVE_FS_NOT_EXTENDED	The file system volume.
0xC0210007 STATUS_FVE_FS_MOUNTED	This operation system is moun
0xC0210008 STATUS_FVE_NO_LICENSE	BitLocker Drive version of Wind
0xC0210009 STATUS_FVE_ACTION_NOT_ALLOWED	The requested engine.
0xC021000A STATUS_FVE_BAD_DATA	The data suppli
0xC021000B STATUS_FVE_VOLUME_NOT_BOUND	The volume is n
0xC021000C STATUS_FVE_NOT_DATA_VOLUME	The volume spe
0xC021000D STATUS_FVE_CONV_READ_ERROR	A read operatio
0xC021000E STATUS_FVE_CONV_WRITE_ERROR	A write operatio

0xC021000F STATUS_FVE_OVERLAPPED_UPDATE	The control blo updated by and
0xC0210010 STATUS_FVE_FAILED_SECTOR_SIZE	The volume enc this sector size.
0xC0210011 STATUS_FVE_FAILED_AUTHENTICATION	BitLocker recov
0xC0210012 STATUS_FVE_NOT_OS_VOLUME	The volume spe system volume
0xC0210013 STATUS_FVE_KEYFILE_NOT_FOUND	The BitLocker s not be read fro
0xC0210014 STATUS_FVE_KEYFILE_INVALID	The BitLocker s corrupt or inva
0xC0210015 STATUS_FVE_KEYFILE_NO_VMK	The BitLocker e from the startu
0xC0210016 STATUS_FVE_TPM_DISABLED	The TPM is disa
0xC0210017 STATUS_FVE_TPM_SRK_AUTH_NOT_ZERO	The authorizati zero.
0xC0210018 STATUS_FVE_TPM_INVALID_PCR	The system boc locked out acce the computer is
0xC0210019 STATUS_FVE_TPM_NO_VMK	The BitLocker e from the TPM.
0xC021001A STATUS_FVE_PIN_INVALID	The BitLocker e from the TPM a
0xC021001B STATUS_FVE_AUTH_INVALID_APPLICATION	A boot applicat computed whe
0xC021001C STATUS_FVE_AUTH_INVALID_CONFIG	The Boot Confi supported or h enabled.
0xC021001D STATUS_FVE_DEBUGGER_ENABLED	Boot debuggin Configuration L it off.
0xC021001E STATUS_FVE_DRY_RUN_FAILED	The BitLocker e
0xC021001F STATUS_FVE_BAD_METADATA_POINTER	The metadata c
0xC0210020 STATUS_FVE_OLD_METADATA_COPY	The backup cop
0xC0210021 STATUS_FVE_REBOOT_REQUIRED	No action was t required.

0xC0210022 STATUS_FVE_RAW_ACCESS	No action was t Encryption is in
0xC0210023 STATUS_FVE_RAW_BLOCKED	BitLocker Drive mode for this v
0xC0210026 STATUS_FVE_NO_FEATURE_LICENSE	This feature of included with t
0xC0210027 STATUS_FVE_POLICY_USER_DISABLE_RDV_NOT_ALLOWED	Group policy d Drive Encryptio
0xC0210028 STATUS_FVE_CONV_RECOVERY_FAILED	Bitlocker Drive aborted conver conversion log write-protected
0xC0210029 STATUS_FVE_VIRTUALIZED_SPACE_TOO_BIG	The requested
0xC0210030 STATUS_FVE_VOLUME_TOO_SMALL	The drive is too Drive Encryptio
0xC0220001 STATUS_FWP_CALLOUT_NOT_FOUND	The callout doe
0xC0220002 STATUS_FWP_CONDITION_NOT_FOUND	The filter condit
0xC0220003 STATUS_FWP_FILTER_NOT_FOUND	The filter does
0xC0220004 STATUS_FWP_LAYER_NOT_FOUND	The layer does
0xC0220005 STATUS_FWP_PROVIDER_NOT_FOUND	The provider d
0xC0220006 STATUS_FWP_PROVIDER_CONTEXT_NOT_FOUND	The provider c
0xC0220007 STATUS_FWP_SUBLAYER_NOT_FOUND	The sublayer d
0xC0220008 STATUS_FWP_NOT_FOUND	The object does
0xC0220009 STATUS_FWP_ALREADY_EXISTS	An object with
0xC022000A STATUS_FWP_IN_USE	The object is re be deleted.
0xC022000B STATUS_FWP_DYNAMIC_SESSION_IN_PROGRESS	The call is not a
0xC022000C STATUS_FWP_WRONG_SESSION	The call was ma be completed.

0xC022000D STATUS_FWP_NO_TXN_IN_PROGRESS	The call must b transaction.	
0xC022000E STATUS_FWP_TXN_IN_PROGRESS	The call is not a transaction.	
0xC022000F STATUS_FWP_TXN_ABORTED	The explicit trar	
0xC0220010 STATUS_FWP_SESSION_ABORTED	The session has	
0xC0220011 STATUS_FWP_INCOMPATIBLE_TXN	The call is not a transaction.	
0xC0220012 STATUS_FWP_TIMEOUT	The call timed c transaction locl	
0xC0220013 STATUS_FWP_NET_EVENTS_DISABLED	The collection c disabled.	
0xC0220014 STATUS_FWP_INCOMPATIBLE_LAYER	The operation i	
0xC0220015 STATUS_FWP_KM_CLIENTS_ONLY	The call is allow	
0xC0220016 STATUS_FWP_LIFETIME_MISMATCH	The call tried tc incompatible lif	
0xC0220017 STATUS_FWP_BUILTIN_OBJECT	The object is bu	
0xC0220018 STATUS_FWP_TOO_MANY_BOOTTIME_FILTERS	The maximum r reached.	
0xC0220018 STATUS_FWP_TOO_MANY_CALLOUTS	The maximum r	
0xC0220019 STATUS_FWP_NOTIFICATION_DROPPED	A notification c message queue	
0xC022001A STATUS_FWP_TRAFFIC_MISMATCH	The traffic para security associa	
0xC022001B STATUS_FWP_INCOMPATIBLE_SA_STATE	The call is not a association stat	
0xC022001C STATUS_FWP_NULL_POINTER	A required poir	
0xC022001D STATUS_FWP_INVALID_ENUMERATOR	An enumerator	
0xC022001E STATUS_FWP_INVALID_FLAGS	The flags field c	

0xC022001F STATUS_FWP_INVALID_NET_MASK	A network mas
0xC0220020 STATUS_FWP_INVALID_RANGE	An FWP_RANG
0xC0220021 STATUS_FWP_INVALID_INTERVAL	The time interv
0xC0220022 STATUS_FWP_ZERO_LENGTH_ARRAY	An array that n zero length.
0xC0220023 STATUS_FWP_NULL_DISPLAY_NAME	The displayData
0xC0220024 STATUS_FWP_INVALID_ACTION_TYPE	The action type for a filter.
0xC0220025 STATUS_FWP_INVALID_WEIGHT	The filter weigh
0xC0220026 STATUS_FWP_MATCH_TYPE_MISMATCH	A filter conditio compatible with
0xC0220027 STATUS_FWP_TYPE_MISMATCH	An FWP_VALUE the wrong type
0xC0220028 STATUS_FWP_OUT_OF_BOUNDS	An integer valu
0xC0220029 STATUS_FWP_RESERVED	A reserved field
0xC022002A STATUS_FWP_DUPLICATE_CONDITION	A filter cannot on a single field
0xC022002B STATUS_FWP_DUPLICATE_KEYMOD	A policy cannot more than once
0xC022002C STATUS_FWP_ACTION_INCOMPATIBLE_WITH_LAYER	The action type
0xC022002D STATUS_FWP_ACTION_INCOMPATIBLE_WITH_SUBLAYER	The action type
0xC022002E STATUS_FWP_CONTEXT_INCOMPATIBLE_WITH_LAYER	The raw contex compatible with
0xC022002F STATUS_FWP_CONTEXT_INCOMPATIBLE_WITH_CALLOUT	The raw contex compatible with
0xC0220030 STATUS_FWP_INCOMPATIBLE_AUTH_METHOD	The authenticat policy type.
0xC0220031 STATUS_FWP_INCOMPATIBLE_DH_GROUP	The Diffie-Hellm policy type.

0xC0220032 STATUS_FWP_EM_NOT_SUPPORTED	An IKE policy ca policy.
0xC0220033 STATUS_FWP_NEVER_MATCH	The enumeratic match any obje
0xC0220034 STATUS_FWP_PROVIDER_CONTEXT_MISMATCH	The provider cc
0xC0220035 STATUS_FWP_INVALID_PARAMETER	The parameter
0xC0220036 STATUS_FWP_TOO_MANY_SUBLAYERS	The maximum i
0xC0220037 STATUS_FWP_CALLOUT_NOTIFICATION_FAILED	The notificatior error.
0xC0220038 STATUS_FWP_INCOMPATIBLE_AUTH_CONFIG	The IPsec authe compatible with
0xC0220039 STATUS_FWP_INCOMPATIBLE_CIPHER_CONFIG	The IPsec ciphe the cipher type
0xC022003C STATUS_FWP_DUPLICATE_AUTH_METHOD	A policy cannot than once.
0xC0220100 STATUS_FWP_TCPIP_NOT_READY	The TCP/IP stac
0xC0220101 STATUS_FWP_INJECT_HANDLE_CLOSING	The injection ha thread.
0xC0220102 STATUS_FWP_INJECT_HANDLE_STALE	The injection ha
0xC0220103 STATUS_FWP_CANNOT_PEND	The classify can
0xC0230002 STATUS_NDIS_CLOSING	The binding to
0xC0230004 STATUS_NDIS_BAD_VERSION	An invalid versi
0xC0230005 STATUS_NDIS_BAD_CHARACTERISTICS	An invalid chara
0xC0230006 STATUS_NDIS_ADAPTER_NOT_FOUND	Failed to find th interface is not
0xC0230007 STATUS_NDIS_OPEN_FAILED	Failed to open
0xC0230008 STATUS_NDIS_DEVICE_FAILED	The network in unrecoverable

0xC0230009 STATUS_NDIS_MULTICAST_FULL	The multicast li
0xC023000A STATUS_NDIS_MULTICAST_EXISTS	An attempt wa: address to the
0xC023000B STATUS_NDIS_MULTICAST_NOT_FOUND	At attempt was that was never
0xC023000C STATUS_NDIS_REQUEST_ABORTED	The network in
0xC023000D STATUS_NDIS_RESET_IN_PROGRESS	The network in because it is be
0xC023000F STATUS_NDIS_INVALID_PACKET	An attempt wa: network interfa
0xC0230010 STATUS_NDIS_INVALID_DEVICE_REQUEST	The specified re target device.
0xC0230011 STATUS_NDIS_ADAPTER_NOT_READY	The network in operation.
0xC0230014 STATUS_NDIS_INVALID_LENGTH	The length of tl is not valid.
0xC0230015 STATUS_NDIS_INVALID_DATA	The data used f
0xC0230016 STATUS_NDIS_BUFFER_TOO_SHORT	The length of tl is too small.
0xC0230017 STATUS_NDIS_INVALID_OID	The network in identifier.
0xC0230018 STATUS_NDIS_ADAPTER_REMOVED	The network in
0xC0230019 STATUS_NDIS_UNSUPPORTED_MEDIA	The network in type.
0xC023001A STATUS_NDIS_GROUP_ADDRESS_IN_USE	An attempt wa: address that is
0xC023001B STATUS_NDIS_FILE_NOT_FOUND	An attempt wa: found.
0xC023001C STATUS_NDIS_ERROR_READING_FILE	An error occurr
0xC023001D STATUS_NDIS_ALREADY_MAPPED	An attempt wa: mapped.
0xC023001E STATUS_NDIS_RESOURCE_CONFLICT	An attempt to because the re:

0xC023001F STATUS_NDIS_MEDIA_DISCONNECTED	The I/O operati disconnected o range.
0xC0230022 STATUS_NDIS_INVALID_ADDRESS	The network ac
0xC023002A STATUS_NDIS_PAUSED	The offload ope been paused.
0xC023002B STATUS_NDIS_INTERFACE_NOT_FOUND	The network in
0xC023002C STATUS_NDIS_UNSUPPORTED_REVISION	The revision nu supported.
0xC023002D STATUS_NDIS_INVALID_PORT	The specified p interface.
0xC023002E STATUS_NDIS_INVALID_PORT_STATE	The current sta interface does
0xC023002F STATUS_NDIS_LOW_POWER_STATE	The miniport ac
0xC02300BB STATUS_NDIS_NOT_SUPPORTED	The network in
0xC023100F STATUS_NDIS_OFFLOAD_POLICY	The TCP conne local policy sett
0xC0231012 STATUS_NDIS_OFFLOAD_CONNECTION_REJECTED	The TCP conne offload target.
0xC0231013 STATUS_NDIS_OFFLOAD_PATH_REJECTED	The IP Path obj
0xC0232000 STATUS_NDIS_DOT11_AUTO_CONFIG_ENABLED	The wireless LA mode and does change operati
0xC0232001 STATUS_NDIS_DOT11_MEDIA_IN_USE	The wireless LA the requested
0xC0232002 STATUS_NDIS_DOT11_POWER_STATE_INVALID	The wireless LA not support the
0xC0232003 STATUS_NDIS_PM_WOL_PATTERN_LIST_FULL	The list of wake
0xC0232004 STATUS_NDIS_PM_PROTOCOL_OFFLOAD_LIST_FULL	The list of low
0xC0360001 STATUS_IPSEC_BAD_SPI	The SPI in the
0xC0360002 STATUS_IPSEC_SA_LIFETIME_EXPIRED	The packet was lifetime has exp

0xC0360003 STATUS_IPSEC_WRONG_SA	The packet was match the pack
0xC0360004 STATUS_IPSEC_REPLAY_CHECK_FAILED	The packet seq
0xC0360005 STATUS_IPSEC_INVALID_PACKET	The IPsec head
0xC0360006 STATUS_IPSEC_INTEGRITY_CHECK_FAILED	The IPsec integ
0xC0360007 STATUS_IPSEC_CLEAR_TEXT_DROP	IPsec dropped
0xC0360008 STATUS_IPSEC_AUTH_FIREWALL_DROP	IPsec dropped authenticated f
0xC0360009 STATUS_IPSEC_THROTTLE_DROP	IPsec dropped
0xC0368000 STATUS_IPSEC_DOSP_BLOCK	IPsec Dos Prote
0xC0368001 STATUS_IPSEC_DOSP_RECEIVED_MULTICAST	IPsec Dos Prote multicast packe
0xC0368002 STATUS_IPSEC_DOSP_INVALID_PACKET	IPsec Dos Prote packet.
0xC0368003 STATUS_IPSEC_DOSP_STATE_LOOKUP_FAILED	IPsec Dos Prote
0xC0368004 STATUS_IPSEC_DOSP_MAX_ENTRIES	IPsec Dos Prote there are alread by policy.
0xC0368005 STATUS_IPSEC_DOSP_KEYMOD_NOT_ALLOWED	IPsec Dos Prote packet for a key policy.
0xC0368006 STATUS_IPSEC_DOSP_MAX_PER_IP_RATELIMIT_QUEUES	IPsec Dos Prote ratelimit queue number of quer
0xC038005B STATUS_VOLMGR_MIRROR_NOT_SUPPORTED	The system doe
0xC038005C STATUS_VOLMGR_RAID5_NOT_SUPPORTED	The system doe
0xC03A0014 STATUS_VIRTDISK_PROVIDER_NOT_FOUND	A virtual disk su was not found.
0xC03A0015 STATUS_VIRTDISK_NOT_VIRTUAL_DISK	The specified di
0xC03A0016 STATUS_VHD_PARENT_VHD_ACCESS_DENIED	The chain of vir process has not parent virtual h

0xC03A0017 STATUS_VHD_CHILD_PARENT_SIZE_MISMATCH	The chain of vir mismatch in the disk and differe
0xC03A0018 STATUS_VHD_DIFFERENCING_CHAIN_CYCLE_DETECTED	The chain of vir differencing dis
0xC03A0019 STATUS_VHD_DIFFERENCING_CHAIN_ERROR_IN_PARENT	The chain of vir was an error op the chain.