G Google Workspace

Home   **Admin console**   All products   Re

Admin console

Overview   Guides   **Reference**   Support

Filter

Admin SDK API
Overview
v1
v1.1beta1

Admin Settings API
Usage limits

Alert Center API
v1beta1
Alert types
Supported query filter fields
Standard query parameters
Usage limits

Domain Shared Contacts API
Contacts feed
Extended properties and projections
Contacts query parameters
Shared contacts elements
Perform batch operations

Email Audit API
monitor
export
Usage limits

Enterprise License Manager API
v1
Products and SKUs
Standard query parameters
Usage limits

Google Workspace Reseller API
v1
Products & SKUs
Payment plans
Usage limits

Groups Migration API
v1
Usage limits

Groups Settings API
v1
Usage limits

Related APIs
Cloud Identity API
People API

Home   Google Workspace   Admin console   Reference

Admin Audit Activity Events - Domain Settings

Send feedback

This document lists the events and parameters for Domain Settings Admin Audit activity events. You can retrieve these events by calling `Activities.list()` with `applicationName=admin`.

Domain Settings

Events of this type are returned with `type=DOMAIN_SETTINGS`.

Account Automatic Renewal Change

Event details	
Event name	CHANGE_ACCOUNT_AUTO_RENEWAL
Parameters	DOMAIN_NAME string The primary domain name. NEW_VALUE string The new renewal strategy. Possible values: • NON_AUTO_RENEWAL • RENEWAL_BY_LICENSES • RENEWAL_BY_USERS .
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_ACCOUNT_AUTO_RENEWAL &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Account automatic renewal changed to *{NEW_VALUE}* on *{DOMAIN_NAME}*

Add Application

Event details	
Event name	ADD_APPLICATION
Parameters	APP_ID string Application ID. APPLICATION_ENABLED string Application enabled.

	APPLICATION_NAME	string	
		The application's name.	
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=ADD_APPLICATION&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*		
Admin Console message format	Application *{APPLICATION_NAME}* with id *{APP_ID}* has been added to the domain		

Add Application to Whitelist

Event details			
Event name	ADD_APPLICATION_TO_WHITELIST		
Parameters	APP_ID	string	
		Application ID.	
	APPLICATION_NAME	string	
		The application's name.	
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=ADD_APPLICATION_TO_WHITELIST &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*		
Admin Console message format	Application *{APPLICATION_NAME}* with id *{APP_ID}* has been added to whitelist for the domain		

Advertisement Option Change

Event details			
Event name	CHANGE_ADVERTISEMENT_OPTION		
Parameters	DOMAIN_NAME	string	
		The primary domain name.	
	NEW_VALUE	string	
		The new advertising option.	
	OLD_VALUE	string	
		The previous advertising option.	
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_ADVERTISEMENT_OPTION &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*		
Admin Console message format	Advertisement option for your organization changed from *{OLD_VALUE}* to *{NEW_VALUE}*		

Alert Creation

Event details			

Event name	CREATE_ALERT	
Parameters	ALERT_NAME	string
		The name of the alert.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CREATE_ALERT&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Alert *{ALERT_NAME}* has been created	

Alert Criteria Change

Event details		
Event name	CHANGE_ALERT_CRITERIA	
Parameters	ALERT_NAME	string
		The name of the alert.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_ALERT_CRITERIA&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Alert criteria for *{ALERT_NAME}* has been changed	

Alert Deletion

Event details		
Event name	DELETE_ALERT	
Parameters	ALERT_NAME	string
		The name of the alert.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=DELETE_ALERT&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Alert *{ALERT_NAME}* has been deleted	

Alert Receivers Change

Event details		
Event name	ALERT_RECEIVERS_CHANGED	
Parameters	ALERT_NAME	string
		The name of the alert.
	NEW_VALUE	string
		A comma-separated list of new alert receivers.

	OLD_VALUE	string
		A comma-separated list of old alert receivers.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=ALERT_RECEIVERS_CHANGED&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Alert receivers for *{ALERT_NAME}* changed from *{OLD_VALUE}* to *{NEW_VALUE}*	

Alert Rename

Event details		
Event name	RENAME_ALERT	
Parameters	NEW_VALUE	string
		The new value of the alert name.
	OLD_VALUE	string
		The previous value of the alert name.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=RENAME_ALERT&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Alert *{OLD_VALUE}* has been renamed to *{NEW_VALUE}*	

Alert Status Change

Event details		
Event name	ALERT_STATUS_CHANGED	
Parameters	ALERT_NAME	string
		The name of the alert.
	NEW_VALUE	string
		The new value of the alert name. Can be on or off.
	OLD_VALUE	string
		The previous value of the alert name. Can be on or off.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=ALERT_STATUS_CHANGED&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Alert status for *{ALERT_NAME}* changed from *{OLD_VALUE}* to *{NEW_VALUE}*	

Alias Creation

Event details		
Event name	ADD_DOMAIN_ALIAS	
Parameters	DOMAIN_ALIAS	string
		The new domain alias. For more information about a domain alias, see the administration help center.
	DOMAIN_NAME	string
		The primary domain name.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=ADD_DOMAIN_ALIAS&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	An unverified *{DOMAIN_ALIAS}* created as an alias of *{DOMAIN_NAME}*	

Alias Deletion

Event details		
Event name	REMOVE_DOMAIN_ALIAS	
Parameters	DOMAIN_ALIAS	string
		The removed domain alias. For more information about a domain alias, see the administration help center.
	DOMAIN_NAME	string
		The primary domain name.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=REMOVE_DOMAIN_ALIAS&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	*{DOMAIN_ALIAS}* deleted as an alias of *{DOMAIN_NAME}*	

Alias MX Record Setup Skipped

Event details		
Event name	SKIP_DOMAIN_ALIAS_MX	
Parameters	DOMAIN_ALIAS	string
		The domain alias. For more information about a domain alias, see the administration help center.
	DOMAIN_NAME	string
		The primary domain name.

| Sample request | ```
GET https://admin.googleapis.com/admin/reports
/v1/activity/users/all/applications/admin?
eventName=SKIP_DOMAIN_ALIAS_MX&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
``` |
| Admin Console message format | Skipped MX record setup of alias *{DOMAIN_ALIAS}* of domain *{DOMAIN_NAME}* |

Alias MX Record Verification

Event details		
Event name	VERIFY_DOMAIN_ALIAS_MX	
Parameters	DOMAIN_ALIAS	string
		The domain alias. For more information about a domain alias, see the administration help center.
	DOMAIN_NAME	string
		The primary domain name.
| Sample request | ```
GET https://admin.googleapis.com/admin/reports
/v1/activity/users/all/applications/admin?
eventName=VERIFY_DOMAIN_ALIAS_MX&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
``` | |
| Admin Console message format | Verified MX record of alias *{DOMAIN_ALIAS}* of domain *{DOMAIN_NAME}* | |

Alias Verification

Event details		
Event name	VERIFY_DOMAIN_ALIAS	
Parameters	DOMAIN_ALIAS	string
		The domain alias. For more information about a domain alias, see the administration help center.
	DOMAIN_NAME	string
		The primary domain name.
	DOMAIN_VERIFICATION_METHOD	string
		The domain verification method. Possible values:
		• DNS
		• ANALYTICS
		• META_TAG
		• HTML_FILE
		.
| Sample request | ```
GET https://admin.googleapis.com/admin/reports
/v1/activity/users/all/applications/admin?
``` | |

	eventName=VERIFY_DOMAIN_ALIAS&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	*{DOMAIN_ALIAS}* verified as an alias of *{DOMAIN_NAME}* using *{DOMAIN_VERIFICATION_METHOD}*

All API OAuth Access Change

Event details		
Event name	TOGGLE_OAUTH_ACCESS_TO_ALL_APIS	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new value, either `true` or `false`.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=TOGGLE_OAUTH_ACCESS_TO_ALL_APIS &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	OAuth access for all APIs changed to *{NEW_VALUE}* for your organization	

Allow Admin Password Reset

Event details		
Event name	TOGGLE_ALLOW_ADMIN_PASSWORD_RESET	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new value, either `true` or `false`.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=TOGGLE_ALLOW_ADMIN_PASSWORD_RESET &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Allow admin password reset setting changed to *{NEW_VALUE}*	

API Access Change

Event details		
Event name	ENABLE_API_ACCESS	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string

		The new value, either `true` or `false`.
	OLD_VALUE	string
		The previous value, either `true` or `false`.
Sample request		GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=ENABLE_API_ACCESS&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format		API access for your organization changed from *{OLD_VALUE}* to *{NEW_VALUE}*

API Client Access Authorize

Event details		
Event name	AUTHORIZE_API_CLIENT_ACCESS	
Parameters	API_CLIENT_NAME	string
		API Client Name.
	API_SCOPES	string
		The API scopes.
	DOMAIN_NAME	string
		The primary domain name.
Sample request		GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=AUTHORIZE_API_CLIENT_ACCESS &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format		API client access to your organization from client *{API_CLIENT_NAME}* authorized for scopes *{API_SCOPES}*

API Client Access Remove

Event details		
Event name	REMOVE_API_CLIENT_ACCESS	
Parameters	API_CLIENT_NAME	string
		The API client name. For more information about managing API client access, see the [administration help center](#).
	DOMAIN_NAME	string
		The primary domain name.
Sample request		GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=REMOVE_API_CLIENT_ACCESS &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format		API client access to your organization from

```
client {API_CLIENT_NAME} removed
```

App Licenses Redeemed

Licenses redeemed event name.

Event details		
Event name	CHROME_LICENSES_REDEEMED	
Parameters	APP_LICENSES_ORDER_NUMBER	string
		Order number used to redeem licenses.
	APPLICATION_NAME	string
		The application's name.
	CHROME_NUM_LICENSES_ PURCHASED	integer
		Number of licences purchased.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHROME_LICENSES_REDEEMED &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	*{CHROME_NUM_LICENSES_PURCHASED}* app licenses redeemed for application *{APPLICATION_NAME}* using order *{APP_LICENSES_ORDER_NUMBER}*	

Automatic Addition Update

Event details		
Event name	TOGGLE_AUTO_ADD_NEW_SERVICE	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new SETTING_NAME value that was set during this event.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=TOGGLE_AUTO_ADD_NEW_SERVICE &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Automatic addition for new services and pre-release features for your organization changed to *{NEW_VALUE}*	

Change Primary Domain Name

Event details		
Event name	CHANGE_PRIMARY_DOMAIN	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string

			The new `SETTING_NAME` value that was set during this event.
Sample request			
| | ```
GET https://admin.googleapis.com/admin/reports
/v1/activity/users/all/applications/admin?
eventName=CHANGE_PRIMARY_DOMAIN&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
``` | | |
| Admin Console message format | | | |
| | Primary domain name changed from *{DOMAIN_NAME}* to *{NEW_VALUE}* | | |

Change Whitelist Setting

Event details			
Event name	`CHANGE_WHITELIST_SETTING`		
Parameters	`NEW_VALUE`		string
			The new `SETTING_NAME` value that was set during this event.
	`OLD_VALUE`		string
			The previous `SETTING_NAME` value that was replaced during this event.
	`SETTING_NAME`		string
			The unique name (ID) of the setting that was changed.
Sample request			
| | ```
GET https://admin.googleapis.com/admin/reports
/v1/activity/users/all/applications/admin?
eventName=CHANGE_WHITELIST_SETTING
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
``` | | |
| Admin Console message format | | | |
| | *{SETTING_NAME}* changed from *{OLD_VALUE}* to *{NEW_VALUE}* for the domain | | |

Communication Preferences Setting Change

Event details			
Event name	`COMMUNICATION_PREFERENCES_SETTING_CHANGE`		
Parameters	`DOMAIN_NAME`		string
			The primary domain name.
	`NEW_VALUE`		string
			The new `SETTING_NAME` value that was set during this event.
	`OLD_VALUE`		string
			The previous `SETTING_NAME` value that was replaced during this event.
	`SETTING_NAME`		string
			The unique name (ID) of the setting that was changed.
Sample request			
| | ```
GET https://admin.googleapis.com/admin/reports
/v1/activity/users/all/applications/admin?
``` | | |

```
eventName=COMMUNICATION_PREFERENCES_SETTING_CHA
NGE&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format	`{SETTING_NAME}` setting in Communication Preferences changed from `{OLD_VALUE}` to `{NEW_VALUE}` (Domain Name : `{DOMAIN_NAME}`)

Conflict Account Action Change

Event details		
Event name	CHANGE_CONFLICT_ACCOUNT_ACTION	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new conflict resolution action to take. Possible values:
		• ASSIGN_ON_CONFLICT
		• INVITE_ON_CONFLICT
		• ASK_ON_CONFLICT
		.
	OLD_VALUE	string
		The previous conflict resolution action.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_CONFLICT_ACCOUNT_ACTION &maxResults=10&access_token=YOUR_ACCESS_TOKEN	
Admin Console message format	Conflict account action for `{DOMAIN_NAME}` changed from `{OLD_VALUE}` to `{NEW_VALUE}`	

Contact for Feedback Setting Change

Event details		
Event name	ENABLE_FEEDBACK_SOLICITATION	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new value, either `true` or `false`.
	OLD_VALUE	string
		The previous value, either `true` or `false`.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=ENABLE_FEEDBACK_SOLICITATION &maxResults=10&access_token=YOUR_ACCESS_TOKEN	

Admin Console message format	Can contact for feedback setting for your organization changed from *{OLD_VALUE}* to *{NEW_VALUE}*

Contact Sharing Change

Event details		
Event name	TOGGLE_CONTACT_SHARING	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new value, either true or false.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=TOGGLE_CONTACT_SHARING&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Contact sharing changed to *{NEW_VALUE}*	

Create MDM vendor enrollment token

Event details		
Event name	CREATE_PLAY_FOR_WORK_TOKEN	
Parameters	PLAY_FOR_WORK_TOKEN_ID	string
		The MDM vendor enrollment token.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CREATE_PLAY_FOR_WORK_TOKEN &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	MDM vendor enrollment token (*{PLAY_FOR_WORK_TOKEN_ID}*) created	

Custom Logo Change

Event details		
Event name	TOGGLE_USE_CUSTOM_LOGO	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new value, either true or false. To learn more about custom logos, see the [administration help center]().
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin?	

```
eventName=TOGGLE_USE_CUSTOM_LOGO&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format	Use custom logo changed to *{NEW_VALUE}*

Custom Logo Upload

Event details	
Event name	CHANGE_CUSTOM_LOGO
Parameters	DOMAIN_NAME string The primary domain name.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_CUSTOM_LOGO&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	New custom logo uploaded for your organization

Data Localization For Russian Federation Change

Event details		
Event name	CHANGE_DATA_LOCALIZATION_FOR_RUSSIA	
Parameters	NEW_VALUE	string
		The new SETTING_NAME value that was set during this event.
	OLD_VALUE	string
		The previous SETTING_NAME value that was replaced during this event.
	ORG_UNIT_NAME	string
		The organizational unit (OU) name (path).
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_DATA_LOCALIZATION_FOR_RUSSIA &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Setting for Data Localization for Russian Federation changed from *{OLD_VALUE}* to *{NEW_VALUE}*	

Data Localization Setting Change

Event details		
Event name	CHANGE_DATA_LOCALIZATION_SETTING	
Parameters	NEW_VALUE	string
		The new SETTING_NAME value that was set during this event.

	OLD_VALUE	string
		The previous SETTING_NAME value that was replaced during this event.
	ORG_UNIT_NAME	string
		The organizational unit (OU) name (path).

Sample request	
	``` GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_DATA_LOCALIZATION_SETTING &maxResults=10&access_token=YOUR_ACCESS_TOKEN ```

Admin Console message format	
	``` Setting for Data Localization changed from {OLD_VALUE} to {NEW_VALUE} ```

Data Protection Officer Contact Information Change

Part of an audit log event for contact info update for Data Protection Officer. This is used as an indicator of what kind of event log this message is.

Event details		
Event name	CHANGE_DATA_PROTECTION_OFFICER_CONTACT_INFO	
Parameters	INFO_TYPE	string
		Part of an audit log event for contact info update for EU Representative or Data Protection Officer. This will be used to state what kind of information was changed: email, name, phone or address. It's the INFO_TYPE placeholder in 'EU Representative {INFO_TYPE} changed from {OLD_VALUE} to {NEW_VALUE}'. Possible values:
		- ADDRESS The address is expected to be a physical address of a person or institution. - EMAIL_ID The email_id here will be a regular email address in the form abc@xyz.com. - FULL_NAME A person's full name. - PHONE_NUMBER The phone number will be a phone number with an international extension.
	NEW_VALUE	string
		The new SETTING_NAME value that was set during this event.
	OLD_VALUE	string
		The previous SETTING_NAME value that was replaced during this event.
Sample request		
	``` GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_DATA_PROTECTION_OFFICER_CONTAC ```	

	T_INFO&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Data Protection Officer *{INFO_TYPE}* changed from *{OLD_VALUE}* to *{NEW_VALUE}*

Delete MDM vendor enrollment token

Event details		
Event name	DELETE_PLAY_FOR_WORK_TOKEN	
Parameters	PLAY_FOR_WORK_TOKEN_ID	string
		The MDM vendor enrollment token.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=DELETE_PLAY_FOR_WORK_TOKEN &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	MDM vendor enrollment token (*{PLAY_FOR_WORK_TOKEN_ID}*) deleted	

DNS console login details viewed

Event details		
Event name	VIEW_DNS_LOGIN_DETAILS	
Parameters	DOMAIN_NAME	string
		The primary domain name.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=VIEW_DNS_LOGIN_DETAILS&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	DNS console login details for *{DOMAIN_NAME}* viewed	

Domain Default Locale Change

Event details		
Event name	CHANGE_DOMAIN_DEFAULT_LOCALE	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new locale.
	OLD_VALUE	string
		The previous locale.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin?	

```
eventName=CHANGE_DOMAIN_DEFAULT_LOCALE
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format	Default locale for your organization changed from {OLD_VALUE} to {NEW_VALUE}

Domain Default Timezone Change

Event details		
Event name	CHANGE_DOMAIN_DEFAULT_TIMEZONE	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new default timezone.
	OLD_VALUE	string
		The previous default timezone.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_DOMAIN_DEFAULT_TIMEZONE &maxResults=10&access_token=YOUR_ACCESS_TOKEN	
Admin Console message format	Default time zone for your organization changed from {OLD_VALUE} to {NEW_VALUE}	

Domain Name Change

Event details		
Event name	CHANGE_DOMAIN_NAME	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new domain name.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_DOMAIN_NAME&maxResults=10 &access_token=YOUR_ACCESS_TOKEN	
Admin Console message format	Change of domain name for {DOMAIN_NAME} to {NEW_VALUE} started	

Domain Pre-release Setting Change

Event details		
Event name	TOGGLE_ENABLE_PRE_RELEASE_FEATURES	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string

	The new value, either `true` or `false`.
| Sample request | ```
GET https://admin.googleapis.com/admin/reports
/v1/activity/users/all/applications/admin?
eventName=TOGGLE_ENABLE_PRE_RELEASE_FEATURES
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
``` |
| Admin Console message format | Pre-release features for your organization was set to *{NEW_VALUE}* |

Domain Support Message Change

Event details		
Event name	CHANGE_DOMAIN_SUPPORT_MESSAGE	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new domain support message.
	OLD_VALUE	string
		The previous domain support message.
| Sample request | ```
GET https://admin.googleapis.com/admin/reports
/v1/activity/users/all/applications/admin?
eventName=CHANGE_DOMAIN_SUPPORT_MESSAGE
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
``` | |
| Admin Console message format | Support message for your organization changed from *{OLD_VALUE}* to *{NEW_VALUE}* | |

Domains added to Trusted Domains

Event details		
Event name	ADD_TRUSTED_DOMAINS	
Parameters	DOMAIN_NAME	string
		The primary domain name.
| Sample request | ```
GET https://admin.googleapis.com/admin/reports
/v1/activity/users/all/applications/admin?
eventName=ADD_TRUSTED_DOMAINS&maxResults=10
&access_token=YOUR_ACCESS_TOKEN
``` | |
| Admin Console message format | Domains *{DOMAIN_NAME}* added to Trusted Domains list | |

Domains removed from Trusted Domains

Event details

Event name	REMOVE_TRUSTED_DOMAINS
Parameters	DOMAIN_NAME string The primary domain name.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=REMOVE_TRUSTED_DOMAINS&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Domains *{DOMAIN_NAME}* removed from Trusted Domains list

Education Organization Type Change

Event details		
Event name	CHANGE_EDU_TYPE	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new SETTING_NAME value that was set during this event.
	OLD_VALUE	string
		The previous SETTING_NAME value that was replaced during this event.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_EDU_TYPE&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Educational organization type changed from *{OLD_VALUE}* to *{NEW_VALUE}*	

Enable OAuth Consumer Key

Event details		
Event name	TOGGLE_ENABLE_OAUTH_CONSUMER_KEY	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new value, either true or false.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=TOGGLE_ENABLE_OAUTH_CONSUMER_KEY &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Enabling OAuth consumer key changed to *{NEW_VALUE}* for your organization	

Enable SSO Change

Event details		
Event name	TOGGLE_SSO_ENABLED	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new value, either `true` or `false`.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=TOGGLE_SSO_ENABLED&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Enable SSO changed to *{NEW_VALUE}* for *{DOMAIN_NAME}*	

Enforce SSL Change

Event details		
Event name	TOGGLE_SSL	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new value, either `true` or `false`.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=TOGGLE_SSL&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	SSL Enforcement changed to *{NEW_VALUE}* for *{DOMAIN_NAME}*	

EU Representative Contact Information Change

Part of an audit log event for contact info update for EU Representative. This is used as an indicator of what kind of event log this message is.

Event details		
Event name	CHANGE_EU_REPRESENTATIVE_CONTACT_INFO	
Parameters	INFO_TYPE	string
		Part of an audit log event for contact info update for EU Representative or Data Protection Officer. This will be used to state what kind of information was changed: email, name, phone or address. It's the INFO_TYPE placeholder in 'EU Representative {INFO_TYPE} changed from

{OLD_VALUE} to {NEW_VALUE}'. Possible values:

- `ADDRESS`
  The address is expected to be a physical address of a person or institution.

- `EMAIL_ID`
  The email_id here will be a regular email address in the form abc@xyz.com.

- `FULL_NAME`
  A person's full name.

- `PHONE_NUMBER`
  The phone number will be a phone number with an international extension.

	NEW_VALUE	string
		The new `SETTING_NAME` value that was set during this event.
	OLD_VALUE	string
		The previous `SETTING_NAME` value that was replaced during this event.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_EU_REPRESENTATIVE_CONTACT_INFO &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	EU Representative *{INFO_TYPE}* changed from *{OLD_VALUE}* to *{NEW_VALUE}*	

Generate Transfer Token

Event details		
Event name	GENERATE_TRANSFER_TOKEN	
Sample request	GET https://admin.googleapis.com/admin /reports/v1/activity/users/all /applications/admin? eventName=GENERATE_TRANSFER_TOKEN &maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Transfer token generated	

Login Background Color Change

Event details		
Event name	CHANGE_LOGIN_BACKGROUND_COLOR	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new background color.
	OLD_VALUE	string

	The previous background color.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_LOGIN_BACKGROUND_COLOR &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Login background color for your organization changed from *{OLD_VALUE}* to *{NEW_VALUE}*

Login Border Color Change

Event details		
Event name	CHANGE_LOGIN_BORDER_COLOR	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new border color.
	OLD_VALUE	string
		The previous border color.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_LOGIN_BORDER_COLOR &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Login border color for your organization changed from *{OLD_VALUE}* to *{NEW_VALUE}*	

Marketplace Login Audit Change

Event details		
Event name	CHANGE_LOGIN_ACTIVITY_TRACE	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new activity trace value.
	OLD_VALUE	string
		The previous activity trace value.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_LOGIN_ACTIVITY_TRACE &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Marketplace Login audit setting in *{DOMAIN_NAME}* changed from *{OLD_VALUE}* to *{NEW_VALUE}*	

MDM vendor enrollment

Event details		
Event name	PLAY_FOR_WORK_ENROLL	
Parameters	PLAY_FOR_WORK_MDM_VENDOR_NAME	string
		The MDM vendor's name.
	PLAY_FOR_WORK_TOKEN_ID	string
		The MDM vendor enrollment token.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=PLAY_FOR_WORK_ENROLL&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Enrolled for *{PLAY_FOR_WORK_MDM_VENDOR_NAME}* mobile device management services using token (*{PLAY_FOR_WORK_TOKEN_ID}*)	

MDM vendor unenrollment

Event details		
Event name	PLAY_FOR_WORK_UNENROLL	
Parameters	PLAY_FOR_WORK_MDM_VENDOR_NAME	string
		The MDM vendor's name.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=PLAY_FOR_WORK_UNENROLL&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Unenrolled from *{PLAY_FOR_WORK_MDM_VENDOR_NAME}* mobile device management services	

MX Record Verification Claim

Event details		
Event name	MX_RECORD_VERIFICATION_CLAIM	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	USER_EMAIL	string
		Primary email address of user who claimed to verify the MX records for the DOMAIN_NAME.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=MX_RECORD_VERIFICATION_CLAIM &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	*{USER_EMAIL}* claimed to verify the MX record	

for *{DOMAIN_NAME}*

New App Features Update

Event details		
Event name	TOGGLE_NEW_APP_FEATURES	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new value, either true or false.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=TOGGLE_NEW_APP_FEATURES&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	New app features for your organization changed to *{NEW_VALUE}*	

Next Generation CPanel Setting Change

Event details		
Event name	TOGGLE_USE_NEXT_GEN_CONTROL_PANEL	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new value, either true or false.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=TOGGLE_USE_NEXT_GEN_CONTROL_PANEL &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	The setting to enable the new Admin Console changed to *{NEW_VALUE}* for your organization	

OAuth Certificate Upload

Event details		
Event name	UPLOAD_OAUTH_CERTIFICATE	
Parameters	DOMAIN_NAME	string
		The primary domain name.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=UPLOAD_OAUTH_CERTIFICATE &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	

Admin Console message format	
	New OAuth certificate uploaded for your organization

OAuth Consumer Secret Regenerate

Event details		
Event name	REGENERATE_OAUTH_CONSUMER_SECRET	
Parameters	DOMAIN_NAME	string
		The primary domain name.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=REGENERATE_OAUTH_CONSUMER_SECRET &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	New OAuth consumer secret generated for your organization	

OpenId Change

Event details		
Event name	TOGGLE_OPEN_ID_ENABLED	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new value, either true or false.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=TOGGLE_OPEN_ID_ENABLED&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	OpenId federated login for *{DOMAIN_NAME}* changed to *{NEW_VALUE}*	

Organization Name Change

Event details		
Event name	CHANGE_ORGANIZATION_NAME	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new organization name.
	OLD_VALUE	string
		The previous organization name.

Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_ORGANIZATION_NAME &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Organization name changed from *{OLD_VALUE}* to *{NEW_VALUE}*

Outbound Relay Change

Event details		
Event name	TOGGLE_OUTBOUND_RELAY	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new value, either true or false.
	OLD_VALUE	string
		The previous value, either true or false.
	ORG_UNIT_NAME	string
		The organizational unit (OU) name (path).
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=TOGGLE_OUTBOUND_RELAY&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Outbound relay for your organization changed to *{NEW_VALUE}*	

Password Maximum Length Change

Event details		
Event name	CHANGE_PASSWORD_MAX_LENGTH	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new maximum password length. The maximum length allowed by the API is 100 characters. For additional information, see the [administration help center](#)".
	OLD_VALUE	string
		The previous password length.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin?	

```
eventName=CHANGE_PASSWORD_MAX_LENGTH
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format	Password maximum length for *{DOMAIN_NAME}* changed from *{OLD_VALUE}* to *{NEW_VALUE}*

Password Minimum Length Change

Event details	
Event name	CHANGE_PASSWORD_MIN_LENGTH

Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new minimum password length. The minimum length allowed by the API is 8 characters. For additional information, see the [administration help center](#)".
	OLD_VALUE	string
		The previous password length.

Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_PASSWORD_MIN_LENGTH &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Password minimum length for *{DOMAIN_NAME}* changed from *{OLD_VALUE}* to *{NEW_VALUE}*

Primary Admin Change

Event details	
Event name	UPDATE_DOMAIN_PRIMARY_ADMIN_EMAIL

Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new email address.
	OLD_VALUE	string
		The previous email address.

Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=UPDATE_DOMAIN_PRIMARY_ADMIN_EMAIL &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Primary admin for your organization changed from *{OLD_VALUE}* to *{NEW_VALUE}*

Receive Email Notification Setting Change

Event details		
Event name	ENABLE_SERVICE_OR_FEATURE_NOTIFICATIONS	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	NEW_VALUE	string
		The new SETTING_NAME value that was set during this event.
	OLD_VALUE	string
		The previous SETTING_NAME value that was replaced during this event.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=ENABLE_SERVICE_OR_FEATURE_NOTIFICATIO NS&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Receive email notification setting for your organization changed from *{OLD_VALUE}* to *{NEW_VALUE}*	

Remove Application

Event details		
Event name	REMOVE_APPLICATION	
Parameters	APP_ID	string
		Application ID.
	APPLICATION_NAME	string
		The application's name.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=REMOVE_APPLICATION&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Application *{APPLICATION_NAME}* with id *{APP_ID}* has been removed from the domain	

Remove Application from Whitelist

Event details		
Event name	REMOVE_APPLICATION_FROM_WHITELIST	
Parameters	APP_ID	string
		Application ID.
	APPLICATION_NAME	string
		The application's name.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin?	

```
eventName=REMOVE_APPLICATION_FROM_WHITELIST
&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format	Application *{APPLICATION_NAME}* with id *{APP_ID}* has been removed from whitelist for the domain

Renew Domain Registration Setting Change

Event details			
Event name	CHANGE_RENEW_DOMAIN_REGISTRATION		
Parameters	DOMAIN_NAME	string	
		The primary domain name.	
	NEW_VALUE	string	
		The domain's new registration value.	
	OLD_VALUE	string	
		The domain's previous registration value.	
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_RENEW_DOMAIN_REGISTRATION &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*		
Admin Console message format	Renew domain registration setting in *{DOMAIN_NAME}* changed from *{OLD_VALUE}* to *{NEW_VALUE}*		

Reseller Access Change

Event details			
Event name	CHANGE_RESELLER_ACCESS		
Parameters	NEW_VALUE	string	
		The new SETTING_NAME value that was set during this event.	
	OLD_VALUE	string	
		The previous SETTING_NAME value that was replaced during this event.	
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_RESELLER_ACCESS&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*		
Admin Console message format	Reseller access changed from *{OLD_VALUE}* to *{NEW_VALUE}*		

Reseller Access Change for SKU

Event details

Event name	CHANGE_RESELLER_ACCESS_FOR_SKU	
Parameters	NEW_VALUE	string
		The new SETTING_NAME value that was set during this event.
	OLD_VALUE	string
		The previous SETTING_NAME value that was replaced during this event.
	SKU_NAME	string
		The SKU name.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_RESELLER_ACCESS_FOR_SKU &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*	
Admin Console message format	Reseller access for *{SKU_NAME}* changed from *{OLD_VALUE}* to *{NEW_VALUE}*	

Rule Actions Change

Event details	
Event name	RULE_ACTIONS_CHANGED
Parameters	RULE_NAME string
	The name of the rule.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=RULE_ACTIONS_CHANGED&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Rule actions for *{RULE_NAME}* changed

Rule Creation

Event details	
Event name	CREATE_RULE
Parameters	RULE_NAME string
	The name of the rule.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CREATE_RULE&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Rule *{RULE_NAME}* has been created

Rule Criteria Change

Event details

Event name	CHANGE_RULE_CRITERIA
Parameters	RULE_NAME string The name of the rule.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_RULE_CRITERIA&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Rule criteria for *{RULE_NAME}* has been changed

Rule Deletion

Event details	
Event name	DELETE_RULE
Parameters	RULE_NAME string The name of the rule.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=DELETE_RULE&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Rule *{RULE_NAME}* has been deleted

Rule Rename

Event details	
Event name	RENAME_RULE
Parameters	NEW_VALUE string The new SETTING_NAME value that was set during this event. OLD_VALUE string The previous SETTING_NAME value that was replaced during this event.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=RENAME_RULE&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Rule *{OLD_VALUE}* has been renamed to *{NEW_VALUE}*

Rule Status Change

Event details	
Event name	RULE_STATUS_CHANGED
Parameters	NEW_VALUE string

		The new `SETTING_NAME` value that was set during this event.
	OLD_VALUE	string
		The previous `SETTING_NAME` value that was replaced during this event.
	RULE_NAME	string
		The name of the rule.
Sample request	`GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=RULE_STATUS_CHANGED&maxResults=10 &access_token=`*YOUR_ACCESS_TOKEN*	
Admin Console message format	Rule status for *{RULE_NAME}* changed from *{OLD_VALUE}* to *{NEW_VALUE}*	

Secondary Domain Creation

Event details		
Event name	ADD_SECONDARY_DOMAIN	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	SECONDARY_DOMAIN_NAME	string
		The new additional domain name.
Sample request	`GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=ADD_SECONDARY_DOMAIN&maxResults=10 &access_token=`*YOUR_ACCESS_TOKEN*	
Admin Console message format	An unverified *{SECONDARY_DOMAIN_NAME}* created as a secondary domain of *{DOMAIN_NAME}*	

Secondary Domain Deletion

Event details		
Event name	REMOVE_SECONDARY_DOMAIN	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	SECONDARY_DOMAIN_NAME	string
		The removed secondary domain name.
Sample request	`GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=REMOVE_SECONDARY_DOMAIN&maxResults=10 &access_token=`*YOUR_ACCESS_TOKEN*	
Admin Console message format	*{SECONDARY_DOMAIN_NAME}* deleted as a secondary	

domain of *{DOMAIN_NAME}*

Secondary Domain MX Record Setup Skipped

Event details		
Event name	SKIP_SECONDARY_DOMAIN_MX	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	SECONDARY_DOMAIN_NAME	string
		The secondary domain name. For more information about MX records and mailflow, see the administration help center.
Sample request	`GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=SKIP_SECONDARY_DOMAIN_MX &maxResults=10&access_token=`*YOUR_ACCESS_TOKEN*	
Admin Console message format	Skipped MX record setup of secondary domain *{SECONDARY_DOMAIN_NAME}* of domain *{DOMAIN_NAME}*	

Secondary Domain MX Verification

Event details		
Event name	VERIFY_SECONDARY_DOMAIN_MX	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	SECONDARY_DOMAIN_NAME	string
		The secondary domain name. For more information about MX records and mailflow, see the administration help center.
Sample request	`GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=VERIFY_SECONDARY_DOMAIN_MX &maxResults=10&access_token=`*YOUR_ACCESS_TOKEN*	
Admin Console message format	Verified MX records of secondary domain *{SECONDARY_DOMAIN_NAME}* of domain *{DOMAIN_NAME}*	

Secondary Domain Verification

Event details		
Event name	VERIFY_SECONDARY_DOMAIN	
Parameters	DOMAIN_NAME	string
		The primary domain name.
	SECONDARY_DOMAIN_NAME	string
		The secondary domain name.

Sample request	
	`GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=VERIFY_SECONDARY_DOMAIN&maxResults=10 &access_token=`*`YOUR_ACCESS_TOKEN`*

Admin Console message format	
	`{SECONDARY_DOMAIN_NAME}` `verified as a secondary domain of` *`{DOMAIN_NAME}`*

Secondary Email Change

Event details		
Event name	`UPDATE_DOMAIN_SECONDARY_EMAIL`	
Parameters	`DOMAIN_NAME`	`string`
		The primary domain name.
	`NEW_VALUE`	`string`
		The new email address.
	`OLD_VALUE`	`string`
		The previous email address.
Sample request	`GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=UPDATE_DOMAIN_SECONDARY_EMAIL &maxResults=10&access_token=`*`YOUR_ACCESS_TOKEN`*	
Admin Console message format	`Secondary email for your organization changed from` *`{OLD_VALUE}`* `to` *`{NEW_VALUE}`*	

SSO Setting Change

Event details		
Event name	`CHANGE_SSO_SETTINGS`	
Parameters	`DOMAIN_NAME`	`string`
		The primary domain name.
Sample request	`GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=CHANGE_SSO_SETTINGS&maxResults=10 &access_token=`*`YOUR_ACCESS_TOKEN`*	
Admin Console message format	`SSO settings changed for` *`{DOMAIN_NAME}`*	

Support PIN Generation

Event details	
Event name	`GENERATE_PIN`
Sample request	`GET https://admin.googleapis.com/admin /reports/v1/activity/users/all /applications/admin?`

	eventName=GENERATE_PIN&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Customer support PIN generated

Update rule

Update rule event name.

Event details	
Event name	UPDATE_RULE
Parameters	RULE_NAME string The name of the rule.
Sample request	GET https://admin.googleapis.com/admin/reports /v1/activity/users/all/applications/admin? eventName=UPDATE_RULE&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*
Admin Console message format	Rule *{RULE_NAME}* has been updated

Send feedback

Blog
Read the Google Workspace Developers blog

X (Twitter)
Follow @workspacedevs on X (Twitter)

Code Samples
Explore our sample apps or copy them to build your own

Codelabs
Try a guided, hands-on coding experience

Videos
Subscribe to our YouTube channel

Google Workspace for Developers
Platform overview

Developer products

Developer support

Tools
Admin console

Apps Script Dashboard

Google Cloud console

APIs Explorer

Connect
Blog

Newsletter

X (Twitter)

YouTube

Terms of Service

Android

Chrome

Firebase

Google Cloud Platform

Google AI

All products

Terms | Privacy   Sign up for the Google for Developers newsletter   Subscribe

Terms of Service

Android

Chrome

Firebase

Google Cloud Platform

Google AI