

Google Workspace

Home Admin / Search Language Sign in

Overview Guides Reference Support

Filter

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

Home > Google Workspace > Admin console Was this helpful?
> Reference

Admin Audit Activity Events - Security Settings

[Send feedback](#)

This document lists the events and parameters for Security Settings Admin Audit activity events. You can retrieve these events by calling [Activities.list\(\)](#) with `applicationName=admin`.

Security Settings

Events of this type are returned with `type=SECURITY_SETTINGS`.

(Context-aware access) Access level assignment changed for an app

Event details	
Event name	CHANGE_CAA_APP_ASSIGNMENTS
Parameters	APPLICATION_NAME CAA_ASSIGNMENTS_NEW CAA_ASSIGNMENTS_OLD CAA_ENFORCEMENT_ENDPOINTS_NEW
	st Th st CA st CA st CA ne
	• • •

The screenshot shows the Google Workspace Admin Console interface. The top navigation bar includes the Google Workspace logo, Home, Admin (selected), a search bar, and Sign in. Below the navigation is a horizontal menu with Overview, Guides, Reference (selected), and Support.

The main content area displays a list of security-related services and features:

- Google Talk
- ChromeOS
- Google Contacts
- Delegated Admin
- Google Drive
- Domain
- Gmail
- Google Groups
- Licenses
- Mobile devices
- Organization
- Security** (highlighted in blue)
- Google Sites
- User
- Chrome
- Context-Aware Access
- Currents
- Data Studio
- Devices
- Enterprise Groups

On the right side of the screen, there is a vertical sidebar with several items listed:

- CAA_ENFORCEMENT_
ENDPOINTS_OLD
- CA
old

At the bottom of the page, there is a footer bar with a dark background and light-colored text.

The screenshot shows the Google Workspace Admin console interface. The left sidebar is collapsed, and the main navigation bar includes Home, Admin (selected), a search bar, and Sign in. The top navigation bar also has Home, Admin, and a search bar.

The main content area is titled "Security" and contains several sections:

- Event details**:
 - Event name: UNDERAGE_BLOCK_ALL_THIRD_PARTY
 - Parameters:
 - ORG_UNIT_NAME
- Sample request**:

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=UNDERAGE_BLOCK_ALL_THIRD_PARTY&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```
- Admin Console message format**:

```
For {TARGET_ENTITY_TYPE}
[ {TARGET_ENTITY_NAME} ]:Before
[ {CAA_ASSIGNMENTS_OLD} ] app
[ {CAA_ENFORCEMENT_ENDPOINTS_OLD} ]
[ {APPLICATION_NAME} ].After:
[ {CAA_ASSIGNMENTS_NEW} ] app
[ {CAA_ENFORCEMENT_ENDPOINTS_NEW} ]
[ {APPLICATION_NAME} ].
```
- All access to unconfigured third-party apps blocked for users under 18**:

All third party API access blocked for users under 18.

Event details					
Event name	UNDERAGE_BLOCK_ALL_THIRD_PARTY				
Parameters	<table border="1"><tr><td>ORG_UNIT_NAME</td><td>st</td></tr><tr><td>Th</td><td>na</td></tr></table>	ORG_UNIT_NAME	st	Th	na
ORG_UNIT_NAME	st				
Th	na				

Sample request:

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=UNDERAGE_BLOCK_ALL_THIRD_PARTY&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format:

All access to unconfigured

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

All third party API access blocked

Event details	
Event name	BLOCK_ALL_THIRD_PARTY_API_ACCE
Parameters	ORG_UNIT_NAME

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=BLOCK_ALL_THIRD_PARTY_API_ACCESS&maxResults=10&access_token=[REDACTED]
```

Admin Console message format

```
All third party API Access
```

All third party API access unblocked

Event details	
Event name	UNBLOCK_ALL_THIRD_PARTY_API_ACCE
Parameters	ORG_UNIT_NAME

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=UNBLOCK_ALL_THIRD_PARTY_API_ACCESS&maxResults=10&access_token=[REDACTED]
```

Admin Console message format

```
All third party API Access
```

Allow 2-Step Verification ↗

Event details	
Event name	ALLOW_STRONG_AUTHENTICATION
Parameters	DOMAIN_NAME
	NEW_VALUE
	OLD_VALUE

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

&maxResults=10&access_token

Admin Console message format
Allow 2-Step Verification h
{OLD_VALUE} to {NEW_VALUE}

Allow Google Sign-in only access to unconfigured third-party apps for users under 18
Allow Google Sign-in only third party API access for users under 18.

Event details

Event name	UNDERAGE_SIGN_IN_ONLY_THIRD_PA
Parameters	ORG_UNIT_NAME

Sample request
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=UNDERAGE_SIGN_IN_ONLY_ACCESS&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format
Allow Google Sign-in only a unconfigured third-party ap 18 for {ORG_UNIT_NAME}

Allow Google Sign-in only third party API access

Event details

Event name	SIGN_IN_ONLY_THIRD_PARTY_API_A
Parameters	ORG_UNIT_NAME

Sample request
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=SIGN_IN_ONLY_THIRD_PARTY_API_ACCESS&maxResults=10&access_token

Admin Console message format
Allow Google Sign-in only t access

API Access Allowed

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Parameters	OAUTH2_SERVICE_NAME	st
Google Talk	OA val	•
ChromeOS		•
Google Contacts		•
Delegated Admin		•
Google Drive		•
Domain		•
Gmail		•
Google Groups		•
Licenses		•
Mobile devices		•
Organization		•
Security		•
Google Sites		•
User		•
Chrome		•
Context-Aware Access		•
Currents		•
Data Studio		•
Devices		•
Enterprise Groups		•
Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=ALLOW_SERVICE_FOR_OAUTH2_AC&maxResults=10&access_token={OAUTH2_ACCESS_TOKEN}	st The na
Admin Console message format	{OAUTH2_SERVICE_NAME} API Access Blocked in {ORG_UNIT_NAME}	

API Access Blocked

Event details	
Event name	DISALLOW_SERVICE_FOR_OAUTH2_ACCESS
Parameters	OAUTH2_SERVICE_NAME st OA val •

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk

ChromeOS

Google Contacts

Delegated Admin

Google Drive

Domain

Gmail

Google Groups

Licenses

Mobile devices

Organization

Security

Google Sites

User

Chrome

Context-Aware Access

Currents

Data Studio

Devices

Enterprise Groups

Sample request

GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=DISALLOW_SERVICE&maxResults=10&access_token

Admin Console message format

{OAUTH2_SERVICE_NAME} API A {ORG_UNIT_NAME}

Event details

Event name CHANGE_APP_ACCESS_SETTINGS_COLLECTION_ID_CHANGE

Parameters DOMAIN_NAME

NEW_VALUE

OLD_VALUE

ORG_UNIT_NAME

SETTING_NAME

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=CHANGE_APP_ACCESS_ID&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

App Access Settings Collection for **{ORG_UNIT_NAME}** has changed to **{NEW_VALUE}**

App added to Blocked list

Event details	
Event name	ADD_TO_BLOCKED_OAUTH2_APPS
Parameters	OAUTH2_APP_ID OAUTH2_APP_NAME OAUTH2_APP_TYPE ORG_UNIT_NAME
Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=ADD_TO_BLOCKED_OAUTH2_APPS&maxResults=10&access_token=YOUR_ACCESS_TOKEN
Admin Console message format	{OAUTH2_APP_NAME} added to {ORG_UNIT_NAME}

App added to Limited list

Event details	
Event name	ADD_TO_LIMITED_OAUTH2_APPS
Parameters	OAUTH2_APP_ID OAUTH2_APP_NAME

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

Sample request

ORG_UNIT_NAME

GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=ADD_TO_LIMITED_OAUTH2_APP&maxResults=10&access_token

Admin Console message format

{OAUTH2_APP_NAME} added to {ORG_UNIT_NAME}

App no longer trusted

Event details

Event name	REMOVE_FROM_TRUSTED_OAUTH2_APP
Parameters	OAUTH2_APP_ID OAUTH2_APP_NAME OAUTH2_APP_TYPE
ORG_UNIT_NAME	st Th na

Sample request

GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=REMOVE_FROM_TRUSTED_OAUTH2_APP&maxResults=10&access_token

Admin Console message format

{OAUTH2_APP_NAME} no longer in {ORG_UNIT_NAME}

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

<ul style="list-style-type: none"> Google Talk ChromeOS Google Contacts Delegated Admin Google Drive Domain Gmail Google Groups Licenses Mobile devices Organization Security Google Sites User Chrome Context-Aware Access Currents Data Studio Devices Enterprise Groups 	Event name	REMOVE_FROM_BLOCKED_OAUTH2_APP
	Parameters	OAUTH2_APP_ID
		st
		OA
		NA
		st
		OA
		Po
		•
		•
	•	
	ORG_UNIT_NAME	st
	Th	
	na	
Sample request	<pre>GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=REMOVE_FROM_BLOCKED_OAUTH2_APP&maxResults=10&access_token=[REDACTED]</pre>	
Admin Console message format	<code>{OAUTH2_APP_NAME} removed from {ORG_UNIT_NAME}</code>	

App removed from Limited list

Event details		
Event name	REMOVE_FROM_LIMITED_OAUTH2_APP	
Parameters	OAUTH2_APP_ID	
	st	
	OA	
	NA	
	st	
	OA	
	Po	
	•	
	•	
	•	
	ORG_UNIT_NAME	st
	Th	
	na	

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

&maxResults=10&access_token

Admin Console message format
{OAUTH2_APP_NAME} removed f
{ORG_UNIT_NAME}

App trusted

Event details	
Event name	ADD_TO_TRUSTED_OAUTH2_APPS
Parameters	OAUTH2_APP_ID st OA OAUTH2_APP_NAME st Na OAUTH2_APP_TYPE st OA Po • • • • ORG_UNIT_NAME st Th na
Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=ADD_TO_TRUSTED_OAUTH2_APPS&maxResults=10&access_token
Admin Console message format	{OAUTH2_APP_NAME} trusted f

Apps added to Blocked list

Event details	
Event name	MULTIPLE_ADD_TO_BLOCKED_OAUTH2
Parameters	OAUTH2_NUM_APPS in Nu ORG_UNIT_NAME st Th na

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

&maxResults=10&access_token

Admin Console message format
`{OAUTH2_NUM_APPS} apps added for {ORG_UNIT_NAME}`

Apps added to Limited list

Event details

Event name	MULTIPLE_ADD_TO_LIMITED_OAUTH2
Parameters	OAUTH2_NUM_APPS in ORG_UNIT_NAME st

Sample request
`GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=MULTIPLE_ADD_TO_LIMITED_OAUTH2&maxResults=10&access_token`

Admin Console message format
`{OAUTH2_NUM_APPS} apps added for {ORG_UNIT_NAME}`

Apps added to Trusted list

Event details

Event name	MULTIPLE_ADD_TO_TRUSTED_OAUTH2
Parameters	OAUTH2_NUM_APPS in ORG_UNIT_NAME st

Sample request
`GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=MULTIPLE_ADD_TO_TRUSTED_OAUTH2&maxResults=10&access_token`

Admin Console message format
`{OAUTH2_NUM_APPS} apps added for {ORG_UNIT_NAME}`

Apps lists bulk upload

Google Workspace Home Admin / Sign in

Overview Guides Reference Support

	Parameters	BULK_UPLOAD_SUCCESS_OAUTH_APPS_NUMBER
Google Talk		st Bu ap
ChromeOS		
Google Contacts		
Delegated Admin		
Google Drive		
Domain		
Gmail		
Google Groups		
Licenses		
Mobile devices		
Organization		
Security		
Google Sites		
User		
Chrome		
Context-Aware Access		
Currents		
Data Studio		
Devices		
Enterprise Groups		

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=OAUTH_APPS_BULK_UPLOAD&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

```
{BULK_UPLOAD_SUCCESS_OAUTH_APPS_NUMBER} successfully uploaded
```

Apps lists bulk upload notification

Event details	
Event name	OAUTH_APPS_BULK_UPLOAD_NOTIFICATION
Parameters	USER_EMAIL

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=OAUTH_APPS_BULK_UPLOAD_NOTIFICATION&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

```
Notification of bulk upload to {USER_EMAIL}
```

Block On Device Access

Summary message to display in the audit log when device access for OAuth2 apps is blocked.

Event details	
Event name	BLOCK_ON_DEVICE_ACCESS
Parameters	OAUTH2_SERVICE_NAME

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=BLOCK_ON_DEVICE_A&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

```
Block on device {OAUTH2_SERVICE_ACCOUNT} for {ORG_UNIT_NAME}
```

Change 2-Step Verification Enrollment Period Duration

Event details	
Event name	CHANGE_TWO_STEP_VERIFICATION_ENROLLMENT_DURATION
Parameters	GROUP_EMAIL NEW_VALUE OLD_VALUE ORG_UNIT_NAME

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

NT_PERIOD_DURATION&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

2-step verification enrollment for **{ORG_UNIT_NAME}** changed from **{NEW_VALUE}**

Change 2-Step Verification Frequency

Event details	
Event name	CHANGE_TWO_STEP_VERIFICATION_F
Parameters	GROUP_EMAIL NEW_VALUE OLD_VALUE ORG_UNIT_NAME
Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications/CHANGE_TWO_STEP_VERIFICATION_F?maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

2-step verification frequency for **{ORG_UNIT_NAME}** changed from **{NEW_VALUE}**

Change 2-Step Verification Grace Period Duration

Event details	
Event name	CHANGE_TWO_STEP_VERIFICATION_G
Parameters	GROUP_EMAIL NEW_VALUE OLD_VALUE

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=CHANGE_TWO_STEP_VERIFICATION_DURATION&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

```
2-step verification grace period for {ORG_UNIT_NAME} changed from {OLD_VALUE} to {NEW_VALUE}
```

Change 2-Step Verification Start Date

Event details	
Event name	CHANGE_TWO_STEP_VERIFICATION_START_DATE
Parameters	GROUP_EMAIL, OLD_VALUE, NEW_VALUE, ORG_UNIT_NAME

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=CHANGE_TWO_STEP_VERIFICATION_START_DATE&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

```
2-step verification start date for {ORG_UNIT_NAME} changed from {OLD_VALUE} to {NEW_VALUE}
```

Change Allowed 2-step Verification Methods

Event details	
Event name	CHANGE_ALLOWED_TWO_STEP_VERIFICATION_METHODS
Parameters	ALLOWED_TWO_STEP_VERIFICATION_METHOD

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

GROUP_EMAIL
ORG_UNIT_NAME

Sample request
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=CHANGE_ALLOWED_TWO_STEP_METHODS&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format
2-step verification allowed methods for {ORG_UNIT_NAME} {ALLOWED_TWO_STEP_VERIFICATION_METHODS}

Context Aware Access Enablement

Event details

Event name	TOGGLE_CAA_ENABLEMENT
Parameters	NEW_VALUE

Sample request
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=TOGGLE_CAA_ENABLEMENT&access_token=YOUR_ACCESS_TOKEN

Admin Console message format
Context Aware Access has been enabled.

Context Aware Access Error Message Change

Event details

Event name	CHANGE_CAA_ERROR_MESSAGE
Parameters	NEW_VALUE
ORG_UNIT_NAME	STANDARD

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

&maxResults=10&access_token

Admin Console message format
Error message has been chan
[*{NEW_VALUE}*]. (OrgUnit Name)

Domain Owned Apps not trusted

Event details	
Event name	UNTRUST_DOMAIN OWNED_OAUTH2_AP
Parameters	ORG_UNIT_NAME

Sample request
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=UNTRUST_DOMAIN_OWNED_OAUTH2_AP&maxResults=10&access_token

Admin Console message format
Domain Owned Apps removed from the list.

Domain Owned Apps trusted

Event details	
Event name	TRUST_DOMAIN OWNED_OAUTH2_APPS
Parameters	ORG_UNIT_NAME

Sample request
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=TRUST_DOMAIN_OWNED_OAUTH2_APPS&maxResults=10&access_token

Admin Console message format
Domain Owned Apps added to the list.

Enable Non-Admin User Password Recovery

Event details	
Event name	ENABLE_NON_ADMIN_USER_PASSWORD
Parameters	GROUP_EMAIL

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

		OLD_VALUE	st
		ORG_UNIT_NAME	st
	Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=ENABLE_NON_ADMIN_USER&maxResults=10&access_token	Th val thi
	Admin Console message format	Enable non-admin user password in {ORG_UNIT_NAME} organization from {OLD_VALUE} to {NEW_VALUE}	Th na
Security			
Google Sites			
User			
Chrome			
Context-Aware Access			
Currents			
Data Studio			
Devices			
Enterprise Groups			

Enforce 2-Step Verification

Event details	
Event name	ENFORCE_STRONG_AUTHENTICATION
Parameters	DOMAIN_NAME GROUP_EMAIL NEW_VALUE OLD_VALUE ORG_UNIT_NAME SETTING_NAME
Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=ENFORCE_STRONG_AUTHENTICATION&maxResults=10&access_token

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Error message for restricted OAuth2 apps updated

Summary message to display in the audit log for OAuth2 scope management settings.

Event details	
Event name	UPDATE_ERROR_MSG_FOR_RESTRICTED_OAUTH2_APPS
Parameters	NEW_VALUE st OLD_VALUE st ORG_UNIT_NAME st

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=UPDATE_ERROR_MSG_FOR_RESTRICTED_OAUTH2_APPS&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Error message for restricted OAuth2 apps updated for your organization updated from {OLD_VALUE} to {NEW_VALUE}

Less Secure Apps Access setting changed

Event details	
Event name	WEAK_PROGRAMMATIC_LOGIN_SETTINGS_CHANGED
Parameters	GROUP_EMAIL st NEW_VALUE st OLD_VALUE st ORG_UNIT_NAME st

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

GED&maxResults=10
&access_token=**YOUR_ACCESS_TOKEN**

Admin Console message format

Setting changed for **{ORG_UNIT_NAME}** organization unit from **{OLD_VALUE}** to **{NEW_VALUE}**

Session Control Settings Change

Event name for change in session control settings.

Event details		
Event name	SESSION_CONTROL_SETTINGS_CHANGE	
Parameters	ORG_UNIT_NAME	st
	REAUTH_APPLICATION	st
	REAUTH_SETTING_NEW	st
	REAUTH_SETTING_OLD	st

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications
```

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

Session Control Settings updated {REAUTH_APPLICATION} from {REAUTH_SETTING_OLD} to {REAUTH_SETTING_NEW}. (0 {ORG_UNIT_NAME})

Session length changed

Event details	
Event name	CHANGE_SESSION_LENGTH
Parameters	NEW_VALUE st Th tha OLD_VALUE st Th val thi

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=CHANGE_SESSION_LENGTH&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

```
Session length has been changed from {OLD_VALUE} to {NEW_VALUE}
```

Unblock on Device Access

Summary message to display in the audit log when device access for OAuth2 apps is unblocked.

Event details	
Event name	UNBLOCK_ON_DEVICE_ACCESS
Parameters	OAUTH2_SERVICE_NAME st OA val • • • • • • •

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=UNBLOCK_ON_DEVICE&maxResults=10&access_token={OAUTH2_TOKEN}
```

Admin Console message format

```
Unblock on device {OAUTH2_TOKEN} for {ORG_UNIT_NAME}
```

Was this helpful?

Send feedback

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](#), and code samples are licensed under the [Apache 2.0 License](#). For details, see the [Google Developers Site Policies](#). Java is a registered trademark of Oracle and/or its affiliates.

Last updated 2024-08-21 UTC.

Blog
Read the Google Workspace Developers blog

X (Twitter)
Follow @workspacedevs on X (Twitter)

Code Samples
Explore our sample apps or copy them to build your own

Codelabs
Try a guided, hands-on coding experience

Videos
Subscribe to our YouTube channel

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Developer products Google Cloud console X (Twitter)
Developer support APIs Explorer YouTube
Terms of Service

Android
Chrome
Firebase
Google Cloud Platform
Google AI
All products

Terms | Privacy

Sign up for the Google for Developers newsletter

Subscribe Language ▾

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups