```
1
2   module DCE_RPC;
3
4   export {
5           const uuid_endpoint_map: table[string] of string = {
6                   ["367abb81-9844-35f1-ad32-98f038001003"] = "svcctl",
7                   ["86d35949-83c9-4044-b424-db363231fd0c"] = "ITaskSchedulerService",
8                   ["378e52b0-c0a9-11cf-822d-00aa0051e40f"] = "sasec",
9                   ["1ff70682-0a51-30e8-076d-740be8cee98b"] = "atsvc",
10                  ["0a74ef1c-41a4-4e06-83ae-dc74fb1cdd53"] = "idletask",
11                  ["906b0ce0-c70b-1067-b317-00dd010662da"] = "IXnRemote",
12                  ["ae33069b-a2a8-46ee-a235-ddfd339be281"] = "IRPCRemoteObject",
13                  ["0b6edbfa-4a24-4fc6-8a23-942b1eca65d1"] = "IRPCAsyncNotify",
14                  ["afa8bd80-7d8a-11c9-bef4-08002b102989"] = "mgmt",
15                  ["f5cc59b4-4264-101a-8c59-08002b2f8426"] = "FrsRpc",
16                  ["000001a0-0000-0000-c000-000000000046"] = "IRemoteSCMActivator",
17                  ["00000143-0000-0000-c000-000000000046"] = "IRemUnknown2",
18                  ["12345778-1234-abcd-ef00-0123456789ab"] = "lsarpc",
19                  ["76f03f96-cdfd-44fc-a22c-64950a001209"] = "IRemoteWinspool",
20                  ["12345678-1234-abcd-ef00-01234567cffb"] = "netlogon",
21                  ["e3514235-4b06-11d1-ab04-00c04fc2dcd2"] = "drsuapi",
22                  ["5261574a-4572-206e-b268-6b199213b4e4"] = "AsyncEMSMDB",
23                  ["4d9f4ab8-7d1c-11cf-861e-0020af6e7c57"] = "IActivation",
24                  ["99fcfec4-5260-101b-bbcb-00aa0021347a"] = "IObjectExporter",
25                  ["e1af8308-5d1f-11c9-91a4-08002b14a0fa"] = "epmapper",
26                  ["12345778-1234-abcd-ef00-0123456789ac"] = "samr",
```

```
27                  ["4b324fc8-1670-01d3-1278-5a47bf6ee188"] = "srvsvc",
28                  ["45f52c28-7f9f-101a-b52b-08002b2efabe"] = "winspipe",
29                  ["6bffd098-a112-3610-9833-46c3f87e345a"] = "wkssvc",
30                  ["3919286a-b10c-11d0-9ba8-00c04fd92ef5"] = "dssetup",
31                  ["12345678-1234-abcd-ef00-0123456789ab"] = "spoolss",
32
33                  # Exchange
34                  ["1544f5e0-613c-11d1-93df-00c04fd7bd09"] = "exchange_rfr",
35                  ["f5cc5a18-4264-101a-8c59-08002b2f8426"] = "nspi",
36                  ["a4f1db00-ca47-1067-b31f-00dd010662da"] = "exchange_mapi",
37
38                  # IWbem
39                  ["9556dc99-828c-11cf-a37e-00aa003240c7"] = "IWbemServices",
40                  ["f309ad18-d86a-11d0-a075-00c04fb68820"] = "IWbemLevel1Login",
41                  ["d4781cd6-e5d3-44df-ad94-930efe48a887"] = "IWbemLoginClientID",
42                  ["44aca674-e8fc-11d0-a07c-00c04fb68820"] = "IWbemContext interface",
43                  ["674b6698-ee92-11d0-ad71-00c04fd8fdff"] = "IWbemContext unmarshaler",
44                  ["dc12a681-737f-11cf-884d-00aa004b2e24"] = "IWbemClassObject interface",
45                  ["4590f812-1d3a-11d0-891f-00aa004b2e24"] = "IWbemClassObject unmarshaler",
46                  ["9a653086-174f-11d2-b5f9-00104b703efd"] = "IWbemClassObject interface",
47                  ["c49e32c6-bc8b-11d2-85d4-00105a1f8304"] = "IWbemBackupRestoreEx interface",
48                  ["7c857801-7381-11cf-884d-00aa004b2e24"] = "IWbemObjectSink interface",
49                  ["027947e1-d731-11ce-a357-000000000001"] = "IEnumWbemClassObject interface",
50                  ["44aca675-e8fc-11d0-a07c-00c04fb68820"] = "IWbemCallResult interface",
51                  ["c49e32c7-bc8b-11d2-85d4-00105a1f8304"] = "IWbemBackupRestore interface",
52                  ["a359dec5-e813-4834-8a2a-ba7f1d777d76"] = "IWbemBackupRestoreEx interface",
53                  ["f1e9c5b2-f59b-11d2-b362-00105a1f8177"] = "IWbemRemoteRefresher interface",
54                  ["2c9273e0-1dc3-11d3-b364-00105a1f8177"] = "IWbemRefreshingServices interface",
55                  ["423ec01e-2e35-11d2-b604-00104b703efd"] = "IWbemWCOSmartEnum interface",
56                  ["1c1c45ee-4395-11d2-b60b-00104b703efd"] = "IWbemFetchSmartEnum interface",
57                  ["541679AB-2E5F-11d3-B34E-00104BCC4B4A"] = "IWbemLoginHelper interface",
58                  ["51c82175-844e-4750-b0d8-ec255555bc06"] = "KMS",
59                  ["50abc2a4-574d-40b3-9d66-ee4fd5fba076"] = "dnsserver",
60                  ["3faf4738-3a21-4307-b46c-fdda9bb8c0d5"] = "AudioSrv",
61                  ["c386ca3e-9061-4a72-821e-498d83be188f"] = "AudioRpc",
62                  ["6bffd098-a112-3610-9833-012892020162"] = "browser",
63                  ["91ae6020-9e3c-11cf-8d7c-00aa00c091be"] = "ICertPassage",
64                  ["c8cb7687-e6d3-11d2-a958-00c04f682e16"] = "DAV RPC SERVICE",
65                  ["82273fdc-e32a-18c3-3f78-827929dc23ea"] = "eventlog",
66                  ["3d267954-eeb7-11d1-b94e-00c04fa3080d"] = "HydraLsPipe",
67                  ["894de0c0-0d55-11d3-a322-00c04fa321a1"] = "InitShutdown",
68                  ["d95afe70-a6d5-4259-822e-2c84da1ddb0d"] = "WindowsShutdown",
69                  ["8d0ffe72-d252-11d0-bf8f-00c04fd9126b"] = "IKeySvc",
70                  ["68b58241-c259-4f03-a2e5-a2651dcbc930"] = "IKeySvc2",
71                  ["0d72a7d4-6148-11d1-b4aa-00c04fb66ea0"] = "ICertProtect",
72                  ["f50aac00-c7f3-428e-a022-a6b71bfb9d43"] = "ICatDBSvc",
```

```
73                  ["338cd001-2244-31f1-aaaa-900038001003"] = "winreg",
74                  ["3dde7c30-165d-11d1-ab8f-00805f14db40"] = "BackupKey", # https://msdn.microsoft.co
75                  ["3c4728c5-f0ab-448b-bda1-6ce01eb0a6d5"] = "RpcSrvDHCPC",
76                  ["3c4728c5-f0ab-448b-bda1-6ce01eb0a6d6"] = "dhcpcsvc6",
77                  ["2f59a331-bf7d-48cb-9ec5-7c090d76e8b8"] = "lcrpc",
78                  ["5ca4a760-ebb1-11cf-8611-00a0245420ed"] = "winstation_rpc",
79                  ["12b81e99-f207-4a4c-85d3-77b42f76fd14"] = "ISeclogon",
80                  ["d6d70ef0-0e3b-11cb-acc3-08002b1d29c3"] = "NsiS",
81                  ["d3fbb514-0e3b-11cb-8fad-08002b1d29c3"] = "NsiC",
82                  ["d6d70ef0-0e3b-11cb-acc3-08002b1d29c4"] = "NsiM",
83                  ["17fdd703-1827-4e34-79d4-24a55c53bb37"] = "msgsvc",
84                  ["5a7b91f8-ff00-11d0-a9b2-00c04fb6e6fc"] = "msgsvcsend",
85                  ["8d9f4e40-a03d-11ce-8f69-08003e30051b"] = "pnp",
86                  ["57674cd0-5200-11ce-a897-08002b2e9c6d"] = "lls_license",
87                  ["342cfd40-3c6c-11ce-a893-08002b2e9c6d"] = "llsrpc",
88                  ["4fc742e0-4a10-11cf-8273-00aa004ae673"] = "netdfs",
89                  ["83da7c00-e84f-11d2-9807-00c04f8ec850"] = "sfcapi",
90                  ["2f5f3220-c126-1076-b549-074d078619da"] = "nddeapi",
91
92                  # Added from BZAR
93                  ["0b1c2170-5732-4e0e-8cd3-d9b16f3b84d7"] = "authzr",
94                  ["e3d0d746-d2af-40fd-8a7a-0d7078bb7092"] = "BitsPeerAuth",
95                  ["b97db8b2-4c63-11cf-bff6-08002be23f2f"] = "clusapi",
96                  ["d61a27c6-8f53-11d0-bfa0-00a024151983"] = "CNtmsSvr",
97                  ["6bffd098-a112-3610-9833-46c3f874532d"] = "dhcpsrv",
98                  ["5b821720-f63b-11d0-aad2-00c04fc324db"] = "dhcpsrv2",
99                  ["8f09f000-b7ed-11ce-bbd2-00001a181cad"] = "dimsvc",
100                 ["7c44d7d4-31d5-424c-bd5e-2b3e1f323d22"] = "dsaop",
101                 ["77df7a80-f298-11d0-8358-00a024c480a8"] = "dscomm",
102                 ["708cca10-9569-11d1-b2a5-0060977d8118"] = "dscomm2",
103                 ["df1941c5-fe89-4e79-bf10-463657acf44d"] = "efsrpc",
104                 ["c681d488-d850-11d0-8c52-00c04fd90f7e"] = "efsrpc2",
105                 ["ea0a3165-4834-11d2-a6f8-00c04fa346cc"] = "fax",
106                 ["6099fc12-3eff-11d0-abd0-00c04fd91a4e"] = "faxclient",
107                 ["a8e0653c-2744-4389-a61d-7373df8b2292"] = "FileServerVssAgent",
108                 ["897e2e5f-93f3-4376-9c9c-fd2277495c27"] = "FrsTransport",
109                 ["4bb8ab1d-9ef9-4100-8eb6-dd4b4e418b72"] = "IADProxy",
110                 ["c4b0c7d9-abe0-4733-a1e1-9fdedf260c7a"] = "IADProxy2",
111                 ["03837516-098b-11d8-9414-505054503030"] = "IAlertDataCollector",
112                 ["0383751a-098b-11d8-9414-505054503030"] = "IApiTracingDataCollector",
113                 ["d99e6e71-fc88-11d0-b498-00a0c90312f3"] = "ICertAdminD",
114                 ["7fe0d935-dda6-443f-85d0-1cfb58fe41dd"] = "ICertAdminD2",
115                 ["d99e6e70-fc88-11d0-b498-00a0c90312f3"] = "ICertRequestD",
116                 ["5422fd3a-d4b8-4cef-a12e-e87d4ca22e90"] = "ICertRequestD2",
117                 ["879c8bbe-41b0-11d1-be11-00c04fb6bf70"] = "IClientSink",
118                 ["03837514-098b-11d8-9414-505054503030"] = "IConfigurationDataCollector"
```

```
2904                    ["88143fd0-c28d-4b2b-8fef-8d882f6a9390",0x0B] = "RpcGetAllSessionsEx",
2905
2906                    # TermServNotification - MSDN Ref: Terminal Services Runtime Interface Protocol [ms
2907                    ["11899a43-2b68-4a76-92e3-a3d6ad8c26ce",0x00] = "RpcWaitForSessionState",
2908                    ["11899a43-2b68-4a76-92e3-a3d6ad8c26ce",0x01] = "RpcRegisterAsyncNotification",
2909                    ["11899a43-2b68-4a76-92e3-a3d6ad8c26ce",0x02] = "RpcWaitAsyncNotification",
2910                    ["11899a43-2b68-4a76-92e3-a3d6ad8c26ce",0x03] = "RpcUnRegisterAsyncNotification",
2911
```

```
2912                    # TermSrvSession - MSDN Ref: Terminal Services Runtime Interface Protocol [ms-tsts]
2913                    ["484809d6-4239-471b-b5bc-61df8c23ac48",0x00] = "RpcWaitForSessionState",
2914                    ["484809d6-4239-471b-b5bc-61df8c23ac48",0x01] = "RpcRegisterAsyncNotification",
2915                    ["484809d6-4239-471b-b5bc-61df8c23ac48",0x02] = "RpcWaitAsyncNotification",
2916                    ["484809d6-4239-471b-b5bc-61df8c23ac48",0x03] = "RpcUnRegisterAsyncNotification",
2917
2918                    # trksvr - MSDN Ref: Distributed Link Tracking: Central Manager Protocol [ms-dltm]
2919                    ["4da1c422-943d-11d1-acae-00c04fc2aa3f",0x00] = "LnkSvrMessage",
2920                    ["4da1c422-943d-11d1-acae-00c04fc2aa3f",0x01] = "LnkSvrMessageCallback",
2921
2922                    # trkwks - MSDN Ref: Distributed Link Tracking: Workstation Protocol [ms-dltw]
2923                    ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x00] = "Opnum0NotUsedOnWire",
2924                    ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x01] = "Opnum1NotUsedOnWire",
2925                    ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x02] = "Opnum2NotUsedOnWire",
2926                    ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x03] = "Opnum3NotUsedOnWire",
2927                    ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x04] = "Opnum4NotUsedOnWire",
2928                    ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x05] = "Opnum5NotUsedOnWire",
2929                    ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x06] = "Opnum6NotUsedOnWire",
2930                    ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x07] = "Opnum7NotUsedOnWire",
2931                    ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x08] = "Opnum8NotUsedOnWire",
2932                    ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x09] = "Opnum9NotUsedOnWire",
2933                    ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x0A] = "Opnum10NotUsedOnWire",
2934                    ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x0B] = "Opnum11NotUsedOnWire",
2935                    ["300f3532-38cc-11d0-a3f0-0020af6b0add",0x0C] = "LnkSearchMachine",
2936
2937                    # TsProxyRpcInterface - MSDN Ref: Terminal Services Gateway Server Protocol [ms-tsg
2938                    ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x00] = "Opnum0NotUsedOnWire",
2939                    ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x01] = "TsProxyCreateTunnel",
2940                    ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x02] = "TsProxyAuthorizeTunnel",
2941                    ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x03] = "TsProxyMakeTunnelCall",
2942                    ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x04] = "TsProxyCreateChannel",
2943                    ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x05] = "Opnum5NotUsedOnWire",
2944                    ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x06] = "TsProxyCloseChannel",
2945                    ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x07] = "TsProxyCloseTunnel",
2946                    ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x08] = "TsProxySetupReceivePipe",
2947                    ["44e265dd-7daf-42cd-8560-3cdb6e7a2729",0x09] = "TsProxySendToServer",
2948
2949                    # TSVIPPublic - MSDN Ref: Terminal Services Runtime Interface Protocol [ms-tsts]
2950                    ["53b46b02-c73b-4a3e-8dee-b16b80672fc0",0x00] = "RpcGetSessionIP",
2951
2952                    # W32Time - MSDN Ref: W32Time Remote Protocol [ms-w32t]
2953                    ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x00] = "W32TimeSync",
2954                    ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x01] = "W32TimeGetNetlogonServiceBits",
2955                    ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x02] = "W32TimeQueryProviderStatus",
2956                    ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x03] = "W32TimeQuerySource",
2957                    ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x04] = "W32TimeQueryProviderConfiguration"
```

```
2958                    ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x05] = "W32TimeQueryConfiguration",
2959                    ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x06] = "W32TimeQueryStatus",
2960                    ["8fb6d884-2388-11d0-8c35-00c04fda2795",0x07] = "W32TimeLog",
2961
2962                    # WdsRpcInterface - MSDN Ref: Windows Deployment Services Control Protocol [ms-wdsc
2963                    ["1a927394-352e-4553-ae3f-7cf4aafca620",0x00] = "WdsRpcMessage",
2964
2965                    # winsi2 - MSDN Ref: Remote Administrative Interface: WINS [ms-raiw]
2966                    ["811109bf-a4e1-11d1-ab54-00a0c91e9b45",0x00] = "R_WinsTombstoneDbRecs",
2967                    ["811109bf-a4e1-11d1-ab54-00a0c91e9b45",0x01] = "R_WinsCheckAccess",
2968
2969                    # Witness - MSDN Ref: Service Witness Protocol [ms-swn]
2970                    ["ccd8c074-d0e5-4a40-92b4-d074faa6ba28",0x00] = "WitnessrGetInterfaceList",
2971                    ["ccd8c074-d0e5-4a40-92b4-d074faa6ba28",0x01] = "WitnessrRegister",
2972                    ["ccd8c074-d0e5-4a40-92b4-d074faa6ba28",0x02] = "WitnessrUnRegister",
2973                    ["ccd8c074-d0e5-4a40-92b4-d074faa6ba28",0x03] = "WitnessrAsyncNotify",
2974                    ["ccd8c074-d0e5-4a40-92b4-d074faa6ba28",0x04] = "WitnessrRegisterEx",
2975
2976            } &redef &default=function(uuid: string, i: count): string { return fmt("unknown-%d", i); }
2977    }
```