

Google Workspace

Home Admin / Search Language Sign in

Overview Guides Reference Support

Filter

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

Home > Google Workspace > Admin console Was this helpful?
> Reference

Admin Audit Activity Events - Security Settings

[Send feedback](#)

This document lists the events and parameters for Security Settings Admin Audit activity events. You can retrieve these events by calling [Activities.list\(\)](#) with `applicationName=admin`.

Security Settings

Events of this type are returned with `type=SECURITY_SETTINGS`.

(Context-aware access) Access level assignment changed for an app

Event details		
Event name	CHANGE_CAA_APP_ASSIGNMENTS	
Parameters	APPLICATION_NAME	st
	Th	ee
	CAA_ASSIGNMENTS_NEW	st
	CA	ee
	CAA_ASSIGNMENTS_OLD	st
	CA	ee
	CAA_ENFORCEMENT_ENDPOINTS_NEW	st
	CA	ee
	•	•
	•	•

The screenshot shows the Google Workspace Admin Console interface. The top navigation bar includes the Google Workspace logo, Home, Admin (selected), a search bar, and Sign in. Below the navigation is a horizontal menu with Overview, Guides, Reference (selected), and Support.

The main content area displays a list of security-related services and features:

- Google Talk
- ChromeOS
- Google Contacts
- Delegated Admin
- Google Drive
- Domain
- Gmail
- Google Groups
- Licenses
- Mobile devices
- Organization
- Security** (highlighted in blue)
- Google Sites
- User
- Chrome
- Context-Aware Access
- Currents
- Data Studio
- Devices
- Enterprise Groups

On the right side of the screen, there is a vertical sidebar with several items listed:

- CAA_ENFORCEMENT_
ENDPOINTS_OLD
- CA
old

At the bottom of the page, there is a footer bar with a dark background and light-colored text.

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=CHANGE_CAA_APP_ASSIGNMENT&maxResults=10&access_token
Admin Console message format	For {TARGET_ENTITY_TYPE} [{TARGET_ENTITY_NAME}] :Before [{CAA_ASSIGNMENTS_OLD}] app [{CAA_ENFORCEMENT_ENDPOINTS} [{APPLICATION_NAME}] .After: [{CAA_ASSIGNMENTS_NEW}] app [{CAA_ENFORCEMENT_ENDPOINTS} [{APPLICATION_NAME}] .
All access to unconfigured third-party apps blocked for users under 18	All third party API access blocked for users under 18.
Event details	Event name: UNDERAGE_BLOCK_ALL_THIRD_PARTY Parameters: ORG_UNIT_NAME
Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=UNDERAGE_BLOCK_ALL_THIRD_PARTY&maxResults=10&access_token=YOUR_ACCESS_TOKEN
Admin Console message format	All access to unconfigured

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

All third party API access blocked

Event details	
Event name	BLOCK_ALL_THIRD_PARTY_API_ACCE
Parameters	ORG_UNIT_NAME

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=BLOCK_ALL_THIRD_PARTY_API_ACCESS&maxResults=10&access_token=[REDACTED]
```

Admin Console message format

```
All third party API Access
```

All third party API access unblocked

Event details	
Event name	UNBLOCK_ALL_THIRD_PARTY_API_ACCE
Parameters	ORG_UNIT_NAME

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=UNBLOCK_ALL_THIRD_PARTY_API_ACCESS&maxResults=10&access_token=[REDACTED]
```

Admin Console message format

```
All third party API Access
```

Allow 2-Step Verification

Event details	
Event name	ALLOW_STRONG_AUTHENTICATION
Parameters	DOMAIN_NAME
	NEW_VALUE
	OLD_VALUE

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

&maxResults=10&access_token

Admin Console message format

Allow 2-Step Verification h
{OLD_VALUE} to *{NEW_VALUE}*

Allow Google Sign-in only access to unconfigured third-party apps for users under 18

Allow Google Sign-in only third party API access for users under 18.

Event details

Event name	UNDERAGE_SIGN_IN_ONLY_THIRD_PA
Parameters	ORG_UNIT_NAME

Sample request

GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=UNDERAGE_SIGN_IN_ONLY_ACCESS&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

Allow Google Sign-in only a unconfigured third-party ap 18 for *{ORG_UNIT_NAME}*

Allow Google Sign-in only third party API access

Event details

Event name	SIGN_IN_ONLY_THIRD_PARTY_API_A
Parameters	ORG_UNIT_NAME

Sample request

GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=SIGN_IN_ONLY_THIRD_PARTY_API_ACCESS&maxResults=10&access_token

Admin Console message format

Allow Google Sign-in only t access

API Access Allowed

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Parameters

	OAUTH2_SERVICE_NAME	st
Google Talk	•	OA val
ChromeOS	•	
Google Contacts	•	
Delegated Admin	•	
Google Drive	•	
Domain	•	
Gmail	•	
Google Groups	•	
Licenses	•	
Mobile devices	•	
Organization	•	
Security	•	
Google Sites	•	
User	•	
Chrome	•	
Context-Aware Access	•	
Currents	•	
Data Studio	•	
Devices	•	
Enterprise Groups	•	

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=ALLOW_SERVICE_FOR_OAUTH2_APPLICATION&maxResults=10&access_token=[REDACTED]
```

Admin Console message format

```
{OAUTH2_SERVICE_NAME} API Application {ORG_UNIT_NAME}
```

API Access Blocked

Event details

Event name	DISALLOW_SERVICE_FOR_OAUTH2_APPLICATION
Parameters	OAUTH2_SERVICE_NAME

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk

ChromeOS

Google Contacts

Delegated Admin

Google Drive

Domain

Gmail

Google Groups

Licenses

Mobile devices

Organization

Security

Google Sites

User

Chrome

Context-Aware Access

Currents

Data Studio

Devices

Enterprise Groups

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=DISALLOW_SERVICE&maxResults=10&access_token={OAUTH2_SERVICE_NAME}
```

Admin Console message format

```
{OAUTH2_SERVICE_NAME} API Application {ORG_UNIT_NAME}
```

Event details

Event name	CHANGE_APP_ACCESS_SETTINGS_COLLECTION_ID
Parameters	DOMAIN_NAME NEW_VALUE OLD_VALUE ORG_UNIT_NAME SETTING_NAME

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=CHANGE_APP_ACCESS_ID&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

App Access Settings Collector for {ORG_UNIT_NAME} has changed {NEW_VALUE}

App added to Blocked list

Event details	
Event name	ADD_TO_BLOCKED_OAUTH2_APPS
Parameters	OAUTH2_APP_ID OAUTH2_APP_NAME OAUTH2_APP_TYPE ORG_UNIT_NAME
Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=ADD_TO_BLOCKED_OA&maxResults=10&access_token
Admin Console message format	{OAUTH2_APP_NAME} added to {ORG_UNIT_NAME}

App added to Limited list

Event details	
Event name	ADD_TO_LIMITED_OAUTH2_APPS
Parameters	OAUTH2_APP_ID OAUTH2_APP_NAME

Event name	REMOVE_FROM_BLOCKED_OAUTH2_APP
Parameters	OAUTH2_APP_ID st OA OAUTH2_APP_NAME st Na OAUTH2_APP_TYPE st OA Po • • • ORG_UNIT_NAME st Th na
Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=REMOVE_FROM_BLOCKED_OAUTH2_APP&maxResults=10&access_token={access_token}
Admin Console message format	{OAUTH2_APP_NAME} removed from {ORG_UNIT_NAME}
Event details	
Event name	REMOVE_FROM_LIMITED_OAUTH2_APP
Parameters	OAUTH2_APP_ID st OA OAUTH2_APP_NAME st Na OAUTH2_APP_TYPE st OA Po • • • ORG_UNIT_NAME st Th na

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

&maxResults=10&access_token

Admin Console message format
{OAUTH2_APP_NAME} removed f
{ORG_UNIT_NAME}

App trusted

Event details	
Event name	ADD_TO_TRUSTED_OAUTH2_APPS
Parameters	OAUTH2_APP_ID st OA OAUTH2_APP_NAME st Na OAUTH2_APP_TYPE st OA Po • • • • ORG_UNIT_NAME st Th na
Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=ADD_TO_TRUSTED_OAUTH2_APPS&maxResults=10&access_token
Admin Console message format	{OAUTH2_APP_NAME} trusted f

Apps added to Blocked list

Event details	
Event name	MULTIPLE_ADD_TO_BLOCKED_OAUTH2
Parameters	OAUTH2_NUM_APPS in Nu ORG_UNIT_NAME st Th na

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

&maxResults=10&access_token

Admin Console message format
`{OAUTH2_NUM_APPS} apps added for {ORG_UNIT_NAME}`

Apps added to Limited list

Event details

Event name	MULTIPLE_ADD_TO_LIMITED_OAUTH2
Parameters	OAUTH2_NUM_APPS in ORG_UNIT_NAME st

Sample request
`GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=MULTIPLE_ADD_TO_LIMITED_OAUTH2&maxResults=10&access_token`

Admin Console message format
`{OAUTH2_NUM_APPS} apps added for {ORG_UNIT_NAME}`

Apps added to Trusted list

Event details

Event name	MULTIPLE_ADD_TO_TRUSTED_OAUTH2
Parameters	OAUTH2_NUM_APPS in ORG_UNIT_NAME st

Sample request
`GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=MULTIPLE_ADD_TO_TRUSTED_OAUTH2&maxResults=10&access_token`

Admin Console message format
`{OAUTH2_NUM_APPS} apps added for {ORG_UNIT_NAME}`

Apps lists bulk upload

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

Parameters	BULK_UPLOAD_SUCCESS_OAUTH_APPS_NUMBER
	st Bu ap
	BULK_UPLOAD_TOTAL_OAUTH_APPS_NUMBER
	st Bu nu
Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=OAUTH_APPS_BULK_UPLOAD&access_token=YOUR_ACCESS_TOKEN
Admin Console message format	{BULK_UPLOAD_SUCCESS_OAUTH_APPS_NUMBER} successfully uploaded

Apps lists bulk upload notification

Event details	
Event name	OAUTH_APPS_BULK_UPLOAD_NOTIFICATION
Parameters	USER_EMAIL

Sample request

GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=OAUTH_APPS_BULK_UPLOAD_NOTIFICATION&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

Notification of bulk upload to {USER_EMAIL}

Block On Device Access

Summary message to display in the audit log when device access for OAuth2 apps is blocked.

Event details	
Event name	BLOCK_ON_DEVICE_ACCESS
Parameters	OAUTH2_SERVICE_NAME

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk

ChromeOS

Google Contacts

Delegated Admin

Google Drive

Domain

Gmail

Google Groups

Licenses

Mobile devices

Organization

Security

Google Sites

User

Chrome

Context-Aware Access

Currents

Data Studio

Devices

Enterprise Groups

Sample request

ORG_UNIT_NAME

st

Th

na

GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=BLOCK_ON_DEVICE_A&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

Block on device {OAUTH2_SERVICE_ACCOUNT_EMAIL} for {ORG_UNIT_NAME}

Change 2-Step Verification Enrollment Period Duration

Event details	
Event name	CHANGE_TWO_STEP_VERIFICATION_ENROLLMENT_PERIOD_DURATION
Parameters	GROUP_EMAIL NEW_VALUE OLD_VALUE ORG_UNIT_NAME

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

NT_PERIOD_DURATION&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

2-step verification enrollment for **{ORG_UNIT_NAME}** changed from **{NEW_VALUE}**

Change 2-Step Verification Frequency

Event details	
Event name	CHANGE_TWO_STEP_VERIFICATION_F
Parameters	GROUP_EMAIL st Th ad NEW_VALUE st Th tha OLD_VALUE st Th val thi ORG_UNIT_NAME st Th na
Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=CHANGE_TWO_STEP_VERIFICATION_F&maxResults=10&access_token=YOUR_ACCESS_TOKEN
Admin Console message format	2-step verification frequency for {ORG_UNIT_NAME} changed from {NEW_VALUE}

Change 2-Step Verification Grace Period Duration

Event details	
Event name	CHANGE_TWO_STEP_VERIFICATION_G
Parameters	GROUP_EMAIL st Th ad NEW_VALUE st Th tha OLD_VALUE st

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=CHANGE_TWO_STEP_VERIFICATION_START_DATE&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

```
2-step verification grace period for {ORG_UNIT_NAME} changed from {OLD_VALUE} to {NEW_VALUE}
```

Change 2-Step Verification Start Date

Event details	
Event name	CHANGE_TWO_STEP_VERIFICATION_START_DATE
Parameters	GROUP_EMAIL, OLD_VALUE, NEW_VALUE, ORG_UNIT_NAME

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=CHANGE_TWO_STEP_VERIFICATION_START_DATE&maxResults=10&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

```
2-step verification start date for {ORG_UNIT_NAME} changed from {OLD_VALUE} to {NEW_VALUE}
```

Change Allowed 2-step Verification Methods

Event details	
Event name	CHANGE_ALLOWED_TWO_STEP_VERIFICATION_METHODS
Parameters	ALLOWED_TWO_STEP_VERIFICATION_METHOD

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

GROUP_EMAIL
ORG_UNIT_NAME

Sample request
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=CHANGE_ALLOWED_TWO_STEP_METHODS&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format
2-step verification allowed methods for {ORG_UNIT_NAME} {ALLOWED_TWO_STEP_VERIFICATION_METHODS}

Context Aware Access Enablement

Event details

Event name	TOGGLE_CAA_ENABLEMENT
Parameters	NEW_VALUE

Sample request
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=TOGGLE_CAA_ENABLEMENT&access_token=YOUR_ACCESS_TOKEN

Admin Console message format
Context Aware Access has been enabled.

Context Aware Access Error Message Change

Event details

Event name	CHANGE_CAA_ERROR_MESSAGE
Parameters	NEW_VALUE
ORG_UNIT_NAME	STANDARD

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

&maxResults=10&access_token

Admin Console message format

Error message has been chan
[*{NEW_VALUE}*]. (OrgUnit Name)

Domain Owned Apps not trusted

Event details	
Event name	UNTRUST_DOMAIN OWNED_OAUTH2_AP
Parameters	ORG_UNIT_NAME

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=UNTRUST_DOMAIN_OWNED_OAUTH2_APP&maxResults=10&access_token
```

Admin Console message format

Domain Owned Apps removed from

Domain Owned Apps trusted

Event details	
Event name	TRUST_DOMAIN OWNED_OAUTH2_APPS
Parameters	ORG_UNIT_NAME

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=TRUST_DOMAIN_OWNED_OAUTH2_APPS&maxResults=10&access_token
```

Admin Console message format

Domain Owned Apps added to

Enable Non-Admin User Password Recovery

Event details	
Event name	ENABLE_NON_ADMIN_USER_PASSWORD
Parameters	GROUP_EMAIL

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization

Security

Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

OLD_VALUE

ORG_UNIT_NAME

Sample request

GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=ENABLE_NON_ADMIN_USER&maxResults=10&access_token

Admin Console message format

Enable non-admin user password in **{ORG_UNIT_NAME}** organization from **{OLD_VALUE}** to **{NEW_VALUE}**

Enforce 2-Step Verification

Event details

Event name: ENFORCE_STRONG_AUTHENTICATION

Parameters:

- DOMAIN_NAME
- GROUP_EMAIL
- NEW_VALUE
- OLD_VALUE
- ORG_UNIT_NAME
- SETTING_NAME

Sample request

GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=ENFORCE_STRONG_AUTHENTICATION&maxResults=10&access_token

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Error message for restricted OAuth2 apps updated

Summary message to display in the audit log for OAuth2 scope management settings.

Event details	
Event name	UPDATE_ERROR_MSG_FOR_RESTRICTED_OAUTH2_APPS
Parameters	NEW_VALUE st OLD_VALUE st ORG_UNIT_NAME st
Sample request	GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=UPDATE_ERROR_MSG_FOR_RESTRICTED_OAUTH2_APPS&maxResults=10&access_token=YOUR_ACCESS_TOKEN
Admin Console message format	Error message for restricted OAuth2 apps updated for your organization updated from {OLD_VALUE} to {NEW_VALUE}

Less Secure Apps Access setting changed

Event details	
Event name	WEAK_PROGRAMMATIC_LOGIN_SETTINGS_CHANGED
Parameters	GROUP_EMAIL st NEW_VALUE st OLD_VALUE st ORG_UNIT_NAME st

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization

Security

Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

Admin Console message format

GED&maxResults=10
&access_token=YOUR_ACCESS_TOKEN

Setting changed for {ORG_UNIT_NAME} organization unit from {OLD_VALUE} to {NEW_VALUE}

Session Control Settings Change

Event name for change in session control settings.

Event details		
Event name	SESSION_CONTROL_SETTINGS_CHANGE	
Parameters	ORG_UNIT_NAME	st
	REAUTH_APPLICATION	st
	REAUTH_SETTING_NEW	st
	REAUTH_SETTING_OLD	st

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications
```

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

Session Control Settings updated {REAUTH_APPLICATION} from {REAUTH_SETTING_OLD} to {REAUTH_SETTING_NEW}. (0 {ORG_UNIT_NAME})

Session length changed

Event details	
Event name	CHANGE_SESSION_LENGTH
Parameters	NEW_VALUE st Th tha OLD_VALUE st Th val thi

Sample request

```
GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=CHANGE_SESSION_LENGTH&access_token=YOUR_ACCESS_TOKEN
```

Admin Console message format

Session length has been changed from {OLD_VALUE} to {NEW_VALUE}

Unblock on Device Access

Summary message to display in the audit log when device access for OAuth2 apps is unblocked.

Event details	
Event name	UNBLOCK_ON_DEVICE_ACCESS
Parameters	OAUTH2_SERVICE_NAME st OA val • • • • • • • •

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups

Sample request

ORG_UNIT_NAME

st

Th

na

GET https://admin.googleapis.com/v1/activity/users/all/applications?eventName=UNBLOCK_ON_DEVICE&maxResults=10&access_token

Admin Console message format

Unblock on device {OAUTH2_S} for {ORG_UNIT_NAME}

Was this helpful?

Send feedback

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](#), and code samples are licensed under the [Apache 2.0 License](#). For details, see the [Google Developers Site Policies](#). Java is a registered trademark of Oracle and/or its affiliates.

Last updated 2024-08-21 UTC.

Blog
Read the Google Workspace Developers blog

X (Twitter)
Follow @workspacedevs on X (Twitter)

Code Samples
Explore our sample apps or copy them to build your own

Codelabs
Try a guided, hands-on coding experience

Videos
Subscribe to our YouTube channel

Google Workspace

Home Admin / Sign in

Overview Guides Reference Support

Developer products Google Cloud console X (Twitter)
Developer support APIs Explorer YouTube
Terms of Service

Android
Chrome
Firebase
Google Cloud Platform
Google AI
All products

Terms | Privacy

Sign up for the Google for Developers newsletter

Subscribe Language ▾

Google Talk
ChromeOS
Google Contacts
Delegated Admin
Google Drive
Domain
Gmail
Google Groups
Licenses
Mobile devices
Organization
Security
Google Sites
User
Chrome
Context-Aware Access
Currents
Data Studio
Devices
Enterprise Groups