## **Didier Stevens**

### Monday 16 March 2015 Quickpost: Metasploit User Agent Strings Filed under: Quickpost — Didier Stevens @ 0:00 I searched through the Metasploit source code for User Agent Strings (starting with Mozilla/). This is what I found: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1) Mozilla/4.0 (compatible; MSIE 6.1; Windows NT) Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0) Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; Trident/4.0; SIMBAR={7DB0F6DE-8DE7-4841-9084-28FA914B0F2E}; SLCC1; .N Mozilla/4.0 (compatible; Metasploit RSPEC) Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US) AppleWebKit/525.13 (KHTML, like Gecko) Chrome/4.0.221.6 Safari/525.13 Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html) Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; Trident/6.0) Quickpost info Share this: Facebook X XRelated Detecting Network Traffic from Sampling a Malicious Site Quickpost: Retrieving Malware Metasploit's Meterpreter Sunday 10 August 2008 Via Tor On Windows Reverse HTTP Module In "Malware" Sunday 21 January 2018 Monday 11 May 2015 In "Malware" In "Networking" Comments (7) 7 Comments »

1. Are lines 5 and 7 truncated?

Comment by Drew Hunt — Monday 16 March 2015 @ 14:11

2. Here are my finds for comparison:

Mozilla/4.0 (compatible)

Mozilla/4.0 (compatible; BullsEye; Windows 95)

Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; WOW64; Trident/4.0; SLCC2; .NET CLR 2.0.50727;

.NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0)  $\backslash$ 

Mozilla/5.0

Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

Mozilla/5.0 (compatible; MSIE 10.6; Windows NT 6.1; Trident/5.0; InfoPath.2; SLCC1; .NET CLR

 $3.0.4506.2152; \; .NET \; CLR \; 3.5.30729; \; .NET \; CLR \; 2.0.50727) \; 3gpp-gba \; UNTRUSTED/1.0$ 

Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

 $Mozilla/5.0 \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML, \; like \; Gecko \; ) \; Version/5.1 \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; (iPad; \; CPU \; OS \; 5\_1 \; like \; Mac \; OS \; X) \; AppleWebKit/534.46 \; (KHTML) \; AppleWebKit/$ 

Mobile/9B176 Safari/7534.48.3

Mozilla/5.0 (iPhone; CPU iPhone OS 5\_0 like Mac OS X) AppleWebKit/534.46 (KHTML, like Gecko)

Version/5.1 Mobile/9A334 Safari/7534.48.3

Mozilla/5.0 (iPhone; CPU iPhone OS 614 like Mac OS X) AppleWebKit/536.26 (KHTML like Gecko)

Version/6.0 Mobile/10B350 Safari/8536.25

Version/6.0 Modile/108350 Safari/8536.25

Mozilla/5.0 (Macintosh; Intel Mac OS X 10\_7\_3) AppleWebKit/534.55.3 (KHTML, like Gecko)

Version/5.1.3 Safari/534.53.10 Mozilla/5.0 (Macintosh; Intel Mac OS X 10\_7\_4) AppleWebKit/537.1 (KHTML, like Gecko)

Chrome/21.0.1180.75 Safari/537.1\

#### **Pages**

- About
- Didier Stevens Suite
- Links
- My Python Templates
- My Software
- Professional
- Programs
- Ariad
- Authenticode Tools
- Binary Tools
- CASToggle
- Cobalt Strike Tools
- Disitool
- EICARgen
- ExtractScripts
- FileGen
- FileScanner
- HeapLocker
- MyJSON Tools
- Network Appliance

Forensic Toolkit

Nokia Time

Lapse Photography

- oledump.py
- OllyStepNSearch
- PDF Tools
- Shellcode
- SpiderMonkey
- Translate
- USBVirusScan
- UserAssist
- VirusTotal Tools
- XORSearch &

XORStrings

- YARA Rules
- ZIPEncryptFTP
- Public Drafts
- Cisco Tricks
- Screencasts & Videos

#### Search

#### **Top Posts**

- PDF Tools
- oledump.py
- My Software
- Didier Stevens Suite
- Test File: PDF With Embedded DOC

Dropping EICAR

#### Categories

- .NET
- 010 Editor
- Announcement
- Arduino
- Bash Bunny
- Beta
- bpmtk
- Certification
- Didier Stevens Labs
- Eee PC
- Elec

Mozilla/5.0 (Macintosh; Intel Mac OS X 10.7; rv:15.0) Gecko/20100101 Firefox/15.0\

Mozilla/5.0 (Macintosh; Intel Mac OS X 1084) AppleWebKit/536.30.1 (KHTML like Gecko) Version/6.0.5 Safari/536.30.1

Mozilla/5.0 (Macintosh; Intel Mac OS X 1084) AppleWebKit/537.22 (KHTML like Gecko)

Chrome/25.0.1364.99 Safari/537.22

Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10\_6\_4; en-US) AppleWebKit/533.4 (KHTML, like Gecko) Chrome/5.0.375.99 Safari/533.4

Mozilla/5.0 (Windows NT 6.1; Win64; x64; rv:23.0) Gecko/20131011 Firefox/23.0

Mozilla/5.0 (X11; Linux x86\_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/31.0.1650.57 Safari/537.36

Mozilla/5.0 (X11; Ubuntu; Linux x86\_64; rv:11.0) Gecko/20100101 Firefox/11.0\

Mozilla/5.0 (X11; U; Linux i686; pl-PL; rv:1.9.0.2) Gecko/20121223 Ubuntu/9.25 (jaunty) Firefox/3.8

Comment by Drew Hunt — Monday 16 March 2015 @ 14:30

3. @Drew No, these lines are not truncated. This is what I found in the source code:

OptString.new('UserAgent', [ true, "The HTTP User-Agent sent in the request", 'Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; Trident/4.0; SIMBAR={7DB0F6DE-8DE7-4841-9084-28FA914B0F2E}; SLCC1; .N'])

header = { 'User-Agent' => "Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US) AppleWebKit/525.13 (KHTML, like Gecko) Chrome/4.0.221.6 Safari/525.13"}

Comment by Didier Stevens — Monday 16 March 2015 @ 14:43

4. @Drew There are many User Agent Strings found in the comments of the Metasploit source code. I did not include these, and that explains why you find so many.

I used the following regex: ([""])Mozilla/.+ $\1$ 

Comment by Didier Stevens — Monday 16 March 2015 @ 14:45

5. Interesting. I'm not able to find the 'SIMBAR' UAS to validate. What module is it from?. It looks to be a cut-off .NET string. That would be an intersting anomaly to search for.

WRT searching, I believe the bulk of the UAS I located were in the included Ruby libraries, not Metasploit itself.

 $root@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ awk \ -F: \ `\{print \ \$1\}' \ | \ sort \ | \ uniq \ -c \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ awk \ -F: \ `\{print \ \$1\}' \ | \ sort \ | \ uniq \ -c \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ awk \ -F: \ `\{print \ \$1\}' \ | \ sort \ | \ uniq \ -c \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ awk \ -F: \ `\{print \ \$1\}' \ | \ sort \ | \ uniq \ -c \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ awk \ -F: \ `\{print \ \$1\}' \ | \ sort \ | \ uniq \ -c \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ awk \ -F: \ `\{print \ \$1\}' \ | \ sort \ | \ uniq \ -c \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \# \ cat \ /tmp/ua1 \ | \ sort \ -nrecot@host1:/opt/metasploit \ -nrec$ 

 $8\ apps/pro/vendor/bundle/ruby/1.9.1/gems/secure\_headers-1.1.1/spec/lib/secure\_headers\_spec.rb$ 

 $5\ apps/pro/vendor/bundle/ruby/1.9.1/gems/secure\_headers-$ 

 $1.1.1/spec/lib/secure\_headers/headers/content\_security\_policy\_spec.rb$ 

4 apps/pro/ui/db/runners/se\_reporting\_seed\_objects.rb

2 apps/pro/vendor/bundle/ruby/1.9.1/gems/secure\_headers-

 $1.1.1/fixtures/rails\_3\_2\_12/spec/controllers/things\_controller\_spec.rb$ 

2 apps/pro/vendor/bundle/ruby/1.9.1/gems/secure\_headers-

 $1.1.1/fixtures/rails\_3\_2\_12/spec/controllers/other\_things\_controller\_spec.rb$ 

2 apps/pro/vendor/bundle/ruby/1.9.1/gems/secure\_headers-

 $1.1.1/\text{fixtures/rails}\_3\_2\_12\_\text{no\_init/spec/controllers/things}\_\text{controller\_spec.rb}$ 

2 apps/pro/vendor/bundle/ruby/1.9.1/gems/secure\_headers-

 $1.1.1/fixtures/rails\_3\_2\_12\_no\_init/spec/controllers/other\_things\_controller\_spec.rb$ 

2 apps/pro/vendor/bundle/ruby/1.9.1/gems/rack-1.4.5/test/spec\_request.rb

 $1\ apps/pro/vendor/bundle/ruby/1.9.1/gems/robots-0.10.1/test/fixtures/eventbrite.txt$ 

 $1\ apps/pro/ui/app/models/websploit\_task.rb$ 

1 apps/pro/ui/app/models/webscan\_task.rb

1 apps/pro/ui/app/models/webaudit\_task.rb

1 apps/pro/ui/app/models/social\_engineering/web\_page.rb

1 apps/pro/ui/app/models/scan\_task.rb

1 apps/pro/ui/app/models/exploit\_task.rb

 $1\ apps/pro/engine/spec/modules/auxiliary/pro/social\_engineering/web\_phish\_spec.rb$ 

 $1\ apps/pro/engine/lib/pro/dynamic\_stagers/templates/reverse\_http\_svc.c.template$ 

1 apps/pro/engine/lib/pro/dynamic\_stagers/templates/reverse\_http.c.template

Eliminating the Ruby spec strings, the list is reduced, but still not matched to yours. Then again, I'm searching the Kali packaged installation and not the source code.

 $\label{lem:coton} root@host1:/opt/metasploit\# fgrep -r Mozilla/* | fgrep -v access.log | fgrep -v ``vendor/bundle'' | tee /tmp/ua1.1 | perl -pe `s/^(.*)\"(Mozilla\/[^\"]+)\"(.*)$/$2/;' | perl -pe$ 

"s/ $^(.*)$ \'(Mozilla\/[ $^{'}$ ]+)\'(.\*)\$/\$2/;" | perl -pe `s/ $^(.*)$ \s(Mozilla\/.\*)\$/\$2/;' | perl -pe `s/ $^{s*}$ //| sort | uniq | tee /tmp/ua2.1

Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; WOW64; Trident/4.0; SLCC2; .NET CLR 2.0.50727;

.NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0)\

Mozilla/5.0

Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

- Fellow Bloggers
- Forensics
- Hacking
- Hardware
- maldoc
- Malware
- My Software
- N800
- Networking
- Nonsense
- nslu2
- OSX
- PDF
- Personal
- Physical Security
- Poll
- Puzzle
- Quickpost
- Release
- Reverse Engineering
- RFID
- Shellcode
- smart card
- Spam
- technology
- UltraEdit
- Uncategorized
- Update
- video
- Vulnerabilities
- WiFi
- Windows 7
- Windows 8
- Windows Vista
- Wireshark



#### **Blog Stats**

• 7,687,892 hits

#### Twitter @DidierStevens

# Posts from @DidierSteve ns



# Nothing to see here - yet

When they post, their posts will show up here.

View on X

#### Archives

- October 2024
- September 2024
- August 2024

Mozilla/5.0 (Macintosh; Intel Mac OS X  $10_{-4}$ ) AppleWebKit/537.1 (KHTML, like Gecko) Chrome/21.0.1180.75 Safari/537.1\

Mozilla/5.0 (Macintosh; Intel Mac OS X 10.7; rv:15.0) Gecko/20100101 Firefox/15.0\

Mozilla/5.0 (X11; Linux x86\_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/31.0.1650.57 Safari/537.36

Mozilla/5.0 (X11; Ubuntu; Linux x86\_64; rv:11.0) Gecko/20100101 Firefox/11.0\

Interesting findings. Thanks for the post!

Comment by Drew Hunt — Monday 16 March 2015 @ 15:08

6. @Drew Indeed, it is a truncated .NET CLR string, and makes it easy to spot. I found it here: metasploit-framework-master\modules\exploits\windows\http\hp\_nnm\_ovas.rb line 90.

Comment by Didier Stevens — Monday 16 March 2015 @ 15:26

7. [...] on the Metasploit User Agent Strings I published a couple of months ago, I made these Snort [...]

Pingback by Detecting Network Traffic from Metasploit's Meterpreter Reverse HTTP Module | Didier Stevens — Monday 11 May 2015 @ 5:52

RSS feed for comments on this post. TrackBack <u>URI</u>

Leave a Reply (comments are moderated)

This site uses Akismet to reduce spam. Learn how your comment data is processed.

Blog at WordPress.com.

- May 2024
- April 2024
- March 2024
- December 2023
- November 2023
- October 2023
- September 2023
- August 2023
- July 2023
- June 2023
- May 2023
- April 2023
- March 2023
- February 2023
- January 2023
- December 2022
- November 2022October 2022
- September 2022
- August 2022
- July 2022
- June 2022
- May 2022
- April 2022
- March 2022
- February 2022
- January 2022
- December 2021November 2021
- October 2021
- September 2021August 2021
- July 2021
- June 2021
- May 2021
- April 2021
- March 2021
- February 2021
- January 2021December 2020
- November 2020
- October 2020
- September 2020
- August 2020
- July 2020
- June 2020
- May 2020
- April 2020
- March 2020
- February 2020January 2020
- December 2019
- November 2019
- October 2019September 2019
- August 2019
- July 2019
- June 2019
- May 2019
- April 2019
- March 2019
- February 2019
- January 2019
- December 2018
- November 2018
- October 2018
  September 2018
- August 2018
- July 2018
- June 2018
- May 2018
- April 2018
- March 2018
- February 2018
- January 2018
- December 2017

- September 2017
- August 2017
- July 2017
- June 2017
- May 2017
- April 2017
- March 2017
- February 2017
- January 2017
- December 2016
- November 2016 October 2016
- September 2016
- August 2016
- July 2016
- June 2016
- May 2016
- April 2016
- March 2016
- February 2016
- January 2016
- December 2015
- November 2015
- October 2015
- September 2015
- August 2015
- July 2015
- June 2015
- May 2015
- April 2015
- March 2015
- February 2015
- January 2015
- December 2014
- November 2014
- October 2014
- September 2014
- August 2014 • July 2014
- June 2014
- May 2014
- April 2014
- March 2014
- February 2014
- January 2014
- December 2013
- November 2013
- October 2013
- September 2013 August 2013
- July 2013
- June 2013
- May 2013
- April 2013
- March 2013
- February 2013 • January 2013
- December 2012
- November 2012
- October 2012
- September 2012
- August 2012
- July 2012
- June 2012 May 2012
- April 2012
- March 2012
- February 2012
- January 2012
- December 2011
- November 2011
- October 2011
- September 2011 • August 2011
- July 2011
- June 2011

- March 2011
- February 2011
- January 2011
- December 2010
- November 2010
- October 2010
- September 2010 August 2010
- July 2010
- June 2010
- May 2010
- April 2010
- March 2010
- February 2010
- January 2010
- December 2009
- November 2009 October 2009
- September 2009
- August 2009
- July 2009
- June 2009
- May 2009
- April 2009
- March 2009
- February 2009
- January 2009
- December 2008
- November 2008 October 2008
- September 2008 August 2008
- July 2008
- June 2008
- May 2008
- April 2008
- March 2008
- February 2008
- January 2008
- December 2007 November 2007
- October 2007
- September 2007
- August 2007
- July 2007
- June 2007
- May 2007
- April 2007
- March 2007
- February 2007
- January 2007
- December 2006 November 2006
- October 2006
- September 2006
- August 2006
- July 2006

• June 2006 **March 2015**