



We use optional cookies to improve your experience on our websites, such as through social media connections, and to display personalized advertising based on your online activity. If you reject optional cookies, only cookies necessary to provide you the services will be used. You may change your selection by clicking "Manage Cookies" at the bottom of the page. [Privacy Statement](#) [Third-Party Cookies](#)

Accept

Reject

Manage cookies



The system registry is no longer backed up to the RegBack folder starting in Windows 10 version 1803

Article • 02/19/2024 • 2 contributors

Feedback

In this article

[Summary](#)

[More information](#)

[Data collection](#)

This article discusses a by-design behavior where Windows no longer automatically backs up the system registry to the RegBack folder


starting in Windows 10, version 1803.

Applies to: Windows 10 - all editions

Original KB number: 4509719

Summary

Starting in Windows 10, version 1803, Windows no longer automatically backs up the system registry to the RegBack folder. If you browse to the \Windows\System32\config\RegBack folder in Windows Explorer, you will still see each registry hive, but each file is 0 kb in size.



The screenshot shows a Windows Explorer window with the address bar set to 'This PC > Local Disk (C:) > Windows > System32 > config > RegBack'. The main pane displays a table of files:

	Name	Date modified	Type	Size
✱	DEFAULT	11/2/2018 3:43 PM	File	0 KB
✱	SAM	11/2/2018 3:43 PM	File	0 KB
✱	SECURITY	11/2/2018 3:43 PM	File	0 KB
✱	SOFTWARE	11/2/2018 3:43 PM	File	0 KB
✱	SYSTEM	11/2/2018 3:43 PM	File	0 KB

More information


This change is by design, and is intended to help reduce the overall disk footprint size of Windows. To recover a system with a corrupt registry hive, Microsoft recommends that you use a system restore point.

If you have to use the legacy backup behavior, you can re-enable it by configuring the following registry entry, and then restarting the computer:

- Path: `HKLM\System\CurrentControlSet\Control\Session Manager\Configuration Manager\EnablePeriodicBackup`
- Type: REG_DWORD
- Value: 1

Windows backs up the registry to the RegBack folder when the computer restarts, and creates a RegIdleBackup task to manage subsequent backups. Windows stores the task information in the

Scheduled Task Library, in the Microsoft\Windows\Registry folder. The task has the following properties:



Data collection

If you need assistance from Microsoft support, we recommend you collect the information by following the steps mentioned in [Gather information by using TSS for deployment-related issues](#).

Feedback

Was this page helpful?

Yes

No

[Provide product feedback](#)

