



We use optional cookies to improve your experience on our websites, such as through social media connections, and to display personalized advertising based on your online activity. If you reject optional cookies, only cookies necessary to provide you the services will be used. You may change your selection by clicking "Manage Cookies" at the bottom of the page. [Privacy Statement](#) [Third-Party Cookies](#)

Accept

Reject

Manage cookies



reg import

Article • 02/03/2023 • [7 contributors](#)

[Feedback](#)

In this article

[Syntax](#)

[Related links](#)

Copies the contents of a file that contains exported registry subkeys, entries, and values into the registry of the local computer.

Syntax

```
reg import <filename>
```


Parameters

 Expand table

Parameter	Description
<filename>	Specifies the name and path of the file that has content to be copied into the registry of the local computer. This file must be created in advance by using reg export .
/reg:32	Specifies the key should be accessed using the 32-bit registry view.
/reg:64	Specifies the key should be accessed using the 64-bit registry view.
/?	Displays help at the command prompt.

Remarks

- The return values for the **reg import** operation are:

 Expand table

Value	Description
0	Success
1	Failure

Examples

To import registry entries from the file named AppBkUp.reg, type:

```
reg import AppBkUp.reg
```

Related links


- [Command-Line Syntax Key](#)
- [reg export command](#)

Feedback



Was this page helpful?

 Yes

 No

 English (United States)

 Your Privacy Choices


 Theme 

[Manage cookies](#)


[Previous Versions](#)

[Blog](#) 

[Contribute](#)

[Privacy](#) 

[Terms of Use](#)

[Trademarks](#) 

© Microsoft 2024