

On this page ✓
User Settings

2-step Verification Scratch Codes Deletion

2-step Verification Scratch Codes Generate

3-legged OAuth Device Tokens Revoke

3-legged OAuth Token Revoke

Accept User Invite



DELETE_ZOV_OCKATON_CODEO

Parameters

USER_EMAIL string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=DELETE_2SV_SCRATCH_CODES&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

2-step verification scratch codes of the user {USER_EMAIL} deleted



/appiicacions/admirireventiname-denerale_zov_soralon_codesamaxresuics-ro &access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

New 2-step verification scratch codes generated for the user $\{\textit{USER_EMAIL}\}$

3-legged OAuth Device Tokens Revoke

Event details
Event name
REVOKE_3LO_DEVICE_TOKENS
Parameters



Admin Console message format

3-legged OAuth tokens issued by user {USER_EMAIL} for the device type {DEVICE_TYPE} and id {DEVICE_ID} were revoked

3-legged OAuth Token Revoke

Event	details
LVCIIL	actans

Event name

REVOKE_3LO_TOKEN

Parameters

APP_ID

string

The application ID whose access is managed by the token.



Accept User Invite

Event details

Event name

ACCEPT_USER_INVITATION

Parameters

USER_EMAIL string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=ACCEPT_USER_INVITATION&maxResults=10 &access_token=YOUR_ACCESS_TOKEN



The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=ADD_RECOVERY_EMAIL&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

Recovery email added for {USER_EMAIL}

Add Recovery Phone

Event	details			



Admin Privileges Grant 👄

Event details

Event name

GRANT_ADMIN_PRIVILEGE

Parameters

USER_EMAIL string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=GRANT_ADMIN_PRIVILEGE&maxResults=10



string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=REVOKE_ADMIN_PRIVILEGE&maxResults=10 &access_token=YOUR_ACCESS_TOKEN

Admin Console message format

Admin privileges revoked from {USER_EMAIL}

Application Specific Password Revoke

Event details



*Aaccess_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

Application specific password with Id $\{ASP_ID\}$ issued by user $\{USER_EMAIL\}$ revoked

Automatic Contact Share Change

Event details

Event name

TOGGLE_AUTOMATIC_CONTACT_SHARING

Parameters

KIEW MALTIE



Bulk Upload

Event of	datail	0
Lveiit	Jetan	3

Event name

BULK_UPLOAD

Parameters

BULK_UPLOAD_FAIL_USERS_NUMBER

string

The number of users who did not successfully upload to the domain.

BULK_UPLOAD_TOTAL_USERS_NUMBER

string

The number of total users being uploaded.



Bulk Upload Notification

Event details
Event name
BULK_UPLOAD_NOTIFICATION_SENT
Parameters
DOMAIN_NAME string
The primary domain name where users were uploaded.
USER_EMAIL string
The primary email address of user who was sent notification of bulk upload event.
Sample request



Parameters

DOMAIN_NAME

string

The primary domain name.

USER_EMAIL

string

The primary email address of the user whose invitation is being cancelled.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=CANCEL_USER_INVITE&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format



string

The previous SETTING_NAME value that was replaced during this event.

USER_CUSTOM_FIELD

string

The name of the user's custom field.

USER_EMAIL

string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=CHANGE_USER_CUSTOM_FIELD&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*



OLD_VALUE

string

The previous SETTING_NAME value that was replaced during this event.

USER_EMAIL

string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=CHANGE_USER_EXTERNAL_ID&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

External Ids changed for {USER_EMAIL} from {OLD_VALUE} to {NEW_VALUE}



string

The previous SETTING_NAME value that was replaced during this event.

USER_EMAIL

string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=CHANGE_USER_GENDER&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

Gender changed for {USER_EMAIL} from {OLD_VALUE} to {NEW_VALUE}



USER_EMAIL

string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=CHANGE_USER_IM&maxResults=10
&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

IMs changed for {USER_EMAIL} from {OLD_VALUE} to {NEW_VALUE}

Change IP Whitelist



The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=ENABLE_USER_IP_WHITELIST&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

IP whitelist changed for {USER_EMAIL} from {OLD_VALUE} to {NEW_VALUE}

Change Keyword

Keywords are used on user profiles to help identify a user in searches. Example: find person with name 'Larry' and school 'Stanford'. 'Change' is a verb.



Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=CHANGE_USER_KEYWORD&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

Keywords changed for {USER_EMAIL} from {OLD_VALUE} to {NEW_VALUE}

Change Language

Can be a predefined set of more common languages provided by Google or a custom language. 'Change' here is a verb.

Event details



GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=CHANGE_USER_LANGUAGE&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

Languages changed for {USER_EMAIL} from {OLD_VALUE} to {NEW_VALUE}

Change Location

Location is different from address in the following ways: (1) Location can be fuzzy. Example: Near Seattle. (2) Hovercards and other short user summaries display location, not address. 'Change' is a verb.

Event details



GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=CHANGE_USER_LOCATION&maxResults=10 &access_token=YOUR_ACCESS_TOKEN

Admin Console message format

Locations changed for {USER_EMAIL} from {OLD_VALUE} to {NEW_VALUE}

Change Organization

Event details

Event name

CHANGE_USER_ORGANIZATION



/applications/admilin:eventhame-chamac_usek_ukuanizationamaxkesults-re &access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

Organizations changed for {USER_EMAIL} from {OLD_VALUE} to {NEW_VALUE}

Change Phone Numbers

_							
Fν	101	٠+	\sim	Δ.	tم	н	\sim
-v	/		u	е.	ıa	ш	

Event name

CHANGE_USER_PHONE_NUMBER

Parameters

NEW_VALUE



Admin Console message format

Phone Numbers changed for {USER_EMAIL} from {OLD_VALUE} to {NEW_VALUE}

Change Recovery Email

0-----

Event details
Event name
CHANGE_RECOVERY_EMAIL
Parameters
USER_EMAIL string
The user's primary email address.



Parameters

USER_EMAIL string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=CHANGE_RECOVERY_PHONE&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

Recovery phone changed for {USER_EMAIL}



string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=CHANGE_USER_RELATION&maxResults=10 &access_token=YOUR_ACCESS_TOKEN

Admin Console message format

Relations changed for {USER_EMAIL} from {OLD_VALUE} to {NEW_VALUE}

Change User Address

Event details



GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=CHANGE_USER_ADDRESS&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

Addresses changed for {USER_EMAIL} from {OLD_VALUE} to {NEW_VALUE}

Create an email monitor

Event details

Event name

CREATE_EMAIL_MONITOR



Sample request

Sign in

EMAIL_MONITOR_LEVEL_INCOMING_EMAIL
string
The incoming email monitor level.

EMAIL_MONITOR_LEVEL_OUTGOING_EMAIL
string
The outgoing email monitor level.

END_DATE_TIME
string
The end date and time for the email monitor.

USER_EMAIL
string
The user's primary email address.



CKEATE_DATA_TKANSFEK_KEQUEST

Parameters

APPLICATION_NAME

string

A comma-separated application names for which data transfer is requested.

DESTINATION_USER_EMAIL

string

The new owner's primary user email to whom to transfer user data to.

USER_EMAIL

string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all



NEW_VALUE

string

The new delegated admin privilege.

USER_EMAIL

string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=GRANT_DELEGATED_ADMIN_PRIVILEGES
&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

{USER_EMAIL} assigned {NEW_VALUE} admin privileges



Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=DELETE_ACCOUNT_INFO_DUMP&maxResults=10 &access_token=\frac{YOUR_ACCESS_TOKEN}{}

Admin Console message format

Deleted account and login information dump for $\{USER_EMAIL\}$ and request ID $\{REQUEST_ID\}$

Delete an email monitor

Event	details			



Admin Console message format

Deleted an email monitor for {USER_EMAIL} to
{EMAIL_MONITOR_DEST_EMAIL}

Delete mailbox dump

Event details

Event name

DELETE_MAILBOX_DUMP

Parameters

REQUEST_ID

string

The request ID.



Event details

Event name

DELETE_PROFILE_PHOTO

Parameters

USER_EMAIL string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=DELETE_PROFILE_PHOTO&maxResults=10 &access_token=YOUR_ACCESS_TOKEN

Admin Console message format



The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=ADD_DISPLAY_NAME&maxResults=10 &access_token=YOUR_ACCESS_TOKEN

Admin Console message format

{USER_DISPLAY_NAME} added as a display name of {USER_EMAIL}

Display Name Change

Event details



The new SETTING_NAME value that was set during this event.

OLD_VALUE

string

The previous SETTING_NAME value that was replaced during this event.

USER_EMAIL

string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=CHANGE_DISPLAY_NAME&maxResults=10 &access_token=YOUR_ACCESS_TOKEN

Admin Console message format



string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=REMOVE_DISPLAY_NAME&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

{USER_DISPLAY_NAME} removed as a display name of {USER_EMAIL}

First Name Change

Event details



GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=CHANGE_FIRST_NAME&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

First name of {USER_EMAIL} changed from {OLD_VALUE} to {NEW_VALUE}

Gmail Account Reset

etails

Event name

GMAIL_RESET_USER



Gmail account of {USER_EMAIL} reset

Last Name Change

string

Event details
Event name
CHANGE_LAST_NAME
Parameters
NEW_VALUE string
The user's new last name.
OLD_VALUE



Mail Routing Destination Creation

The user's primary email address.

Event details
Event name
MAIL_ROUTING_DESTINATION_ADDED
Parameters
NEW_VALUE
string
The new routing destination.
USER_EMAIL
string



Event name

MAIL_ROUTING_DESTINATION_REMOVED

Parameters

OLD_VALUE

string

The previous routing destination.

USER_EMAIL

string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=MAIL_ROUTING_DESTINATION_REMOVED &maxResults=10&access_token=YOUR_ACCESS_TOKEN



The primary user email.

USER_NICKNAME

string

The user's nickname. For Admin console information, see the administration help center.

Sample request

Admin Console message format

{USER_NICKNAME} created as a nickname of {USER_EMAIL}



GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=REMOVE_NICKNAME&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

{USER_NICKNAME} deleted as a nickname of {USER_EMAIL}

Password Change

Event details

Event name

CHANGE_PASSWORD

Parameters



/ei	Iι	ue	la	115

Event name

CHANGE_PASSWORD_ON_NEXT_LOGIN

Parameters

NEW_VALUE

string

Indicates whether the user must change their password on their next login; can be true or false.

OLD_VALUE

string

The previous setting value; can be true or false.

USER_EMAIL

string

The user's primary email address.



Event name

DOWNLOAD_PENDING_INVITES_LIST

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=DOWNLOAD_PENDING_INVITES_LIST &maxResults=10&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

Pending Invites List was downloaded as a CSV file

Remove Recovery Email

Event details



Recovery email removed for {USER_EMAIL}

Remove Recovery Phone

Event details
Event name
REMOVE_RECOVERY_PHONE
Parameters
USER_EMAIL string
The user's primary email address.
Sample request



USER_EMAIL string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=REQUEST_ACCOUNT_INFO&maxResults=10 &access_token=YOUR_ACCESS_TOKEN

Admin Console message format

Requested account and login information for {USER_EMAIL}

Request mailbox dump



The contents of the mailbox package.

END_DATE_TIME

string

The end date and time for the email monitor.

SEARCH_QUERY_FOR_DUMP

string

The search query used for the dump.

USER_EMAIL

string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all



string

The primary domain name.

USER_EMAIL

string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=RESEND_USER_INVITE&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

Invite email to {USER_EMAIL} resent



/applications/aumilifeventhame-Resel_Signifix_cookiesamaxResults-10 &access_token=YOUR_ACCESS_TOKEN

Admin Console message format

Cookies reset for {USER_EMAIL} and forced re-login

Security Key Registered For User

Event details

Event name

SECURITY_KEY_REGISTERED_FOR_USER

Parameters

USER_EMAIL



Event name

REVOKE_SECURITY_KEY

Parameters

USER_EMAIL string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=REVOKE_SECURITY_KEY&maxResults=10 &access_token=YOUR_ACCESS_TOKEN

Admin Console message format

A security key enrolled for user {USER_EMAIL} for 2-step verification was revoked



Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=USER_INVITE&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

{USER_EMAIL} invited to join your organization

Temporary Password Viewed

Event details

Event name



Admin Console message format

Temporary password for user {USER_EMAIL} viewed by the admin

Turn off 2-step verification

0-----

Event details
Event name
TURN_OFF_2_STEP_VERIFICATION
Parameters
JSER_EMAIL string
The user's primary email address.



Parameters

USER_EMAIL string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=UNBLOCK_USER_SESSION&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

User {USER_EMAIL} unblocked by temporarily disabling login challenge



GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=UNMANAGED_USERS_BULK_UPLOAD&maxResults=10&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

A total of {BULK_UPLOAD_TOTAL_USERS_NUMBER} unmanaged users selected for upload. {BULK_UPLOAD_FAIL_USERS_NUMBER} out of {BULK_UPLOAD_TOTAL_USERS_NUMBER} users failed to be uploaded.

Unmanaged Users List Download

Event details

Event name

DOWNLOAD_UNMANAGED_USERS_LIST



UPDATE_PROFILE_PROTO

Parameters

USER_EMAIL string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=UPDATE_PROFILE_PHOTO&maxResults=10 &access_token=YOUR_ACCESS_TOKEN

Admin Console message format

Profile photo of {USER_EMAIL} has been updated



% applications/adminingeventionalle-onemode_osek_rkom_ilitamion &maxResults=10&access_token=\frac{YOUR_ACCESS_TOKEN}{}

Admin Console message format

User { USER_EMAIL } unenrolled from Advanced Protection

User Archival

Event details

Event name

ARCHIVE_USER

Parameters

USER_EMAIL



Event name

UPDATE_BIRTHDATE

Parameters

BIRTHDATE

string

The date of the user's birthday.

USER_EMAIL

string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=UPDATE_BIRTHDATE&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*



Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=CREATE_USER&maxResults=10
&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

{USER_EMAIL} created

User Deletion

Event details

Event name



User Downgrade From Google+

Event details

Event name

DOWNGRADE_USER_FROM_GPLUS

Parameters

USER_EMAIL string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=DOWNGRADE_USER_FROM_GPLUS&maxResults=10



string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=USER_ENROLLED_IN_TWO_STEP_VERIFICATION &maxResults=10&access_token=\(\frac{YOUR}{ACCESS} \)_TOKEN

Admin Console message format

{USER_EMAIL} enrolled in 2-step verification

User List Download

Event details



Event details
Event name
MOVE_USER_TO_ORG_UNIT
Parameters
NEW_VALUE
string
The user's new organizational unit.
ORG_UNIT_NAME
string
The organizational unit (OU) name (path).
USER_EMAIL
string
The user's primary email address.



Parameters

NEW_VALUE

string

The new SETTING_NAME value that was set during this event.

USER_EMAIL

string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?
eventName=USER_PUT_IN_TWO_STEP_VERIFICATION_GRACE_PERIOD&maxResults=10
&access_token=YOUR_ACCESS_TOKEN

Admin Console message format



string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all
/applications/admin?eventName=RENAME_USER&maxResults=10
&access_token=YOUR_ACCESS_TOKEN

Admin Console message format

{USER_EMAIL} renamed to {NEW_VALUE}

User Strong Auth Unenroll



User {USER_EMAIL} unenrolled from Strong Auth

User Suspension

Event details	
Event name	
SUSPEND_USER	
Parameters	
USER_EMAIL string	
The user's primary email addres	S.
Sample request	



USER_EMAIL string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=UNARCHIVE_USER&maxResults=10 &access_token=YOUR_ACCESS_TOKEN

Admin Console message format

{USER_EMAIL} unarchived

User Undeletion



Admin Console message format

{USER_EMAIL} undeleted

User Unsuspension

Event details
Event name
UNSUSPEND_USER
Parameters
USER_EMAIL string
The user's primary email address.
0



Parameters

USER_EMAIL string

The user's primary email address.

Sample request

GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=UPGRADE_USER_TO_GPLUS&maxResults=10 &access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

{USER_EMAIL} was upgraded to Google+



GET https://admin.googleapis.com/admin/reports/v1/activity/users/all/applications/admin?eventName=USERS_BULK_UPLOAD&maxResults=10&access_token=*YOUR_ACCESS_TOKEN*

Admin Console message format

A total of {BULK_UPLOAD_TOTAL_USERS_NUMBER} users selected for upload. {BULK_UPLOAD_FAIL_USERS_NUMBER} out of {BULK_UPLOAD_TOTAL_USERS_NUMBER} users failed to be uploaded.

Users Bulk Upload Notification

Event details

Event name

USERS_BULK_UPLOAD_NOTIFICATION_SENT



Was this helpful?

凸 切

Send feedback

Except as otherwise noted, the content of this page is licensed under the Creative Commons Attribution 4.0 License, and code samples are licensed under the Apache 2.0 License. For details, see the Google Developers Site Policies. Java is a registered trademark of Oracle and/or its affiliates.

Last updated 2024-08-21 UTC.

Blog	X (Twitter)
------	-------------

Code Samples Codelabs

Videos

