


Product ▾Solutions ▾Resources ▾Open Source ▾Enterprise ▾Pricing


Q


Sign in


Sign up

redcanaryco / atomic-red-team

Public


Notifications


Fork2.8k


Star9.7k


<>Code


Issues6

Pull requests5

Actions



Wiki

Security

Insights

atomic-red-team / atomics / T1112 / T1112.md

...

Atomic Red Team doc generat...Generated docs from job=generate-doc...d7c45a0 · last yearHistory

T1112 - Modify Registry

Description from ATT&CK

Adversaries may interact with the Windows Registry to hide configuration information within Registry keys, remove information as part of cleaning up, or as part of other techniques to aid in persistence and execution.

Access to specific areas of the Registry depends on account permissions, some requiring administrator-level access. The built-in Windows command-line utility [Reg](#) may be used for local or remote Registry modification. (Citation: Microsoft Reg) Other tools may also be used, such as a remote access tool, which may contain functionality to interact with the Registry through the Windows API.

Registry modifications may also include actions to hide keys, such as prepending key names with a null character, which will cause an error and/or be ignored when read via [Reg](#) or other utilities using the Win32 API. (Citation: Microsoft Reghide NOV 2006) Adversaries may abuse these pseudo-hidden keys to conceal payloads/commands used to maintain persistence. (Citation: TrendMicro POWELIKS AUG 2014) (Citation: SpectorOps Hiding Reg Jul 2017)

The Registry of a remote system may be modified to aid in execution of files as part of lateral movement. It requires the remote Registry service to be running on the target system. (Citation: Microsoft Remote) Often [Valid Accounts](#) are required, along with access to the remote system's [SMB/Windows Admin Shares](#) for RPC communication.

Atomic Tests

- [Atomic Test #1 - Modify Registry of Current User Profile - cmd](#)
- [Atomic Test #2 - Modify Registry of Local Machine - cmd](#)
- [Atomic Test #3 - Modify registry to store logon credentials](#)
- [Atomic Test #4 - Add domain to Trusted sites Zone](#)
- [Atomic Test #5 - Javascript in registry](#)
- [Atomic Test #6 - Change Powershell Execution Policy to Bypass](#)
- [Atomic Test #7 - BlackByte Ransomware Registry Changes - CMD](#)
- [Atomic Test #8 - BlackByte Ransomware Registry Changes - Powershell](#)
- [Atomic Test #9 - Disable Windows Registry Tool](#)
- [Atomic Test #10 - Disable Windows CMD application](#)
- [Atomic Test #11 - Disable Windows Task Manager application](#)

- [Atomic Test #12 - Disable Windows Notification Center](#)
- [Atomic Test #13 - Disable Windows Shutdown Button](#)
- [Atomic Test #14 - Disable Windows LogOff Button](#)
- [Atomic Test #15 - Disable Windows Change Password Feature](#)
- [Atomic Test #16 - Disable Windows Lock Workstation Feature](#)
- [Atomic Test #17 - Activate Windows NoDesktop Group Policy Feature](#)
- [Atomic Test #18 - Activate Windows NoRun Group Policy Feature](#)
- [Atomic Test #19 - Activate Windows NoFind Group Policy Feature](#)
- [Atomic Test #20 - Activate Windows NoControlPanel Group Policy Feature](#)
- [Atomic Test #21 - Activate Windows NoFileMenu Group Policy Feature](#)
- [Atomic Test #22 - Activate Windows NoClose Group Policy Feature](#)
- [Atomic Test #23 - Activate Windows NoSetTaskbar Group Policy Feature](#)
- [Atomic Test #24 - Activate Windows NoTrayContextMenu Group Policy Feature](#)
- [Atomic Test #25 - Activate Windows NoPropertiesMyDocuments Group Policy Feature](#)
- [Atomic Test #26 - Hide Windows Clock Group Policy Feature](#)
- [Atomic Test #27 - Windows HideSCAHealth Group Policy Feature](#)
- [Atomic Test #28 - Windows HideSCANetwork Group Policy Feature](#)
- [Atomic Test #29 - Windows HideSCAPower Group Policy Feature](#)
- [Atomic Test #30 - Windows HideSCAVolume Group Policy Feature](#)
- [Atomic Test #31 - Windows Modify Show Compress Color And Info Tip Registry](#)
- [Atomic Test #32 - Windows Powershell Logging Disabled](#)
- [Atomic Test #33 - Windows Add Registry Value to Load Service in Safe Mode without Network](#)
- [Atomic Test #34 - Windows Add Registry Value to Load Service in Safe Mode with Network](#)
- [Atomic Test #35 - Disable Windows Toast Notifications](#)
- [Atomic Test #36 - Disable Windows Security Center Notifications](#)
- [Atomic Test #37 - Suppress Win Defender Notifications](#)
- [Atomic Test #38 - Allow RDP Remote Assistance Feature](#)
- [Atomic Test #39 - NetWire RAT Registry Key Creation](#)
- [Atomic Test #40 - Ursnif Malware Registry Key Creation](#)
- [Atomic Test #41 - Terminal Server Client Connection History Cleared](#)
- [Atomic Test #42 - Disable Windows Error Reporting Settings](#)
- [Atomic Test #43 - DisallowRun Execution Of Certain Applications](#)
- [Atomic Test #44 - Enabling Restricted Admin Mode via Command_Prompt](#)
- [Atomic Test #45 - Mimic Ransomware - Enable Multiple User Sessions](#)
- [Atomic Test #46 - Mimic Ransomware - Allow Multiple RDP Sessions per User](#)
- [Atomic Test #47 - Event Viewer Registry Modification - Redirection URL](#)

- [Atomic Test #48 - Event Viewer Registry Modification - Redirection Program](#)
- [Atomic Test #49 - Enabling Remote Desktop Protocol via Remote Registry](#)
- [Atomic Test #50 - Disable Win Defender Notification](#)
- [Atomic Test #51 - Disable Windows OS Auto Update](#)
- [Atomic Test #52 - Disable Windows Auto Reboot for current logon user](#)
- [Atomic Test #53 - Windows Auto Update Option to Notify before download](#)
- [Atomic Test #54 - Do Not Connect To Win Update](#)
- [Atomic Test #55 - Tamper Win Defender Protection](#)
- [Atomic Test #56 - Snake Malware Registry Blob](#)
- [Atomic Test #57 - Allow Simultaneous Download Registry](#)
- [Atomic Test #58 - Modify Internet Zone Protocol Defaults in Current User Registry - cmd](#)
- [Atomic Test #59 - Modify Internet Zone Protocol Defaults in Current User Registry - PowerShell](#)
- [Atomic Test #60 - Activities To Disable Secondary Authentication Detected By Modified Registry Value.](#)
- [Atomic Test #61 - Activities To Disable Microsoft \[FIDO Aka Fast IDentity Online\] Authentication Detected By Modified Registry Value.](#)
- [Atomic Test #62 - Scarab Ransomware Defense Evasion Activities](#)
- [Atomic Test #63 - Disable Remote Desktop Anti-Alias Setting Through Registry](#)
- [Atomic Test #64 - Disable Remote Desktop Security Settings Through Registry](#)
- [Atomic Test #65 - Disabling ShowUI Settings of Windows Error Reporting \(WER\)](#)
- [Atomic Test #66 - Enable Proxy Settings](#)
- [Atomic Test #67 - Set-Up Proxy Server](#)
- [Atomic Test #68 - RDP Authentication Level Override](#)

Atomic Test #1 - Modify Registry of Current User Profile - cmd

Modify the registry of the currently logged in user using reg.exe via cmd console. Upon execution, the message "The operation completed successfully." will be displayed. Additionally, open Registry Editor to view the new entry in HKCU\Software\Microsoft\Windows\CurrentVersion\Explorer\Advanced.

Supported Platforms: Windows

auto_generated_guid: 1324796b-d0f6-455a-b4ae-21ffee6aa6b9

Attack Commands: Run with `command_prompt` !

```
reg add HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Expl
```

Cleanup Commands:

```
reg delete HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\E
```

Atomic Test #2 - Modify Registry of Local Machine - cmd

Modify the Local Machine registry RUN key to change Windows Defender executable that should be ran on startup. This should only be possible when CMD is ran as Administrative rights. Upon execution, the message "The operation completed successfully." will be displayed. Additionally, open Registry Editor to view the modified entry in HKLM\Software\Microsoft\Windows\CurrentVersion\Run.

Supported Platforms: Windows

auto_generated_guid: 282f929a-6bc5-42b8-bd93-960c3ba35afe

Inputs:

Name	Description	Type	Default Value
new_executable	New executable to run on startup instead of Windows Defender	string	calc.exe

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run
```

Cleanup Commands:

```
reg delete HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #3 - Modify registry to store logon credentials

Sets registry key that will tell windows to store plaintext passwords (making the system vulnerable to clear text / cleartext password dumping). Upon execution, the message "The operation completed successfully." will be displayed. Additionally, open Registry Editor to view the modified entry in HKLM\SYSTEM\CurrentControlSet\Control\SecurityProviders\WDigest.

Supported Platforms: Windows

auto_generated_guid: c0413fb5-33e2-40b7-9b6f-60b29f4a7a18

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add HKLM\SYSTEM\CurrentControlSet\Control\SecurityProviders\WDigest
```

Cleanup Commands:

```
reg add HKLM\SYSTEM\CurrentControlSet\Control\SecurityProviders\WDigest
```

Atomic Test #4 - Add domain to Trusted sites Zone

Attackers may add a domain to the trusted site zone to bypass defenses. Doing this enables attacks such as c2 over office365. Upon execution, details of the new registry entries will be

displayed. Additionally, open Registry Editor to view the modified entry in HKCU:\SOFTWARE\Microsoft\Windows\CurrentVersion\Internet Settings\ZoneMap.

<https://www.blackhat.com/docs/us-17/wednesday/us-17-Dods-Infecting-The-Enterprise-Abusing-Office365-Powershell-For-Covert-C2.pdf>

Supported Platforms: Windows

auto_generated_guid: cf447677-5a4e-4937-a82c-e47d254afd57

Inputs:

Name	Description	Type	Default Value
bad_domain	Domain to add to trusted site zone	string	bad-domain.com

Attack Commands: Run with powershell !

```
$key= "HKCU:\SOFTWARE\Microsoft\Windows\CurrentVersion\Internet Settings
$name ="bad-subdomain"
new-item $key -Name $name -Force
new-itemproperty $key$name -Name https -Value 2 -Type DWORD;
new-itemproperty $key$name -Name http -Value 2 -Type DWORD;
new-itemproperty $key$name -Name * -Value 2 -Type DWORD;
```

Cleanup Commands:

```
$key = "HKCU:\SOFTWARE\Microsoft\Windows\CurrentVersion\Internet Setting
Remove-item $key -Recurse -ErrorAction Ignore
```

Atomic Test #5 - Javascript in registry

Upon execution, a javascript block will be placed in the registry for persistence. Additionally, open Registry Editor to view the modified entry in HKCU:\Software\Microsoft\Windows\CurrentVersion\Internet Settings.

Supported Platforms: Windows

auto_generated_guid: 15f44ea9-4571-4837-be9e-802431a7bfae

Attack Commands: Run with powershell !

```
New-ItemProperty "HKCU:\Software\Microsoft\Windows\CurrentVersion\Intern
```

Cleanup Commands:

```
Remove-ItemProperty "HKCU:\Software\Microsoft\Windows\CurrentVersion\Int
```

Atomic Test #6 - Change Powershell Execution Policy to Bypass

Attackers need to change the powershell execution policy in order to run their malicious powershell scripts. They can either specify it during the execution of the powershell script or change the registry value for it.

Supported Platforms: Windows

auto_generated_guid: f3a6cceb-06c9-48e5-8df8-8867a6814245

Inputs:

Name	Description	Type	Default Value
default_execution_policy	Specify the default poweshell execution policy	string	Default

Attack Commands: Run with powershell !

```
Set-ExecutionPolicy -ExecutionPolicy Bypass -Scope LocalMachine
```

Cleanup Commands:

```
try { Set-ExecutionPolicy -ExecutionPolicy #{default_execution_policy} -
```

Atomic Test #7 - BlackByte Ransomware Registry Changes - CMD

This task recreates the steps taken by BlackByte ransomware before it worms to other machines. See "Preparing to Worm" section: <https://redcanary.com/blog/blackbyte-ransomware/> The steps are as follows:

1. Elevate Local Privilege by disabling UAC Remote Restrictions
2. Enable OS to share network connections between different privilege levels
3. Enable long path values for file paths, names, and namespaces to ensure encryption of all file names and paths

The registry keys and their respective values will be created upon successful execution.

Supported Platforms: Windows

auto_generated_guid: 4f4e2f9f-6209-4fcf-9b15-3b7455706f5b

Attack Commands: Run with command_prompt ! Elevation Required (e.g. root or admin)

```
cmd.exe /c reg add HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Polici
cmd.exe /c reg add HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Polici
cmd.exe /c reg add HKLM\SYSTEM\CurrentControlSet\Control\FileSystem /v L
```

Cleanup Commands:

```
reg delete HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Policies\Syste
reg delete HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Policies\Syste
reg delete HKLM\SYSTEM\CurrentControlSet\Control\FileSystem\ /v LongPath
```

Atomic Test #8 - BlackByte Ransomware Registry Changes - Powershell

This task recreates the steps taken by BlackByte ransomware before it worms to other machines via Powershell. See "Preparing to Worm" section: <https://redcanary.com/blog/blackbyte-ransomware/> The steps are as follows:

1. Elevate Local Privilege by disabling UAC Remote Restrictions

- 2. 2. Enable OS to share network connections between different privilege levels
- 3. 3. Enable long path values for file paths, names, and namespaces to ensure encryption of all file names and paths

The registry keys and their respective values will be created upon successful execution.
Supported Platforms: Windows

auto_generated_guid: 0b79c06f-c788-44a2-8630-d69051f1123d

Attack Commands: Run with **powershell** ! Elevation Required (e.g. root or admin)

```
New-ItemProperty "HKLM:\SOFTWARE\Microsoft\Windows\CurrentVersion\Polici
New-ItemProperty "HKLM:\SOFTWARE\Microsoft\Windows\CurrentVersion\Polici
New-ItemProperty "HKLM:\SYSTEM\CurrentControlSet\Control\FileSystem" -Na
```

Cleanup Commands:

```
Remove-ItemProperty "HKLM:\SOFTWARE\Microsoft\Windows\CurrentVersion\Pol
Remove-ItemProperty "HKLM:\SOFTWARE\Microsoft\Windows\CurrentVersion\Pol
Remove-ItemProperty "HKLM:\SYSTEM\CurrentControlSet\Control\FileSystem"
```

Atomic Test #9 - Disable Windows Registry Tool

Modify the registry of the currently logged in user using reg.exe via cmd console to disable the windows registry tool to prevent user modifying registry entry. See example how Agent Tesla malware abuses this technique:
<https://any.run/report/ea4ea08407d4ee72e009103a3b77e5a09412b722fdef67315ea63f22011152af/a866d7b1-c236-4f26-a391-5ae32213dfc4#registry>

Supported Platforms: Windows

auto_generated_guid: ac34b0f7-0f85-4ac0-b93e-3ced2bc69bb8

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\poli
```

Cleanup Commands:

```
powershell Remove-ItemProperty -Path "HKCU:\Software\Microsoft\Windows\C
```

Atomic Test #10 - Disable Windows CMD application

Modify the registry of the currently logged in user using reg.exe via cmd console to disable the windows CMD application. See example how Agent Tesla malware abuses this technique:
<https://any.run/report/ea4ea08407d4ee72e009103a3b77e5a09412b722fdef67315ea63f22011152af/a866d7b1-c236-4f26-a391-5ae32213dfc4#registry>

Supported Platforms: Windows

auto_generated_guid: d2561a6d-72bd-408c-b150-13efe1801c2a

Attack Commands: Run with **powershell** ! Elevation Required (e.g. root or admin)

```
New-ItemProperty -Path "HKCU:\Software\Policies\Microsoft\Windows\System
```

Cleanup Commands:

```
Remove-ItemProperty -Path "HKCU:\Software\Policies\Microsoft\Windows\Sys
```

Atomic Test #11 - Disable Windows Task Manager application

Modify the registry of the currently logged in user using reg.exe via cmd console to disable the windows task manager application. See example how Agent Tesla malware abuses this technique:
<https://any.run/report/ea4ea08407d4ee72e009103a3b77e5a09412b722fdef67315ea63f22011152af/a866d7b1-c236-4f26-a391-5ae32213dfc4#registry>

Supported Platforms: Windows

auto_generated_guid: af254e70-dd0e-4de6-9afe-a994d9ea8b62

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #12 - Disable Windows Notification Center

Modify the registry of the currently logged in user using reg.exe via cmd console to disable the windows notification center. See how remcos rat abuses this technique-
<https://tccontre.blogspot.com/2020/01/remcos-rat-evading-windows-defender-av.html>

Supported Platforms: Windows

auto_generated_guid: c0d6d67f-1f63-42cc-95c0-5fd6b20082ad

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add HKEY_CURRENT_USER\SOFTWARE\Policies\Microsoft\Windows\Explorer /
```

Cleanup Commands:

```
reg delete HKEY_CURRENT_USER\SOFTWARE\Policies\Microsoft\Windows\Explore
```

Atomic Test #13 - Disable Windows Shutdown Button

Modify the registry of the currently logged in user using reg.exe via cmd console to disable the windows shutdown button. See how ransomware abuses this technique-
<https://www.trendmicro.com/vinfo/us/threat-encyclopedia/malware/ransom.msil.screenlocker.a/>

Supported Platforms: Windows

auto_generated_guid: 6e0d1131-2d7e-4905-8ca5-d6172f05d03d

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Po
```

Cleanup Commands:

```
reg delete "HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion
```

Atomic Test #14 - Disable Windows LogOff Button

Modify the registry of the currently logged in user using reg.exe via cmd console to disable the windows logoff button. See how ransomware abuses this technique-
https://www.trendmicro.com/vinfo/be/threat-encyclopedia/search/js_noclose.e/2

Supported Platforms: Windows

auto_generated_guid: e246578a-c24d-46a7-9237-0213ff86fb0c

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #15 - Disable Windows Change Password Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to disable the windows change password feature. See how ransomware abuses this technique-
https://www.trendmicro.com/vinfo/us/threat-encyclopedia/malware/ransom_heartbleed.thdobah

Supported Platforms: Windows

auto_generated_guid: d4a6da40-618f-454d-9a9e-26af552aaeb0

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #16 - Disable Windows Lock Workstation Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to disable the windows Lock workstation feature. See how ransomware abuses this technique- <https://www.bleepingcomputer.com/news/security/in-dev-ransomware-forces-you-do-to-survey-before-unlocking-computer/>

Supported Platforms: Windows

auto_generated_guid: 3dacb0d2-46ee-4c27-ac1b-f9886bf91a56

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #17 - Activate Windows NoDesktop Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to hide all icons on Desktop Group Policy. Take note that some Group Policy changes might require a restart to take effect. See how Trojan abuses this technique- <https://www.sophos.com/de-de/threat-center/threat-analyses/viruses-and-spyware/Troj~Krotten-N/detailed-analysis>

Supported Platforms: Windows

auto_generated_guid: 93386d41-525c-4a1b-8235-134a628dee17

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #18 - Activate Windows NoRun Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to Remove Run menu from Start Menu Group Policy. Take note that some Group Policy changes might require a restart to take effect. See how Trojan abuses this technique- <https://www.sophos.com/de-de/threat-center/threat-analyses/viruses-and-spyware/Troj~Krotten-N/detailed-analysis>

Supported Platforms: Windows

auto_generated_guid: d49ff3cc-8168-4123-b5b3-f057d9abbd55

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```



Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```



Atomic Test #19 - Activate Windows NoFind Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to Remove Search menu from Start Menu Group Policy. Take note that some Group Policy changes might require a restart to take effect. See how Trojan abuses this technique- <https://www.sophos.com/de-de/threat-center/threat-analyses/viruses-and-spyware/Troj~Krotten-N/detailed-analysis>

Supported Platforms: Windows

auto_generated_guid: ffbb407e-7f1d-4c95-b22e-548169db1fbd

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```



Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```



Atomic Test #20 - Activate Windows NoControlPanel Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to Disable Control Panel Group Policy. Take note that some Group Policy changes might require a restart to take effect. See how Trojan abuses this technique- <https://www.sophos.com/de-de/threat-center/threat-analyses/viruses-and-spyware/Troj~Krotten-N/detailed-analysis>

Supported Platforms: Windows

auto_generated_guid: a450e469-ba54-4de1-9deb-9023a6111690

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```



Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```



Atomic Test #21 - Activate Windows NoFileMenu Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to Remove File menu from Windows Explorer Group Policy. Take note that some Group Policy changes might require a restart to take effect. See how Trojan abuses this technique-
<https://www.sophos.com/de-de/threat-center/threat-analyses/viruses-and-spyware/Troj~Krotten-N/detailed-analysis>

Supported Platforms: Windows

auto_generated_guid: 5e27bdb4-7fd9-455d-a2b5-4b4b22c9dea4

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #22 - Activate Windows NoClose Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to Disable and remove the Shut Down command Group Policy. Take note that some Group Policy changes might require a restart to take effect. See how Trojan abuses this technique-
<https://www.sophos.com/de-de/threat-center/threat-analyses/viruses-and-spyware/Troj~Krotten-N/detailed-analysis>

Supported Platforms: Windows

auto_generated_guid: 12f50e15-dbc6-478b-a801-a746e8ba1723

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #23 - Activate Windows NoSetTaskbar Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to Disable changes to Taskbar and Start Menu Settings Group Policy. Take note that some Group Policy changes might require a restart to take effect. See how ransomware abuses this technique-
<https://www.virustotal.com/gui/file/2d7855bf6470aa323edf2949b54ce2a04d9e38770f1322c3d0420c2303178d91/details>

Supported Platforms: Windows

auto_generated_guid: d29b7faf-7355-4036-9ed3-719bd17951ed

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #24 - Activate Windows NoTrayContextMenu Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to Disable context menu for taskbar Group Policy. Take note that some Group Policy changes might require a restart to take effect. See how ransomware abuses this technique- <https://www.virustotal.com/gui/file/2d7855bf6470aa323edf2949b54ce2a04d9e38770f1322c3d0420c2303178d91/details>

Supported Platforms: Windows

auto_generated_guid: 4d72d4b1-fa7b-4374-b423-0fe326da49d2

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #25 - Activate Windows NoPropertiesMyDocuments Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to hide Properties from "My Documents icon" Group Policy. Take note that some Group Policy changes might require a restart to take effect. See how ransomware abuses this technique- <https://www.virustotal.com/gui/file/2d7855bf6470aa323edf2949b54ce2a04d9e38770f1322c3d0420c2303178d91/details>

Supported Platforms: Windows

auto_generated_guid: 20fc9daa-bd48-4325-9aff-81b967a84b1d

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #26 - Hide Windows Clock Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to Hide Clock Group Policy. Take note that some Group Policy changes might require a restart to take effect. See how ransomware abuses this technique-
<https://www.virustotal.com/gui/file/2d7855bf6470aa323edf2949b54ce2a04d9e38770f1322c3d0420c2303178d91/details>

Supported Platforms: Windows

auto_generated_guid: 8023db1e-ad06-4966-934b-b6a0ae52689e

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #27 - Windows HideSCAHealth Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to remove security and maintenance icon Group Policy. Take note that some Group Policy changes might require a restart to take effect. See how ransomware abuses this technique-
<https://www.virustotal.com/gui/file/2d7855bf6470aa323edf2949b54ce2a04d9e38770f1322c3d0420c2303178d91/details>

Supported Platforms: Windows

auto_generated_guid: a4637291-40b1-4a96-8c82-b28f1d73e54e

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #28 - Windows HideSCANetwork Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to remove the networking icon Group Policy. Take note that some Group Policy changes might require a restart to take effect. See how ransomware abuses this technique-
<https://www.virustotal.com/gui/file/2d7855bf6470aa323edf2949b54ce2a04d9e38770f1322c3d0420c2303178d91/details>

Supported Platforms: Windows

auto_generated_guid: 3e757ce7-eca0-411a-9583-1c33b8508d52

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #29 - Windows HideSCAPower Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to remove the battery icon Group Policy. Take note that some Group Policy changes might require a restart to take effect. See how ransomware abuses this technique-
<https://www.virustotal.com/gui/file/2d7855bf6470aa323edf2949b54ce2a04d9e38770f1322c3d0420c2303178d91/details>

Supported Platforms: Windows

auto_generated_guid: 8d85a5d8-702f-436f-bc78-fcd9119496fc

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #30 - Windows HideSCAVolume Group Policy Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to remove the volume icon Group Policy. Take note that some Group Policy changes might require a restart to take effect.. See how ransomware abuses this technique-
<https://www.virustotal.com/gui/file/2d7855bf6470aa323edf2949b54ce2a04d9e38770f1322c3d0420c2303178d91/details>

Supported Platforms: Windows

auto_generated_guid: 7f037590-b4c6-4f13-b3cc-e424c5ab8ade

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol
```

Cleanup Commands:

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\
```

Atomic Test #31 - Windows Modify Show Compress Color And Info Tip Registry

Modify the registry of the currently logged in user using reg.exe via cmd console to show compress color and show tips feature. See how hermeticwiper uses this technique - https://www.splunk.com/en_us/blog/security/detecting-hermeticwiper.html

Supported Platforms: Windows

auto_generated_guid: 795d3248-0394-4d4d-8e86-4e8df2a2693f

Attack Commands: Run with `command_prompt` !

```
reg add HKCU\Software\Microsoft\Windows\CurrentVersion\Explorer\Advance
reg add HKCU\Software\Microsoft\Windows\CurrentVersion\Explorer\Advance
```

Cleanup Commands:

```
reg delete HKCU\Software\Microsoft\Windows\CurrentVersion\Explorer\Advan
reg delete HKCU\Software\Microsoft\Windows\CurrentVersion\Explorer\Advan
```

Atomic Test #32 - Windows Powershell Logging Disabled

Modify the registry of the currently logged in user using reg.exe via cmd console to disable Powershell Module Logging, Script Block Logging, Transcription and Script Execution see https://admx.help/?Category=Windows_10_2016&Policy=Microsoft.Policies.PowerShell::EnableModuleLogging

Supported Platforms: Windows

auto_generated_guid: 95b25212-91a7-42ff-9613-124aca6845a8

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add HKCU\Software\Policies\Microsoft\Windows\PowerShell\ModuleLoggi
reg add HKCU\Software\Policies\Microsoft\Windows\PowerShell\ScriptBlock
reg add HKCU\Software\Policies\Microsoft\Windows\PowerShell\Transcripti
reg add HKCU\Software\Policies\Microsoft\Windows\PowerShell /v EnableSc
REM do a little cleanup immediately to avoid execution issues with later
reg delete HKCU\Software\Policies\Microsoft\Windows\PowerShell /v Enable
```

Cleanup Commands:

```
reg delete HKCU\Software\Policies\Microsoft\Windows\PowerShell\ModuleLog
reg delete HKCU\Software\Policies\Microsoft\Windows\PowerShell\ScriptBlo
reg delete HKCU\Software\Policies\Microsoft\Windows\PowerShell\Transcrip
```

Atomic Test #33 - Windows Add Registry Value to Load Service in Safe Mode without Network

Modify the registry to allow a driver, service, to persist in Safe Mode. see <https://redcanary.com/blog/tracking-driver-inventory-to-expose-rootkits/> and <https://blog.didierstevens.com/2007/03/26/playing-with-safe-mode/> for further details. Adding a subkey to Minimal with the name of your service and a default value set to Service, makes that your service will be started when you boot into Safe Mode without networking. The same applies for the Network subkey.

Supported Platforms: Windows

auto_generated_guid: 1dd59fb3-1cb3-4828-805d-cf80b4c3bbb5

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
REG ADD "HKLM\SYSTEM\CurrentControlSet\Control\SafeBoot\Minimal\AtomicSa
```

Cleanup Commands:

```
reg delete "HKLM\SYSTEM\CurrentControlSet\Control\SafeBoot\Minimal\Atomi
```

Atomic Test #34 - Windows Add Registry Value to Load Service in Safe Mode with Network

Modify the registry to allow a driver, service, to persist in Safe Mode with networking. see <https://redcanary.com/blog/tracking-driver-inventory-to-expose-rootkits/> and <https://blog.didierstevens.com/2007/03/26/playing-with-safe-mode/> for further details. Adding a subkey to Netowrk with the name of your service and a default value set to Service, makes that your service will be started when you boot into Safe Mode with networking.

Supported Platforms: Windows

auto_generated_guid: c173c948-65e5-499c-afbe-433722ed5bd4

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
REG ADD "HKLM\SYSTEM\CurrentControlSet\Control\SafeBoot\Network\AtomicSa
```

Cleanup Commands:

```
reg delete "HKLM\SYSTEM\CurrentControlSet\Control\SafeBoot\Network\Atomi
```

Atomic Test #35 - Disable Windows Toast Notifications

Modify the registry of the currently logged in user using reg.exe via cmd console to disable the windows toast notification. See how azorult malware abuses this technique- <https://app.any.run/tasks/a6f2ffe2-e6e2-4396-ae2e-04ea0143f2d8/>

Supported Platforms: Windows

auto_generated_guid: 003f466a-6010-4b15-803a-cbb478a314d7

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\Push
```

Cleanup Commands:

```
reg delete HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\P
```

Atomic Test #36 - Disable Windows Security Center Notifications

Modify the registry of the currently logged in user using reg.exe via cmd console to disable the windows security center notification. See how azorult malware abuses this technique- <https://app.any.run/tasks/a6f2ffe2-e6e2-4396-ae2e-04ea0143f2d8/>

Supported Platforms: Windows

auto_generated_guid: 45914594-8df6-4ea9-b3cc-7eb9321a807e

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add HKLM\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Immer
```

Cleanup Commands:

```
reg delete HKLM\SOFTWARE\WOW6432Node\Microsoft\Windows\CurrentVersion\Im
```

Atomic Test #37 - Suppress Win Defender Notifications

Modify the registry of the currently logged in user using reg.exe via cmd console to suppress the windows defender notification. See how azorult malware abuses this technique- <https://app.any.run/tasks/a6f2ffe2-e6e2-4396-ae2e-04ea0143f2d8/>

Supported Platforms: Windows

auto_generated_guid: c30dada3-7777-4590-b970-dc890b8cf113

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\Windows Defender\UX Configurat
```

Cleanup Commands:

```
reg delete "HKLM\SOFTWARE\Policies\Microsoft\Windows Defender\UX Configu
```

Atomic Test #38 - Allow RDP Remote Assistance Feature

Modify the registry of the currently logged in user using reg.exe via cmd console to allow rdp remote assistance feature. This feature allow specific user to rdp connect on the targeted machine. See how azorult malware abuses this technique- <https://app.any.run/tasks/a6f2ffe2-e6e2-4396-ae2e-04ea0143f2d8/>

Supported Platforms: Windows

auto_generated_guid: 86677d0e-0b5e-4a2b-b302-454175f9aa9e

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "HKLM\System\CurrentControlSet\Control\Terminal Server" /v fAllo
```

Cleanup Commands:

```
reg delete "HKLM\System\CurrentControlSet\Control\Terminal Server" /v fA
```

Atomic Test #39 - NetWire RAT Registry Key Creation

NetWire continues to create its home key (HKCU\SOFTWARE\NetWire) as well as adding it into the auto-run group in the victim’s registry. See how NetWire malware - <https://app.any.run/tasks/41ecdbde-4997-4301-a350-0270448b4c8f/>

Supported Platforms: Windows

auto_generated_guid: 65704cd4-6e36-4b90-b6c1-dc29a82c8e56

Attack Commands: Run with `command_prompt` !

```
reg add HKCU\Software\Microsoft\Windows\CurrentVersion\Run /v NetWire /t
reg add HKCU\SOFTWARE\NetWire /v HostId /t REG_SZ /d HostId-kai6Ci /f
reg add HKCU\SOFTWARE\NetWire /v "Install Date" /t REG_SZ /d "2021-08-30"
```

Cleanup Commands:

```
reg delete HKCU\Software\Microsoft\Windows\CurrentVersion\Run /v NetWire
reg delete HKCU\SOFTWARE\NetWire /va /f >nul 2>&1
reg delete HKCU\SOFTWARE\NetWire /f >nul 2>&1
```

Atomic Test #40 - Ursnif Malware Registry Key Creation

Ursnif downloads additional modules from the C&C server and saves these in the registry folder HKEY_CURRENT_USER\Software\AppDataLow\Software\Microsoft
More information - <https://blog.trendmicro.com/trendlabs-security-intelligence/phishing-campaign-uses-hijacked-emails-to-deliver-ursnif-by-replying-to-ongoing-threads/>

Supported Platforms: Windows

auto_generated_guid: c375558d-7c25-45e9-bd64-7b23a97c1db0

Attack Commands: Run with `command_prompt` !

```
reg add HKCU\Software\AppDataLow\Software\Microsoft\3A861D62-51E0-15700F
```

Cleanup Commands:

```
reg delete HKCU\Software\AppDataLow\Software\Microsoft\3A861D62-51E0-157
reg delete HKCU\Software\AppDataLow\Software\Microsoft\3A861D62-51E0-157
```

Atomic Test #41 - Terminal Server Client Connection History Cleared

The built-in Windows Remote Desktop Connection (RDP) client (mstsc.exe) saves the remote computer name (or IP address) and the username that is used to login after each successful connection to the remote computer

Supported Platforms: Windows

auto_generated_guid: 3448824b-3c35-4a9e-a8f5-f887f68bea21

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Terminal Server Client\
reg delete "HKEY_CURRENT_USER\Software\Microsoft\Terminal Server Client\
```

Dependencies: Run with **powershell** !

Description: Must have the "MR9" Remote Desktop Connection history Key

Check Prereq Commands:

```
if ((Get-ItemProperty -Path "HKCU:\SOFTWARE\Microsoft\Terminal Server Cl
```

Get Prereq Commands:

```
New-Item -path "HKCU:\SOFTWARE\Microsoft\" -name "Terminal Server Client
New-Item -path "HKCU:\SOFTWARE\Microsoft\Terminal Server Client\" -name
New-Itemproperty -path "HKCU:\SOFTWARE\Microsoft\Terminal Server Client\
New-Item -path "HKCU:\SOFTWARE\Microsoft\Terminal Server Client\" -name
New-Item -path "HKCU:\SOFTWARE\Microsoft\Terminal Server Client\Servers"
```

Atomic Test #42 - Disable Windows Error Reporting Settings

Modify the registry of the currently logged in user using reg.exe via cmd console to disable windows error reporting settings. This Windows feature allow the use to report bug, errors, failure or problems encounter in specific application or process. See how azorult malware abuses this technique- <https://app.any.run/tasks/a6f2ffe2-e6e2-4396-ae2e-04ea0143f2d8/>

Supported Platforms: Windows

auto_generated_guid: d2c9e41e-cd86-473d-980d-b6403562e3e1

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add HKLM64\SOFTWARE\Policies\Microsoft\Windows Defender\Reporting /v
reg add HKLM\SOFTWARE\Policies\Microsoft\Windows Defender\Reporting /v D
```

Cleanup Commands:

```
reg delete HKLM64\SOFTWARE\Policies\Microsoft\Windows Defender\Reporting
reg delete HKLM\SOFTWARE\Policies\Microsoft\Windows Defender\Reporting /
```

Atomic Test #43 - DisallowRun Execution Of Certain Applications

Modify the registry of the currently logged in user using reg.exe via cmd console to prevent user running specific computer programs that could aid them in manually removing malware or detecting it using security product.

Supported Platforms: Windows

auto_generated_guid: 71db768a-5a9c-4047-b5e7-59e01f188e84

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol...
reg add HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol...
reg add HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Pol...
```

Cleanup Commands:

```
reg delete HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\P...
reg delete HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\P...
reg delete HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\P...
```

Atomic Test #44 - Enabling Restricted Admin Mode via Command Prompt

Enabling Restricted Admin Mode via Command_Prompt,enables an attacker to perform a pass-the-hash attack using RDP.

See [Passing the Hash with Remote Desktop](#)

Supported Platforms: Windows

auto_generated_guid: fe7974e5-5813-477b-a7bd-311d4f535e83

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "hklm\system\currentcontrolset\control\lsa" /f /v DisableRestric...
```

Cleanup Commands:

```
reg delete "hklm\system\currentcontrolset\control\lsa" /f /v DisableRest...
```

Atomic Test #45 - Mimic Ransomware - Enable Multiple User Sessions

This test emulates Mimic ransomware's ability to enable multiple user sessions by modifying the AllowMultipleTSSessions value within the Winlogon registry key. See [Mimic Ransomware Overview] (https://www.trendmicro.com/en_us/research/23/a/new-mimic-ransomware-abuses-everything-apis-for-its-encryption-p.html)

Supported Platforms: Windows

auto_generated_guid: 39f1f378-ba8a-42b3-96dc-2a6540cfc1e3

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Winl...
```

Cleanup Commands:

```
reg delete HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\W...
```

Atomic Test #46 - Mimic Ransomware - Allow Multiple RDP Sessions per User

This test emulates Mimic ransomware's ability to enable multiple RDP sessions per user by modifying the fSingleSessionPerUser value within the Terminal Server registry key. See [Mimic Ransomware Overview] (https://www.trendmicro.com/en_us/research/23/a/new-mimic-ransomware-abuses-everything-apis-for-its-encryption-p.html)

Supported Platforms: Windows

auto_generated_guid: 35727d9e-7a7f-4d0c-a259-dc3906d6e8b9

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKLM\System\CurrentControlSet\Control\Terminal Server" /v fSing
```

Cleanup Commands:

```
reg delete "HKLM\System\CurrentControlSet\Control\Terminal Server" /v fS
```

Atomic Test #47 - Event Viewer Registry Modification - Redirection URL

Modify event viewer registry values to alter the behavior of the online help redirection. Upon opening an event in event viewer and attempting to view the help page for the event, it will open the URL or execute the program defined in the redirection URL registry entry.

Supported Platforms: Windows

auto_generated_guid: 6174be7f-5153-4afd-92c5-e0c3b7cdb5ae

Inputs:

Name	Description	Type	Default Value
redirection_url	URL to open or file URI to execute upon opening the event help	url	file://C:\windows\system32\notepad.exe

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKLM\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Event Viewer"
```

Cleanup Commands:

```
reg add "HKLM\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Event Viewer"
```

Atomic Test #48 - Event Viewer Registry Modification -

Redirection Program

Modify event viewer registry values to alter the behavior of the online help redirection. Upon opening an event in event viewer and attempting to view the help page for the event, it will execute the program defined in the redirection program registry entry.


Supported Platforms: Windows

auto_generated_guid: 81483501-b8a5-4225-8b32-52128e2f69db


Inputs:

Name	Description	Type	Default Value
redirection_program	Path of the program to execute upon opening the event help	path	C:\windows\system32\notepad.exe

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "HKLM\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Event Viewer" 
```

Cleanup Commands:

```
reg add "HKLM\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Event Viewer" 
```

Atomic Test #49 - Enabling Remote Desktop Protocol via Remote Registry

Enabling RDP through remote registry.

Supported Platforms: Windows

auto_generated_guid: e3ad8e83-3089-49ff-817f-e52f8c948090

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "hk1m\SYSTEM\CurrentControlSet\Control\Terminal Server\Winstatio 
```

Cleanup Commands:

```
reg add "hk1m\SYSTEM\CurrentControlSet\Control\Terminal Server\Winstatio 
```

Atomic Test #50 - Disable Win Defender Notification

Disable Win Defender Notification. Redline is using this to disable this win defender feature.

Supported Platforms: Windows

auto_generated_guid: 12e03af7-79f9-4f95-af48-d3f12f28a260

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\Windows Defender Security Cent 
```

Cleanup Commands:

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\Windows Defender Security Cent
```

Atomic Test #51 - Disable Windows OS Auto Update

Disable Auto Update Windows OS feature. Redline is using this as part of its defense evasion.

Supported Platforms: Windows

auto_generated_guid: 01b20ca8-c7a3-4d86-af59-059f15ed5474

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\Windows\WindowsUpdate\AU" /v " |
```

Cleanup Commands:

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\Windows\WindowsUpdate\AU" /v " |
```

Atomic Test #52 - Disable Windows Auto Reboot for current logon user

Disable Windows Auto Reboot for current logon user. Redline is using this as part of its defense evasion.

Supported Platforms: Windows

auto_generated_guid: 396f997b-c5f8-4a96-bb2c-3c8795cf459d

Attack Commands: Run with **command_prompt** ! Elevation Required (e.g. root or admin)

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\Windows\WindowsUpdate\AU" /v " |
```

Cleanup Commands:

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\Windows\WindowsUpdate\AU" /v " |
```

Atomic Test #53 - Windows Auto Update Option to Notify before download

Windows Auto Update Option to Notify before download. Redline is using this as part of its defense evasion.

Supported Platforms: Windows

auto_generated_guid: 335a6b15-b8d2-4a3f-a973-ad69aa2620d7

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\Windows\WindowsUpdate\AU" /v " "  
```

Cleanup Commands:

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\Windows\WindowsUpdate\AU" /v " "  
```

Atomic Test #54 - Do Not Connect To Win Update

Do Not Connect To Win Update. Redline is using this as part of its defense evasion.

Supported Platforms: Windows

auto_generated_guid: d1de3767-99c2-4c6c-8c5a-4ba4586474c8

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\Windows\WindowsUpdate" /v "DoN  
```

Cleanup Commands:

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\Windows\WindowsUpdate" /v "DoN  
```

Atomic Test #55 - Tamper Win Defender Protection

Tamper Win Defender Protection. RedLine Stealer is executing another component file to modify this win defender feature in registry. Take note that this modification might not be enough to disable this feature but can be a good indicator of malicious process that tries to tamper this Win Defender feature settings.

Supported Platforms: Windows

auto_generated_guid: 3b625eaa-c10d-4635-af96-3eae7d2a2f3c

Attack Commands: Run with `command_prompt` ! Elevation Required (e.g. root or admin)

```
reg add "HKLM\SOFTWARE\Microsoft\Windows Defender\Features" /v "TamperPr  
```

Cleanup Commands:

```
reg add "HKLM\SOFTWARE\Microsoft\Windows Defender\Features" /v "TamperPr  
```

Atomic Test #56 - Snake Malware Registry Blob

The following Atomic Test creates a registry blob in HKLM:\SOFTWARE\Classes.wav\OpenWithProgIds, which is related to Snake Malware. Per the report, upon execution, Snake's WerFault.exe will attempt to decrypt an encrypted blob within the Windows registry that is typically found at HKLM:\SOFTWARE\Classes.wav\OpenWithProgIds. The encrypted data includes the AES key,

Files

02c7d02

Go to file

.devcontainer

.github

atomic_red_team

IV, and path that is used to find and decrypt the file containing Snake's kernel driver and kernel driver loader.

Supported Platforms: Windows

auto_generated_guid: 8318ad20-0488-4a64-98f4-72525a012f6b

Attack Commands: Run with powershell ! Elevation Required (e.g. root or admin)

```
$typicalPath = "HKLM:\SOFTWARE\Classes\.wav\OpenWithProgIds"; $randomByt
```

Cleanup Commands:

```
$typicalPath = "HKLM:\SOFTWARE\Classes\.wav\OpenWithProgIds"; Remove-Itel
```

Atomic Test #57 - Allow Simultaneous Download Registry

A registry modification to allow Simultaneous download in the system.

Supported Platforms: Windows

auto_generated_guid: 37950714-e923-4f92-8c7c-51e4b6fffbf6

Attack Commands: Run with command_prompt ! Elevation Required (e.g. root or admin)

```
reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Internet Setting
reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Internet Setting
```

Cleanup Commands:

```
reg delete "HKCU\Software\Microsoft\Windows\CurrentVersion\Internet Sett
reg delete "HKCU\Software\Microsoft\Windows\CurrentVersion\Internet Sett
```

Atomic Test #58 - Modify Internet Zone Protocol Defaults in Current User Registry - cmd

This test simulates an adversary modifying the Internet Zone Protocol Defaults in the registry of the currently logged-in user using the reg.exe utility via the command prompt. Such modifications can be indicative of an adversary trying to weaken browser security settings. Upon execution, if successful, the message "The operation completed successfully." will be displayed. To verify the effects of the test:

1. Open the Registry Editor (regedit.exe).
2. Navigate to "HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\Internet

atomic-red-team / atomics / T1112 / T1112.md

Preview

Code

Blame




2511 lines (1204 loc) · 74.1 KB

Raw

reg query HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\I

Supported Platforms: Windows

auto_generated_guid: c88ef166-50fa-40d5-a80c-e2b87d4180f7

- ▼  atomics
- >  Indexes
- >  T1003.001
- >  T1003.002
- >  T1003.003
- >  T1003.004
- >  T1003.005
- >  T1003.006
- >  T1003.007
- >  T1003.008
- >  T1003
- >  T1005
- >  T1006
- >  T1007
- >  T1010
- >  T1012
- >  T1014
- >  T1016
- >  T1018
- >  T1020
- >  T1021.001
- >  T1021.002
- >  T1021.003
- >  T1021.004
- >  T1021.005
- >  T1021.006
- >  T1027.001
- >  T1027.002
- >  T1027.004
- >  T1027.006
- >  T1027
- >  T1030
- >  T1033
- >  T1036.003
- >  T1036.004
- >  T1036.005
- >  T1036.006
- >  T1036
- >  T1037.001

Attack Commands: Run with `command_prompt` !

```
reg add "HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\Int
reg add "HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\Int
```

Cleanup Commands:

```
reg add "HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\Int
reg add "HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\Int
```

Atomic Test #59 - Modify Internet Zone Protocol Defaults in Current User Registry - PowerShell

This test simulates an adversary modifying the Internet Zone Protocol Defaults in the registry of the currently logged-in user using PowerShell. Such modifications can be indicative of an adversary attempting to weaken browser security settings. To verify the effects of the test:

1. Open the Registry Editor (regedit.exe).
2. Navigate to "HKEY_CURRENT_USER\SOFTWARE\Microsoft\Windows\CurrentVersion\Internet Settings\ZoneMap\ProtocolDefaults".
3. Check for the presence of the "http" and "https" DWORD values set to `0` . Or run:

```
Get-ItemProperty -Path 'HKCU:\SOFTWARE\Microsoft\Windows\CurrentVersion\
```

Supported Platforms: Windows

auto_generated_guid: b1a4d687-ba52-4057-81ab-757c3dc0d3b5

Attack Commands: Run with `powershell` !

```
# Set the registry values for http and https to 0
Set-ItemProperty -Path 'HKCU:\SOFTWARE\Microsoft\Windows\CurrentVersion\
Set-ItemProperty -Path 'HKCU:\SOFTWARE\Microsoft\Windows\CurrentVersion\
```

Cleanup Commands:

```
# Restore the registry values for http and https to 3
Set-ItemProperty -Path 'HKCU:\SOFTWARE\Microsoft\Windows\CurrentVersion\
Set-ItemProperty -Path 'HKCU:\SOFTWARE\Microsoft\Windows\CurrentVersion\
```

Atomic Test #60 - Activities To Disable Secondary Authentication Detected By Modified Registry Value.

Detect the disable secondary authentication activities that adversary attempt to bypass MFA and to get the unauthorized access to the system or sensitive data. See the related article (https://admx.help/?Category=Windows_10_2016&Policy=Microsoft.Policies.SecondaryAuthenticationFactor::MSSecondaryAuthFactor_AllowSecondaryAuthenticationDevice).


Supported Platforms: Windows

auto_generated_guid: c26fb85a-fa50-4fab-a64a-c51f5dc538d5

Attack Commands: Run with `command_prompt` !

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\SecondaryAuthenticationFactor" 
```

Cleanup Commands:

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\SecondaryAuthenticationFactor" 
```


Atomic Test #61 - Activities To Disable Microsoft [FIDO Aka Fast IDentity Online] Authentication Detected By Modified Registry Value.

Detect the Microsoft FIDO authentication disable activities that adversary attempt to gains access to login credentials (e.g., passwords), they may be able to impersonate the user and access sensitive accounts or data and also increases the risk of falling victim to phishing attacks. See the related article (https://admx.help/?Category=Windows_10_2016&Policy=Microsoft.Policies.FidoAuthentication::AllowFidoDeviceSignon).


Supported Platforms: Windows

auto_generated_guid: ffeddcdd-bb9f-49c6-97f0-3d07a509bf94

Attack Commands: Run with `command_prompt` !

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\FIDO" /v "AllowExternalDeviceS" 
```

Cleanup Commands:

```
reg add "HKLM\SOFTWARE\Policies\Microsoft\FIDO" /v "AllowExternalDeviceS" 
```

Atomic Test #62 - Scarab Ransomware Defense Evasion Activities

Scarab Ransomware defense evasion activities that can abuse the registry values to modify the settings of the Credential Security Support Provider to overcome potential RDP connection issues. [Scarab Ransomware Article](#)

Supported Platforms: Windows

auto_generated_guid: ca8ba39c-3c5a-459f-8e15-280aec65a910

Attack Commands: Run with `command_prompt` !

```
reg add "HKLM\Software\Microsoft\Windows\CurrentVersion\Policies\System\" 
```

Cleanup Commands:

```
reg add "HKLM\Software\Microsoft\Windows\CurrentVersion\Policies\System\" 
```

Atomic Test #63 - Disable Remote Desktop Anti-Alias Setting Through Registry

A modification registry to disable RDP anti-alias settings. This technique was seen in DarkGate malware as part of its installation

Supported Platforms: Windows

auto_generated_guid: 61d35188-f113-4334-8245-8c6556d43909

Attack Commands: Run with `command_prompt` !

```
reg add "HKEY_LOCAL_MACHINE\Software\Policies\Microsoft\Windows NT\Termi
```

Cleanup Commands:

```
reg add "HKEY_LOCAL_MACHINE\Software\Policies\Microsoft\Windows NT\Termi
```

Atomic Test #64 - Disable Remote Desktop Security Settings Through Registry

A modification registry to disable RDP security settings. This technique was seen in DarkGate malware as part of its installation

Supported Platforms: Windows

auto_generated_guid: 4b81bcfa-fb0a-45e9-90c2-e3efe5160140

Attack Commands: Run with `command_prompt` !

```
reg add "HKEY_LOCAL_MACHINE\Software\Policies\Microsoft\Windows NT\Termi
```

Cleanup Commands:

```
reg add "HKEY_LOCAL_MACHINE\Software\Policies\Microsoft\Windows NT\Termi
```

Atomic Test #65 - Disabling ShowUI Settings of Windows Error Reporting (WER)

A modification registry to disable ShowUI settings of Windows Error Report. This registry setting can influence the behavior of error reporting dialogs or prompt box. This technique was seen in DarkGate malware as part of its installation.

Supported Platforms: Windows

auto_generated_guid: 09147b61-40f6-4b2a-b6fb-9e73a3437c96

Attack Commands: Run with `command_prompt` !

```
reg add "HKCU\Software\Microsoft\Windows\Windows Error Reporting" /v Don
```

Cleanup Commands:

```
reg add "HKCU\Software\Microsoft\Windows\Windows Error Reporting" /v Don
```

Atomic Test #66 - Enable Proxy Settings

A modification registry to enable proxy settings. This technique was seen in DarkGate malware as part of its installation.

Supported Platforms: Windows

auto_generated_guid: eb0ba433-63e5-4a8c-a9f0-27c4192e1336

Attack Commands: Run with **command_prompt** !

```
reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Internet Setting
```

Cleanup Commands:

```
reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Internet Setting
```

Atomic Test #67 - Set-Up Proxy Server

A modification registry to setup proxy server. This technique was seen in DarkGate malware as part of its installation.

Supported Platforms: Windows

auto_generated_guid: d88a3d3b-d016-4939-a745-03638aafd21b

Attack Commands: Run with **command_prompt** !

```
reg add "HKCU\Software\Microsoft\Windows\CurrentVersion\Internet Setting
```

Cleanup Commands:

```
reg delete "HKCU\Software\Microsoft\Windows\CurrentVersion\Internet Sett
```

Atomic Test #68 - RDP Authentication Level Override

A modification registry to override RDP Authentication Level. This technique was seen in DarkGate malware as part of its installation.

Supported Platforms: Windows

auto_generated_guid: 7e7b62e9-5f83-477d-8935-48600f38a3c6

Attack Commands: Run with **command_prompt** !

```
reg add "HKCU\Software\Microsoft\Terminal Server Client" /v Authenticati
```

Cleanup Commands:

```
reg delete "HKCU\Software\Microsoft\Terminal Server Client" /v Authentic 
```