# Microsoft Ignite

Nov 19–22, 2024

Register now >

Microsoft | Learn

Discover ⌄    Product documentation ⌄    Development languages ⌄    Topics ⌄

Sign in

ⓘ We're no longer updating this content regularly. Check the **Microsoft Product Lifecycle** for information about how this product, service, technology, or API is supported.

Recommended Version

Filter by title

>
>

… / Management and Tools / Command-Line Reference / Sc /

# Sc stop

Article • 08/31/2016

## In this article

Syntax
Parameters
Remarks
Examples
Additional references

Applies To: Windows Server 2003, Windows Vista, Windows Server 2008, Windows 7, Windows Server 2003 with SP2, Windows Server 2003 R2, Windows Server 2008 R2, Windows Server 2012, Windows Server 2003 with SP1, Windows 8

Sends a STOP control request to a service.

> ⚠ **Warning**
>
> Incorrectly editing the registry may severely damage your system. Before making changes to the registry, you should back up any valued data on the computer.

For examples of how to use this command, see Examples.

## Syntax

```
sc [<ServerName>] stop <ServiceName>
```

## Parameters

Expand table

| Parameter | Description |
| --- | --- |

| | |
|---|---|
| \<ServerName\> | Specifies the name of the remote server on which the service is located. The name must use the Universal Naming Convention (UNC) format (for example, \\\\myserver). To run SC.exe locally, omit this parameter. |
| \<ServiceName\> | Specifies the service name returned by the **getkeyname** operation. |
| /? | Displays help at the command prompt. |

# Remarks

Not all services can be stopped.

# Examples

To stop the TAPISRV service, type:

🗐 Copy

```
sc stop tapisrv
```

# Additional references

[Command-Line Syntax Key](Command-Line Syntax Key)

⊕ English (United States)          ✅❌ Your Privacy Choices          ☀ Theme ⌄

Manage cookies     Previous Versions     Blog⧉     Contribute     Privacy⧉     Terms of Use     Trademarks⧉     © Microsoft 2024