



Windows 10 Mail App Forensics



darkdefender · Follow

6 min read · May 27, 2019



12



2



While working on a forensics case, I stumbled across a folder in AppData\Local called “Comms”. Not knowing what this was at the time, I glanced through and realised that these are logs and artefacts of the Windows 10 Mail application.

For this blog post, I was able to replicate the findings in a Windows 10 virtual machine by creating some test email accounts. Fun fact! You know how there are services for temporary email addresses like [Guerrilla Mail](#)? There are also temporary phone numbers you can use incase you need a 2FA code for email account verification (such as [receivesms.org](#), or this [non-dodgy site](#)). Pretty cool stuff.

Anyways, once you load up the mail app and start firing away some emails, the logs are written almost instantaneously. The directory in question is:

- \Users\<username>\AppData\Local\Comms\Unistore\data



Medium

Sign up to discover human stories that deepen your understanding of the world.

Free


- ✓ Distraction-free reading. No ads.
- ✓ Organize your knowledge with lists and highlights.
- ✓ Tell your story. Find your audience.

Sign up for free

★ Membership

- ✓ Read member-only stories
- ✓ Support writers you read most
- ✓ Earn money for your writing
- ✓ Listen to audio narrations
- ✓ Read offline with the Medium app

Try for 5 \$/month



Directory Listings for the Windows 10 Mail App Artefacts

Let’s go through each of them:

- AppData\Local\Comms\Unistore\data\0; Windows phone data
- AppData\Local\Comms\Unistore\data\2; contact lists within the account
- AppData\Local\Comms\Unistore\data\3; the contents/body of the email

Medium

Sign up to discover human stories that deepen your understanding of the world.

Free

- ✓ Distraction-free reading. No ads.
- ✓ Organize your knowledge with lists and highlights.
- ✓ Tell your story. Find your audience.

★ Membership

- ✓ Read member-only stories
- ✓ Support writers you read most
- ✓ Earn money for your writing
- ✓ Listen to audio narrations
- ✓ Read offline with the Medium app

of the attachment as found in the email, which is displayed in the Type column.

To make Medium work, we log user data. By using Medium, you agree to our [Privacy Policy](#), including cookie policy.

\data\33

Now this is purely speculation on my part. I haven’t been able to find any research about this sub-directory, and my sample size is small, BUT, I was pleasantly surprised when OSForensics was able to give me something of value. Unfortunately, this was linked to my work email account, so I’m not able to show much of the contents, but I do believe the .dat files within \data\33 shows you the body of appointments or meeting invitations that have been sent to an email.

While a web browser will show you meaningless text:

OSForensics however, can extract strings and display the hex/ascii content of the appointment. I thought this was neat.

Medium

Sign up to discover human stories that deepen your understanding of the world.

Free

- ✓ Distraction-free reading. No ads.
- ✓ Organize your knowledge with lists and highlights.
- ✓ Tell your story. Find your audience.

★ Membership

- ✓ Read member-only stories
- ✓ Support writers you read most
- ✓ Earn money for your writing
- ✓ Listen to audio narrations
- ✓ Read offline with the Medium app

To make Medium work, we log user data. By using Medium, you agree to our [Privacy Policy](#), including cookie policy.

OSForensics parsing .dat files in \data\33

You can see references to “Updated Webex Details Jan-2019”, and “ARCHIVED PRESENTATIONS”. I checked my inbox for these strings, and certainly enough, it displayed this text as the body of a webex meeting that I had been invited to attend earlier in the year.

Medium


Sign up to discover human stories that deepen your understanding of the world.

Free

- ✓ Distraction-free reading. No ads.
- ✓ Organize your knowledge with lists and highlights.
- ✓ Tell your story. Find your audience.

★ Membership

- ✓ Read member-only stories
- ✓ Support writers you read most
- ✓ Earn money for your writing
- ✓ Listen to audio narrations
- ✓ Read offline with the Medium app



Using OS Forensics to Extract store.vol

Double-clicking store.vol here only gets you so far. You can see below that the String Viewer offered some email metadata and contents, but it wasn’t being presented in the way that I hoped.

Medium

Sign up to discover human stories that deepen your understanding of the world.


Free

- ✓ Distraction-free reading. No ads.
- ✓ Organize your knowledge with lists and highlights.
- ✓ Tell your story. Find your audience.

★ Membership

- ✓ Read member-only stories
- ✓ Support writers you read most
- ✓ Earn money for your writing
- ✓ Listen to audio narrations
- ✓ Read offline with the Medium app

To make Medium work, we log user data. By using Medium, you agree to our [Privacy Policy](#), including cookie policy.



Using OSForensic’s ESEDB Viewer to parse store.vol

The **Message** table shows you what you’d expect, the body of the email (what was displayed in Unistore\data\3). However to find the person it was sent to, there is a separate table called **Recipient**, which is displayed in the bottom right. Towards the left, you’ll see the **Appointment** table, which, amongst all the default holiday entries, you’ll find ‘Meeting with Bob’, where Alice wanted to meet Bob in Trafalgar Square.

Medium

Sign up to discover human stories that deepen your understanding of the world.


Free

- ✓ Distraction-free reading. No ads.
- ✓ Organize your knowledge with lists and highlights.
- ✓ Tell your story. Find your audience.

★ Membership


- ✓ Read member-only stories
- ✓ Support writers you read most
- ✓ Earn money for your writing
- ✓ Listen to audio narrations
- ✓ Read offline with the Medium app

To make Medium work, we log user data. By using Medium, you agree to our [Privacy Policy](#), including cookie policy.



Attempting to use NirSoft's ESEDatabaseView to parse store.vol

I even tried Autopsy (this is what desperation looks like). It parsed some email content, sure, but where are the tables? This was essentially a glorified version of OSForensics' String Viewer; notice 'Extracted Content' and 'Indexed Data'.



Medium

Sign up to discover human stories that deepen your understanding of the world.

Free

- ✓ Distraction-free reading. No ads.
- ✓ Organize your knowledge with lists and highlights.
- ✓ Tell your story. Find your audience.

★ Membership

- ✓ Read member-only stories
- ✓ Support writers you read most
- ✓ Earn money for your writing
- ✓ Listen to audio narrations
- ✓ Read offline with the Medium app

This was fun! Over and out

To make Medium work, we log user data. By using Medium, you agree to our [Privacy Policy](#), including cookie policy.

- Dfir
- Forensics
- Windows1
- Microsoft
- Investigation

 12  2



Written by darkdefender

Follow



269 Followers

Your one and only source into the scandalous life of a DFIR consultant.

More from darkdefender

-  darkdefender
-  darkdefender

Medium

Sign up to discover human stories that deepen your understanding of the world.

Free

- ✓ Distraction-free reading. No ads.
- ✓ Organize your knowledge with lists and highlights.
- ✓ Tell your story. Find your audience.

★ Membership

- ✓ Read member-only stories
- ✓ Support writers you read most
- ✓ Earn money for your writing
- ✓ Listen to audio narrations
- ✓ Read offline with the Medium app

Nov

To make Medium work, we log user data. By using Medium, you agree to our [Privacy Policy](#), including cookie policy.

See all from darkdefender

Recommended from Medium

Practical OSINT

OSINT In War Zone: A Practical Guide to Use X (Twitter) Advance...

This article will guide you through using X (formerly Twitter)’s advanced search...

★ Sep 6 🖱 40



Sanskar Kalra

Unleashing BloodHound: A Guide to Dominating Active Directory...

BloodHound for Active Directory Enumeration: Installation, Usage, and...

Aug 26 🖱 2 💬 2



Lists

Medium

Sign up to discover human stories that deepen your understanding of the world.

Free

- ✓ Distraction-free reading. No ads.
- ✓ Organize your knowledge with lists and highlights.
- ✓ Tell your story. Find your audience.

★ Membership

- ✓ Read member-only stories
- ✓ Support writers you read most
- ✓ Earn money for your writing
- ✓ Listen to audio narrations
- ✓ Read offline with the Medium app



To make Medium work, we log user data. By using Medium, you agree to our [Privacy Policy](#), including cookie policy.



Security Guy

Free Beginner’s Course in Hacking

Start Your Hacking Journey Here! All you need is an internet connection



Oct 17



183



Jonathan Mondaut

How ChatGPT Turned Me into a Hacker

Discover how ChatGPT helped me become a hacker, from gathering resources to tackling...



Jun 18



1.6K



53



See more recommendations

Medium

Sign up to discover human stories that deepen your understanding of the world.

Free

- ✓ Distraction-free reading. No ads.
- ✓ Organize your knowledge with lists and highlights.
- ✓ Tell your story. Find your audience.

★ Membership

- ✓ Read member-only stories
- ✓ Support writers you read most
- ✓ Earn money for your writing
- ✓ Listen to audio narrations
- ✓ Read offline with the Medium app