

# HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services

HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\AllUserInstallAgent

HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\Client

HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\TSAppSrv

## Use hardware graphics adapters for all Remote Desktop Services sessions

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**bEnumerateHWBeforeSW**

## Select RDP transport protocols

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**SelectTransport**

## Select network detection on the server

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**SelectNetworkDetect**

## Enable RemoteFX encoding for RemoteFX clients designed for Windows Server 2008 R2 SP1

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fEnableVirtualizedGraphics**

## Optimize visual experience when using RemoteFX

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**VGOptimization\_CaptureFrameRate**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**VGOptimization\_CompressionRatio**

#### Configure RemoteFX

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fEnableVirtualizedGraphics**

#### Optimize visual experience for Remote Desktop Service Sessions

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**VisualExperiencePolicy**

#### Prioritize H.264/AVC 444 graphics mode for Remote Desktop Connections

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**AVC444ModePreferred**

#### Configure H.264/AVC hardware encoding for Remote Desktop Connections

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**AVCHardwareEncodePreferred**

#### Use advanced RemoteFX graphics for RemoteApp

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fEnableRemoteFXAdvancedRemoteApp**

#### Use WDDM graphics display driver for Remote Desktop Connections

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fEnableWddmDriver**

#### Configure compression for RemoteFX data

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**MaxCompressionLevel**

#### Configure RemoteFX Adaptive Graphics

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**GraphicsProfile**

#### Configure image quality for RemoteFX Adaptive Graphics

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**ImageQuality**

#### Configure server authentication for client

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**AuthenticationLevel**

#### Prompt for credentials on the client computer

<div><div></div><div>◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\<b>PromptForCredsOnClient</b></div></div>
<div><div>Specify SHA1 thumbprints of certificates representing trusted .rdp publishers</div><div><div></div><div>◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\<b>TrustedCertThumbprints</b></div></div></div>
<div><div>Allow .rdp files from valid publishers and user's default .rdp settings</div><div><div></div><div>◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\<b>AllowSignedFiles</b></div></div></div>
<div><div>Allow .rdp files from unknown publishers</div><div><div></div><div>◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\<b>AllowUnsignedFiles</b></div></div></div>
<div><div>Do not use temporary folders per session</div><div><div></div><div>◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\<b>PerSessionTempDir</b></div></div></div>
<div><div>Do not delete temp folders upon exit</div><div><div></div><div>◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\<b>DeleteTempDirsOnExit</b></div></div></div>
<div><div>Set time limit for active Remote Desktop Services sessions</div><div><div></div><div>◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\<b>MaxConnectionTime</b></div></div></div>
<div><div>Set time limit for active but idle Remote Desktop Services sessions</div><div><div></div><div>◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\<b>MaxIdleTime</b></div></div></div>
<div><div>Set time limit for disconnected sessions</div><div><div></div><div>◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\<b>MaxDisconnectionTime</b></div></div></div>
<div><div>End session when time limits are reached</div><div><div></div><div>◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\<b>fResetBroken</b></div></div></div>
<div><div>Configure RD Connection Broker server name</div><div><div></div><div>◦ HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\<b>SessionDirectoryLocation</b></div></div></div>
<div><div>Use IP Address Redirection</div></div>

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**SessionDirectoryExposeServerIP**

#### Configure RD Connection Broker farm name

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**SessionDirectoryClusterName**

#### Join RD Connection Broker

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**SessionDirectoryActive**

#### Require secure RPC communication

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fEncryptRPCTraffic**

#### Allow time zone redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fEnableTimeZoneRedirection**

#### Do not allow smart card device redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fEnableSmartCard**

#### Specify RD Session Host server fallback printer driver behavior

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fPolicyFallbackPrintDriver**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**FallbackPrintDriverType**

#### Do not allow client printer redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisableCpm**

#### Do not allow video capture redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisableCameraRedir**

#### Do not allow supported Plug and Play device redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisablePNPRedir**

#### Do not allow LPT port redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisableLPT**

Do not allow drive redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisableCdm**

Use Remote Desktop Easy Print printer driver first

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**UseUniversalPrinterDriverFirst**

Do not set default client printer to be default printer in a session

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fForceClientLptDef**

Do not allow COM port redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisableCcm**

Do not allow Clipboard redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisableClip**

Allow audio recording redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisableAudioCapture**

Limit audio playback quality

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**AllowedAudioQualityMode**

Allow audio and video playback redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisableCam**

Prevent license upgrade

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fPreventLicenseUpgrade**

License server security group

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fSecureLicensing**

Limit the size of the entire roaming user profile cache

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**DeleteRoamingUserProfile**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**MonitoringInterval**

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**ProfileDirectoryQuota**

[Use mandatory profiles on the RD Session Host server](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**WFDontAppendUserNameToProfile**

[Set path for Remote Desktop Services Roaming User Profile](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**WFProfilePath**

[Set Remote Desktop Services User Home Directory](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**WFHomeDirUNC**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**WFHomeDir**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**WFHomeDirDrive**

[Always show desktop on connection](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fTurnOffSingleAppMode**

[Do not allow local administrators to customize permissions](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fWritableTSCCPPermTab**

[Start a program on connection](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**InitialProgram**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**WorkDirectory**

[Restrict Remote Desktop Services users to a single Remote Desktop Services session](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fSingleSessionPerUser**

[Set rules for remote control of Remote Desktop Services user sessions](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**Shadow**

[Limit number of connections](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**MaxInstanceCount**

[Set the Remote Desktop licensing mode](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**LicensingMode**

[Hide notifications about RD Licensing problems that affect the RD Session Host server](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisableTerminalServerTooltip**

[Use the specified Remote Desktop license servers](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**LicenseServers**

[Configure keep-alive connection interval](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**KeepAliveEnable**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**KeepAliveInterval**

[Deny logoff of an administrator logged in to the console session](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisableForcibleLogoff**

[Enforce Removal of Remote Desktop Wallpaper](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fNoRemoteDesktopWallpaper**

[Limit maximum display resolution](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**MaxXResolution**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**MaxYResolution**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**XResolution**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**YResolution**

[Allow users to connect remotely by using Remote Desktop Services](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDenyTSConnections**

[Limit number of monitors](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**MaxMonitors**

[Limit maximum color depth](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**ColorDepth**

Automatic reconnection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisableAutoReconnect**

Server authentication certificate template

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**CertTemplateName**

Require user authentication for remote connections by using Network Level Authentication

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**UserAuthentication**

Require use of specific security layer for remote (RDP) connections

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**SecurityLayer**

Always prompt for password upon connection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fPromptForPassword**

Set client connection encryption level

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**MinEncryptionLevel**

Do not allow passwords to be saved

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**DisablePasswordSaving**

Allow UI Automation redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**EnableUiaRedirection**

Do not allow location redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisableLocationRedir**

Do not allow font smoothing

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fNoFontSmoothing**

Set time limit for logoff of RemoteApp sessions



- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**RemoteAppLogoffTimeLimit**

[Redirect only the default client printer](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**RedirectOnlyDefaultClientPrinter**

[Use RD Connection Broker load balancing](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**ParticipateInLoadBalancing**

[Allow desktop composition for remote desktop sessions](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fAllowDesktopCompositionOnServer**

[Allow remote start of unlisted programs](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fAllowUnlistedRemotePrograms**

[Select RDP transport protocols](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**SelectTransport**

[Select network detection on the server](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**SelectNetworkDetect**

[Enable Remote Desktop Protocol 8.0](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fServerEnableRDP8**

[Configure RemoteFX Adaptive Graphics](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**GraphicsProfile**

[Configure image quality for RemoteFX Adaptive Graphics](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**ImageQuality**

[Do not use temporary folders per session](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**PerSessionTempDir**

Do not delete temp folder upon exit

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**DeleteTempDirsOnExit**

Do not allow local administrators to customize permissions

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fWritableTSCCPermTab**

Limit the size of the entire roaming user profile cache

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**DeleteRoamingUserProfile**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**MonitoringInterval**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**ProfileDirectoryQuota**

Use mandatory profiles on the RD Session Host server

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**WFDontAppendUserNameToProfile**

Set path for Remote Desktop Services Roaming User Profile

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**WFProfilePath**

Set Remote Desktop Services User Home Directory

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**WFHomeDirUNC**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**WFHomeDir**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**WFHomeDirDrive**

Set the Remote Desktop licensing mode

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**LicensingMode**

Hide notifications about RD Licensing problems that affect the RD Session Host server

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fDisableTerminalServerTooltip**

Use the specified Remote Desktop license servers

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**LicenseServers**

#### Allow time zone redirection

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fEnableTimeZoneRedirection**

#### Use the hardware default graphics adapter for all Remote Desktop Services sessions

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**bEnumerateHWBeforeSW**

#### Offer Remote Assistance

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fAllowUnsolicited**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fAllowUnsolicitedFullControl**

#### Solicited Remote Assistance

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fAllowToGetHelp**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fAllowFullControl**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**MaxTicketExpiry**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**MaxTicketExpiryUnits**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**fUseMailto**

#### Customize Warning Messages

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**UseCustomMessages**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**ShareControlMessage**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**ViewMessage**

#### Turn on bandwidth optimization

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**UseBandwidthOptimization**
- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**OptimizeBandwidth**

#### Allow only Vista or later connections

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**CreateEncryptedOnlyTickets**

[Turn on session logging](#)

- HKEY\_LOCAL\_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Terminal Services\**LoggingEnabled**