

Security Research

# The Unintentional Leak: A glimpse into the attack vectors of APT37

SUDEEP SINGH, NAVEEN SELVAN  
March 21, 2023 – 22 min read

THREATLABZ RESEARCH



Contents

1	Summary
2	Key Takeaways
3	Attack Chain
4	Opsec failure by APT37
5	Themes and target analysis
6	Recent TTPs
7	Zscaler Sandbox Coverage
8	Conclusion
9	Indicators Of Compromise (IOCs)
10	Appendix
11	More blogs

Copy URL

## Summary

At Zscaler ThreatLabz, we have been closely monitoring the tools, techniques and procedures (TTPs) of APT37 (also known as ScarCruft or Temp.Reaper) – a North Korea–based advanced persistent threat actor. This threat actor has been very active in February and March 2023 targeting individuals in various South Korean organizations.

During our threat hunting research, we came across a GitHub repository which is owned by a member of the threat actor group. Due to an operational security (OpSec) failure of the threat actor, we were able to access a wealth of information about the malicious files used by this APT group along with the timeline of their activities dating as far back as October 2020.

Recently, Sekoia shared their findings of the toolset of APT37 [here](#). In our blog, we disclose additional details which we found as a result of our in–depth investigation of the threat actor's GitHub repository.

The large number of samples we identified through the attacker's GitHub repository are not present on OSINT sources such as VirusTotal either. This allowed us to get more insights into this threat actor's previously undocumented attack vectors, motives, targets and the themes used.

In this blog, we will provide a high–level technical analysis of the infection chain, the new loaders we identified and a detailed analysis of the themes used by this APT group, discovered while reviewing the GitHub commit history. Even though the threat actor routinely deletes the files from the repository, we were able to retrieve all the deleted files and do an analysis of them.

## Key Takeaways

- APT37 is a North Korea–based advanced persistent threat actor which primarily targets individuals in South Korean organizations.
- Its main objective is cyber espionage and it achieves this through data exfiltration of selected file formats of interest to the threat actor

- File formats abused by APT37 include Windows help file (CHM), HTA, HWP (Hancore office), XLL (MS Excel Add-in) and macro-based MS Office files.
- In addition to distributing malwares, this group is also focused on credential phishing attacks
- The group has resumed its activity in the second half of Jan 2023 and since then is actively targeting users in South Korea through spear phishing emails
- For C2 infrastructure, it often compromises South Korea-based bulletin board system (BBS) websites and uses them
- The group is constantly evolving its tools, techniques and procedures while experimenting with new file formats and methods to bypass security vendors

## Attack Chain

There are multiple attack vectors used by APT37 in this campaign. Figure 1 and Figure 2 show 2 examples of the attack-chain. The other attack vectors we have described in the "Recent TTPs" section.




Figure 1: attack-chain using CHM file format to kick start the infection chain




Figure 2: attack-chain using the MS Office Excel add-in to kick start the infection chain

## Opsec failure by APT37

### Threat actor's GitHub repository overview

Our initial discovery was the GitHub repository of APT37 which was used to stage several malicious payloads. Figure 3 shows a preview of the threat actor's GitHub repository




Figure 3: GitHub account of the threat actor

The contents of the Readme file are chosen to appear as an Android software related repository. At the end of the Readme file, we noticed a base64–encoded string, preceded by a tag

While reviewing the commit history, we noticed that the threat actor often updates this encoded string. While we were not able to identify the exact usage of this encoded string, we believe it will be fetched by a payload on the endpoint.

Figure 4 shows a GitHub commit where the threat actor is updating the encoded token.




Figure 4: GitHub commit which shows threat actor updating the encoded token in the README

## Recovery of deleted files

When we reviewed the commit history of the GitHub repository, we noticed that the threat actor frequently deleted malicious files from it. Figure 5 shows commit logs related to the delete events.




Figure 5: GitHub commit history showing the files being deleted routinely by the threat actor

We traced this commit history all the way to its origin, and observed that the first commit happened in October 2020. This was surprising to us since the threat actor was able to maintain a GitHub repository, frequently staging malicious payloads for more than 2 years without being detected or taken down.

Figure 6 shows the first commit in the commit history logs.




Figure 6: First commit in the GitHub account. Activity started in October 2020

Our next step was to retrieve all the deleted files from the GitHub repository. We have included the list of hashes and the original filenames in the indicators of compromise (IOCs) section.

### Themes and target analysis

This wealth of information retrieved from the GitHub repository gave us a lot of insight into the types of themes used by the threat actor as social engineering lures and we were able to make an educated guess about the potential targets of the campaign.

Per our analysis of the file names, and the decoy contents, we have summarized the themes below along with examples. This is not an exhaustive list

Theme	Filename	Comments
Geopolitical	[INSS] National Security and Strategy (Winter 2022).rar	
South Korean companies	LG유플러스_이동통신_202207_이_선.rar SamsungLife.rar	Themes related to popular South Korean companies – LG and Samsung
Academic institutes	final exam questions 2022 summer KED.rar 2022 후기 신-편입생 모집요강.rar	Exam questions related to Korean Economic Development (KED)  Related to University of North Korean studies
Finance (income tax, general insurance)	WooriCard_20220401.rar BoanMail.rar	WooriCard is a popular financial services organization in South Korea  Hanwha general insurance is a major insurance company in South Korea

## Examples of decoy themes

We have included below a few decoy themes used by the threat actor. These are samples not yet documented in the public domain. So, we hope to share more insights into the themes used in the campaign through this information.

### Geopolitics

Figure 7 shows a decoy file related to INSS (Institute of National Security Strategy) in South Korea. This decoy PDF was sent along with a CHM file inside the archive file with the name: [INSS] National Security and Strategy (Winter 2022).rar

*Figure 7: Decoy related to geopolitics theme*

### Education and academic institutes

Figure 8 shows a decoy file related to examination questions on the topic of Korean Economic Development

*Figure 8: decoy related to education theme*

### Finance

Figure 9 shows a decoy file related to the Hanwha General Insurance – a major insurer in South Korea. This decoy file was sent along with the CHM file in an archive file – BoanMail.rar

*Figure 9: decoy related to finance theme*

## Recent TTPs

### Attack vector – CHM

It is well-known that APT37 uses a Chinotto PowerShell-based backdoor which is deployed on the endpoint through a malicious Windows help file (CHM). These CHM files are distributed inside archive files. Most of these archive files contain two components – the malicious CHM file and the decoy file to be displayed to the victim.

In most cases, the decoy files are password-protected. The password to open the decoy file is displayed by the CHM file.

Figure 10 below shows an example of code inside the CHM file which is responsible for displaying the decoy file to the victim, downloading a malicious HTA file from the attacker's server and executing it.

*Figure 10: code inside the CHM file used to launch MSHTA and download HTA*

### New attack vector – MS Excel Add-in

So far in most of the campaigns of APT37 deploying Chinotto PowerShell backdoor, they have leveraged CHM files distributed inside archive files.

Interestingly, on March 15th 2023, around the time of our investigation, the threat actor uploaded a malicious Microsoft Excel Add-in to the GitHub repository. This Add-in is an XLL file. XLL files are DLLs which function as an add-in for the Microsoft Excel application.



### Technical analysis of the XLL file

For the purpose of technical analysis, we will use the XLL file with MD5 hash:  
82d58de096f53e4df84d6f67975a8dda

XLL files get activated when they are loaded by the MS Excel application. There are various callback functions provided by Microsoft which allow the XLL file to communicate with the Excel application. One of the most common functions is xlAutoOpen() which is called as soon as the DLL is loaded and activated by the MS excel application.

Figure 11 below shows the code present in the XLL file in our case.

*Figure 11: xlAutoOpen() subroutine of the malicious MS Office Excel add-in*

Below are the main steps performed by this XLL file.

- Extracts an XLS file from the entry called "EXCEL" in its resource section and drops it on the filesystem in the path: C:\programdata\20230315\_SejeongSupport.xls
- Displays the above dropped XLS file that is a decoy and used as a social engineering lure
- Launches MSHTA to download an HTA file from the URL:  
hxxp://yangak[.]com/data/cheditor4/pro/temp/5.html

This HTA file contains the PowerShell backdoor called Chinotto

Ultimately, we see that the goal of this XLL file is also to deploy the Chinotto PowerShell backdoor. However, instead of using the CHM file, it now uses the XLL file.

### Attack vector – LNK

We recovered some LNK files from the GitHub repository which were uploaded in August 2022 and apparently used in in-the-wild attacks around the same timeframe. These LNK files were present inside RAR archives. Along with the LNK file, an HTML file was present masquerading as a sign-in page of the South Korean company – LG.

The two LNK files we observed, both used dual extensions – "html.lnk" and "pdf.lnk".

These LNK files were used to execute MSHTA and download the malicious HTA file from the attacker's server. Rest of the attack-chain is similar to other cases which finally leads to the Chinotto PowerShell-based backdoor.

We analyzed the metadata of the LNK file with LECmd tool and noticed that both the LNK files were generated on a Virtual Machine running VMWare and with a Mac address of: OO:Oc:29:41:1b:1c

Since the threat actor reused the same Virtual Machine to generate multiple payloads, this information could be useful for threat hunting and threat attribution purposes in future.

Figure 12 and 13 show the outputs of LECmd tool highlighting the target command executed by the LNK and other important metadata

*Figure 12: LNK target command line and metadata extracted using LECmd*

*Figure 13: LNK machine details extracted using LECmd*

Figure 14 shows the decoy HTML file which is packaged along with the LNK file inside the same archive.

Figure 14: decoy file related to LG

Attack vector – Macro–based MS office file

In March 2022, a macro–based MS office Word file was uploaded to the GitHub repository. This macro would launch MSHTA to download the PowerShell–based Chinotto backdoor as well. The target URL from where the HTA file is fetched is also the same as the previous case. This shows that the threat actor uses multiple initial file formats and attack vectors to deploy the same backdoor.

Filename: NEW(주)엠에스북스 사업자등록증.doc  
Filename translation: NEW MS Books Business Registration Certificate.doc

Figure 15 shows the relevant VBA macro code.

Figure 15: VBA macro used to launch MSHTA to download the malicious HTA file

Attack vector – HWP file with embedded OLE object

Another attack vector used by APT37 to deploy Chinotto PowerShell–based backdoor on the endpoint is using HWP files with embedded OLE objects. These OLE objects contain a malicious PE32 binary which executes MSHTA to download a PowerShell–based backdoor from the C2 server.

When viewed with Hancom Office, the embedded OLE objects take the form of a clickable element in the document's body.

APT37 makes use of misleading bait images to entice the user to click on the OLE object elements, an action required to cause the execution of the malicious PE payloads inside these objects.

Figure 16 shows an example of such a document, as it appears in Hancom Office.

Figure 16: Malicious HWVP document by APT37. The Korean–language dialog is fake – it’s in fact an OLE object represented by a static image of a dialog. When it’s clicked, a real dialog pops up – prompting the user to confirm the execution of the payload.

Rest of the attack–chain is similar to the previous cases.

For the purpose of technical analysis, we will consider the HWP file with MD5 hash: a4706737645582e1b5f71a462dd01140

Filename: 3. 개인정보보완서약서\_북주협.hwp  
Translated filename: 3. Personal Information Security Pledge\_Bukjuhyeop.hwp

Figure 17 shows the OLE object stream present inside the HWP file.

Figure 17: malicious OLE object stream present inside the HWP file

Object streams in HWP files are zlib compressed. After decompressing, we extracted the PE32 binary from it.

MD5 hash of the extracted binary: d8c9a357da3297e7ccb2ed3a5761e59f  
Filename: HancomReader.scr  
PDB path: E:\Project\windows\TOOLS\RunCmd\Release\RunCmd.pdb

Figure 18 shows the relevant code in HancomReader.scr

## Zscaler Sandbox Detection

Figure 19 shows the HTA file detection in the Zscaler sandbox.

Figure 19: Zscaler Cloud Sandbox report

Figure 20 shows the detection for the macro-based MS Office Word file in Zscaler sandbox.

Figure 20 shows the macro-based document file detection in Zscaler sandbox.

In addition to sandbox detections, Zscaler’s multilayered cloud security platform detects indicators at various levels:

- [HTA.Downloader.Chinotto](#)
- [VBA.Downloader.Chinotto](#)
- [Win32.Backdoor.Chinotto](#)

## Conclusion

As we discussed in this blog, APT37 is a threat actor heavily focused on targeting entities in South Korea. It is constantly updating its tactics, techniques and procedures as is evident from the multiple file types used in the initial stages by it. The themes used by this threat actor range from geopolitics, current events, education to finance and insurance.

It is also particularly interested in current events and activities related to the Korean peninsula.

We will continue monitoring the activities of this threat actor and ensure our customers are protected against APT37.

## Indicators Of Compromise (IOCs)

### Archive file hashes

MD5 hash	Archive filename
3dd12d67844b047486740405ae96f1a4	(20220120)2022년 총동창회 신년인사 001.rar
e9cd4c60582a587416c4807c890f8a5b	(양식) 제20대 대통령 취임식 재외동포 참석자 추천 명단(국민의힘당원 000).rar
6dc7795dde643aae9ced8e22db335ad1	1.rar
e3879ea3f695706dfc3fc1fb68c6241d	2017-APEC.rar
17bc6298bf72fa76ad6e3f29536e2f13	2022 후기 신-편입생 모집요강.rar
54a99efd1b9adec5dc0096c624f21660	2022-01-27-notification.rar
f3f4cf7876817b1e8a2d49fe9bd7b206	2022-03-22.rar
bb182e47e1ffc0e8335b3263112ffdb1	2022-04-14.rar
9d85c8378b5f1edefb1e9837b3abb74f	2022.04.27.rar
cb33ef9c824d16ff23af4e01f017e648	2022.rar



	cf73942f61fbb14dded15f3dOc92f4a	2022051O_115155.rar	
	5c67c9266e4267d1bfO862bf2c7bd2a5	20220913.rar	
	1531bba6a8O28d38d36cOa91b91159c3	20220916O932O5755684_TSA.rar	
	afdc59ec36ac95OdeO8169162783accd	2022년 국방부 부임이사 안내(몽골리아).rar	
	O6c112968cdde43c3424bdfOa2aOO928	2023O3O2_Guide.rar	
	6ab4O1c83O95129a182b9beO359d6O2d	3사복지업무.rar	
	93e94b673c6d1ea6d615cO1O2dc7761O	Ambassador Schedule Week 6 2023.rar	
	e32f59fd5acbeO1d2171ba6c2f24e3ca	Announcement.rar	
	7b6Odc663e1O25e8892b96fa9fc34fOO	BoanMail.rar	
	5e95O23c6ac3f3fefeOOcfc2b4b1dO93	CR_2023O126.rar	
	35337Oade2a2491c29f2OfO786Ocf492	CV.rar	
	12Oa677df1c4d1fO792b6547d3b6O183	DBLife-2022_O8_O5.rar	
	O2baa23f3baecdc29d96bffea165191b	Details.rar	
	c3325c43b6eea251Of9c9f1df7b7ce22	Documents.rar	
	O4a729OeO4fd185514O373aa3d453cef	DriverSet.rar	
	87c3e8e43O8aac42fed82de86bOd4cb6	Estimate.rar	
	328dc6e7acce35abaaf3811bac2bc838	H2O 견적서.rar	
	e923Ocf7615338abO37719646d67351b	HealthDoc.rar	
	cfO12ca48b5e1f6743be7eOd1Ocdfd2e	Introduce.rar	
	34d3e53O6cffObfe831ccd89dO95ef33	Invoice_1514_from_Evo3_Marketing_Inc .rar	
	717dab257423d5fd93dOdO2f3ff242e7	KB_2022O111.rar	
	O164d8a2d27cfd312fb7O9c6Oc35185O	KB_2023O126.rar	
	c23c17756e5ccf9543ea4fb9eb342fde	KNO4O8_O45 정영호.rar	
	31793153b12f1187287OOO7578O17abd4	KakaoTalk_2022O419_1O3447534.rar	
	O3Odf9bcaOa35bcd88d5897482ee226d	LG유플러스_이동통신_2022O7_이_선.rar	
	8eb56493d984b3c2fa4c2dedb6871dd7	LG유플러스_이동통신_2022O8_이_선.rar	
	Oc2375825dcae816a1f9b53f8f82d7O5	MAIL_2023O1251518O2.rar	
	93817f6dfe3a7596eeefO49eda9c8b18	Message.rar	
	3fe6722cd256d6d5e1d5f5OO3d6aO1a5	NTS_eTaxInvoice.rar	
	c1b639OfOef992571fa9ed3c47ebO883	News about Foreign affairs, The High North and Ukraine rar	

e5c509a33db926f3087c3a52546b71f2	Provincil's letter.rar
d5ad2c179Oc715d88b5eO5ca4329417d	References.rar
4d27d6bO1f85a4b4O65Oe6bc7cc18ed3	SamsungLife.rar
3a4f4b1fb3Ofbb7Oc14dea6OOa56ca68	SecureMail.rar
5a8bdfbOOO8767cdbO5dfcc3223e9a7O	TermsOfService.rar
881ccfd6c11b774b8Ob3O4ab78efef53	Transaction.rar
f2be2c1e8O769a45761dOb69a46a627f	TransactionGuide.rar
f7a73eaf15ee8d8f3257a359af5987eb	WooriCard_14day_2O22O6O9.rar
b6c4137868e2c3O5241O93e967b2d6Ob	WooriCard_2O211222.rar
715d4O8b45e5334a985e7e6279fa8Oac	WooriCard_2O22O4O1.rar
b2ceOba21ae1e982a3a33a676c958bec	XQQ–2022–D27.rar
b9f423b42dfOdfOcb52O9973345d267c	[INSS] National Security and Strategy (Winter 2022).rar
abOdc3964a2O3eea96a233c8dO68de95	[불임] 제2O대 대통령선거 제1차 정책토론회 시청 안내문.rar
fbcb339cd3f4d39af1O8b4fdb7O2O2b22	boanmail–2021O1–jO8.rar
fbcb339cd3f4d39af1O8b4fdb7O2O2b22	boanmail_2O22O1_2_5O5824.rar
Odb43bebO6845O26cf33c59baa66b393	boanmail_2O22O1_5_O2–1O424.rar
237bcbeO7219eb241O48152O5ccO1d24	boanmail_2O22O1_5_8O222982.rar
2bfO5e2526911b3bdb7f77cbbe4155f3	db–fi.rar
O923c698O8352feb9a57a766c611b7d4	dbins_secure.rar
8c3bb54dcd47O4aOfOb3O7863345c5d1	email_1649225531O86.rar
O947efee85596a17bdd1e798826d48aa	enkis.rar
93675O86f33fbO7O8982eafea5568fO5	final exam questions 2O22 summer KED.rar
8faabae5e6766a6a93a56O14cca5c295	hi_security_mail.rar
9e7O99b32f6bd36724a71f6c3cb21d17	issue.rar
9c6d553682813724424a7fcc7af8729d	mmexport1638437859483.rar
6da1Occ37edee7e16c52Of2f95cd93O4	pay_2O2111_5_OO–1O29O.rar
fO7a3d146f32bfa8f53e5cae7178559e	pay_2O2111_5_O1–1O1O4.rar
Obeeb858734cd7daO3b1284e7feOOOb22	pay_2O2111_5_O2–12972.rar
8c4cbe9OOcf69c739882cef844b1ac11	pay_2O2111_5_O4–1O22O.rar
31da11dbf8O7151382619O4b2249a7f8	pay_2O2111_5_O4–14213.rar

28b807be70e49ebcOc65455f43Od64O8	pay_202205_5_O1-10104.rar
c97a32c7555fc81f296feeOa65fecO79	pay_202209_5_O1-502479.rar
1eO5dbe1846c17O4b9a7a1db13fdd976	samsungfire.rar
38d9ff5Ob68144a9a4Od1e7e3dO6adbO	security-guide.rar
fOb7abea2198479Od29O6adf9653c542	securityMail.rar
O48O279Ob64d66b9257ae119ee7d39a5	security_2022O813.rar
a8bcbb34e11d7b23721ecO7eadb5ddc5	shinhancard_2022O218.rar
eecf78848ddeOd41O75e35d3aa4O4697	제39기 모집요강 및 입학지원서-재송.rar
ef5aa1dfbfc4c9128a971eOO6daOcb8b	새로 바뀐 COVID-19 시기 자가격리 정책.rar
e5865d8cee159acO2ee53ef52f4O58ac	오피스 365 + 설치설명서 입니다.rar
882d4d65284O4c3ceaceeO99f59bfab4	텅스텐 WV 99.rar
b7275a3931fb85f723a4ceec9478c89e	다문화 문제 답.rar
f96fa367261df9cc2bO21318ce361ec6	취임식 관련 자료.rar
8d7141882a95be5dcfa8ce9Od7O79541	공고문(기술관리).rar
ff2ccc12OO7bbf3f5934a5dfdc843Oee	황선국-차예실의 요르단 이야기-34.rar
3c3fc3f47abfOec7a3ab797b21b123e2	공고문.rar
acf9badOObc1d2649ad918bO524c7761	계약사항 안내문.rar
cb33ef9c824d16ff23af4eO1fO17e648	문의사항.rar
8O2bf381dd7f7f6ceaO77ab2a1814O27	보안메일.rar
89d1888d36ff615adf46c317c6O69O5e	협조요청.rar
Od15b99583b3b9638b2c7976b4a1d2ef	통일교육11.rar
8113798acc4d569O712d28b39a7bb13a	백산연구소 (83O LNG) 22.O1.17.rar
4987ed6ObbO47d4ca66O142bO5556125	백산연구원 소방서.rar
b84O48584O48Od42b3b8e576eecdfe2ee	제로깅크루_명단.rar
e8ab4f8Oebad2426O869e89bca69957d	폴리프라자III, 4월 근무 현황.rar
87aaf5Ofc5O24b5e18f47c5O147528b4	조성호기자님_마키노기자책소개.rar
11bOcO577e124OOcddc7b62b763a1dd1	사업유치제의회서-PC모듈러pdf.rar
fa797b29229613fO54378c8a32fcefbcb	통일미래최고위과정_입학지원서.rar

CHM file hashes

28b807be70e49ebcOc65455f43Od64O8	pay_202205_5_O1-10104.rar
----------------------------------	---------------------------

2ffcb634118aaa6154395374fOc66O1O	(양식) 제20대 대통령 취임식 재외동포 참석자 추천 명단(국민의힘당원 000).chm
24daf49d810O8daOOc961O91cbfc8438	O-Introduction.chm
624567dae7Ofc684b2a8Ob5fOf1de46d	1.Brefing.chm
2ab575f9785239d59395ec5O1ceaec2e	2017 - APEC.chm
684a61eedb2ec26d663c3d42a1O7f281	2022 - Guide.chm
a48ac5efd35O341beab9a4fdfb7f68d7	2022-01-27-notification.chm
O3Oc3873f1a45eab56dcaOOfa8fa9a14	2022-04-14.chm
a6b3Ofc17d6ff9aa84fb93c3fO5a4171	2022-06-24-Document.chm
b4adb4fede9O25f6dd85faacO72aO2e7	2022-Important.chm
b2d7cO47dc1c7fb7O74111128594c36e	2022.O4.27.chm
edb87c2cabcc4O2173faO153f4e8ae26	2022.chm
dO2Od573d28e3febb899446e3a65eO25	2022O315-112_Notice.chm
7O58661c3f944f868e5a47c444Odaa9b	2022O51O_115155.chm
d431c37O573O3e56O9fObffa838744O2	2022O6231O32O3983_6_조사표_기업용.chm
82Od3O2655d5cd5dd67859f7a5cb74fe	2022O913_Main.chm
8db5578f5245c8O5c785ae38ea8a1363	2022O916_Password.chm
c29d11961b9662a8cb1c7edd47d94ae5	2023O3O2_Guide.chm
cae4d578b1bdaa4e193O95fO35cecbcb6	Account Information.chm
9bf4576a1381c15cO8O6Oca6cfd59949	BoanMail.chm
cObfb9f4O8263c1bc574aO8fa164a61f	BookBriefing.chm
e9562655c36d46f4b6534f189ae453aO	Content-Introducing.chm
6bd63cf73cab33O5686f2ee41d69bd42	Covid-19-Notice2O211O28.chm
O12fOddO4c9c81Oc14cddeO8cfbca3c5	DBLife-2O22_O8_O5.chm
OOa7c9ad2e975e19O34838a14f73a46a	Details.chm
77a6f57ccefed14d5faf44cc37b69da	Estimate.chm
211b412fe5c4b2O7eb39384499b93342	H2O Note.chm
3a23ee36f792e241772e81aeeccf8aa8	Introduce.chm
532ec6d88c728afecfcf8fbb38fb8add	Invoice_1514_from_Evo3_Marketing_Inc.chm
2a982b843cf92O81fc42O2e11a1f7234	KB_2O22O111.chm
aa68O44e16a115af4ea1de3dO62c4e41	KB_2O23O126.chm
Obf53a165b2bd64be31O93fefbb9fb51	KakaoTalk_2O22O419_1O3447534.chm

	45bd3OO1517f5e913ddde83827f4cc29	MAIL_2O23O1251518O2.chm	
	Obf993c36aac528135749ec494f96e96	Message.chm	
	549162b9ec4c8Of9aOca41OOff29c8e98	NTS_eTaxInvoice.chm	
	cO9939e972432968976efc22f556bdOf	News about Foreign affairs, The High North and Ukraine.chm	
	79d5af9d4826f66O9Oe4daf6O29ed643	Password.chm	
	9e1a2b331fd1e4ee7788Od8f62O25cd1	Password12.chm	
	5f2dcb1e51c8d574f43c8f7c7f84d9fa	Related to the inauguration ceremony.chm	
	a5ce8fe31da94fdea9c25f3abcdd5982	SamsungLife.chm	
	8a74a931e6ed4ae4775477O7da2fd76c	SecureMail.chm	
	OO12f5bfe97421d39751eb2Od857aeO9	TermsOfService.chm	
	22652b383d9ea88Oa4644a35cd5fadaf	Transaction.chm	
	73715c82e317O2f56858226557f98444	WooriCard_14day_2O22O6O9.chm	
	b34761f5272c91O9c4778Of415d28631	WooriCard_2O211222.chm	
	2c697d27cd2e455ae18b6744a47eef4f	WooriCard_2O22O4O1.chm	
	2cf28O5529ebc68884979e582e12cf8d	XQQ-2O22-D27.chm	
	67cc91e889b4a597a6486dbOe92fa4d1	[INSS] Briefing and Guide.chm	
	1f4O38a9c6266b6Of784c37efbb832f5	[붙임] 제2O대 대통령선거 제1차 정책토론회 시청 안내문.chm	
	ac7f8e5245f9736a13235O9a537e54eb	baeksan (83O LNG) 22.O1.17.chm	
	eeO6aOd6e5645248db88c279ecOe8624	contents.chm	
	a13fb4e11b31d1O9a1b145f2Oea4b929	db-fi.chm	
	Ofb698efce9476c3f2b6O3b3Of5e35d5	dbins_secure.chm	
	d942353d15O77352dcae83ddO4869e1a	email_1649225531O86.chm	
	ac51f29d6O9c73cce8db67c86aa49baO	enkis_choe.chm	
	7fO3Ocbf7ce41b9eb15693ee92b637a5	hi_security_mail.chm	
	a85dc54O3cb1fe7dOae692a431e1eae3	issue.chm	
	5e2e5b715O3adedf786bc69f384975Of	jungsan_2O22O3_5_O6-1O325.chm	
	7cbaOc911b74d889fO5f8b954926aa67	jungsananne_2O22O1_2_5O5824.chm	
	174ae3db1dd4c61O37bc7a5bf71d1366	jungsananne_2O22O1_5_O2-1O424.chm	
	498b2Oe2Oaf19Oc665OfO3e8adf9a5b7	jungsananne_2O22O1_5_8O222982.chm	
	92974d1677fa84Ofcc3d6599df86d38f	mmexport1638437859483.chm	
	19cO583e57385f574c9986de6a26adae	pav_2O2111_5_OO-1O29O.chm	



b1d2c6233d56ef3aeaa08cff7a7d2971	pay_202111_5_O2-12972.chm
cOd25429f924O16765711cd86OfdO3f9	pay_202111_5_O4-1022O.chm
8a5e7f281b51c2b9e364c26e3f699O19	pay_202111_5_O4-14213.chm
faf6139671fO7db49O56f4eO47Oab188	pay_202111_5_12-11985.chm
a372e8dfd194Oef4f9e74O95a8bf3bd7	pay_2022O1_2_5O5824.chm
561b29a565Off7fe6e63fa19c29ee24O	pay_2022O1_5_O2-1O424.chm
O93ad28aO8314e8fe79c26828137abOa	pay_2022O1_5_8O222982.chm
d32ccdcf79932dd9d7eaf4fd75bfade2	pay_2022O2_5_O6-1O325.chm
deed5eb8b19daeO772Oe97b485a5f1e4	pay_2022O3_5_O6-1O325.chm
8867O2585a39518828O1b9eecb76c6O4	pay_2022O5_5_O1-1O1O4.chm
6ac4b333e6d7f64aee5c32e2Od624f2e	pay_2022O9_5_O1-5O2479.chm
441adf67527915cO9cfe29727b111a6a	samsungfire.chm
1222O83O1a3727c5fc7794ffOf7947bf	security-guide.chm
79e158af8ded991ee95aOf1O654576ce	securityMail.chm
e71O4d3e38853Oa43623981138112eO3	security_2O22O813.chm
af89179ef2c8365ca413fed8553159fa	shinhancard_2O22O218.chm
b7b1O9562Ob8629c73191d5cO5afc446	z email content.chm
681a21cb83e82da88f42f9fbOdd764b6	다문화 문제 답-추가.chm
5f2dcb1e51c8d574f43c8f7c7f84d9fa	취임식 관련 자료.chm
72a38aa3e128d2ffca141a41a41O1dca	황선국-차예실의 요르단 이야기-34.chm
6321O4e9787Oc1177c211f5e2d963b75	요약문.chm
ffba3O726OOa1fO6d26O137f82371227	공지사항.chm
e557693cc879beeb1a455cacO2724ea7	보안메일.chm
71389f565a5ebe573c94d688fa6f23ea	통일교육11.chm
92Occffa488d2bOe9aa19acc5f31fc3a	제로깅크루_명단.chm
7c53f15614d5f9cf2791cb31811893a7	폴리프라자III, 4월 근무 현황.chm
fb6Oa976bbbed174effa6O81a35abee87	사업유치제 의서-목차.chm
bca3fOb4a5a1cbcd3efa1caOdf7fOd4b	통일미래최고위과정_입학지원서.chm

LNK files

MD5 hash	Filename
eb7a6e3dc8bbc26f2O8c511ec7ee1d4c	LG유플러스_이동통신_2O22O8_이_선.html.lnk
c5f954436e96232O4ed961b9b33e769d	계약사항 안내문_1.pdf.lnk

# Please note that most of the HWP files mentioned below are clean decoy files used by the threat actor. The original filenames are included to give the reader insights into the themes used.

MD5 hash	Filename
808fda00b7aa114182ba0ad9668ad4fb	(227183-F)_사업진행상태보고서.hwp
6566697d2b2b7b562f3e4f74986ae341	1.일반설계기준.hwp
70b327e1a2cf7863004436080848edd c	2020_normal_ko.hwp
b8addd3c9eOc7f1ed8d4aafcb582e755	2021년 ICT융합 스마트공장 구축 및 고도 화 사업 최종감리보고서(엠펙플러스에프엔 씨, 인버스, 정찬혁)_초안.hwp
O7ad22218f9dc7da63b88Oae5a65a177	2022년 외국인 주민교류를 통한 기술인 으로 진로 직업지도사업.hwp
de5319b8a5674994e66b8668b1d9884f	220915 수정.hwp
a47O6737645582e1b5f71a462ddO114O	3. 개인정보보완서약서_북주협.hwp
d49efO871Oc9397d6f6326c8dcbf5f4e	3사복지업무홍보.hwp
96900e1e6090aO15a893b7718d6295d d	K-MOOC 수기 공모 이벤트.hwp
b35c3658a5ec3bdOeOb7e5c6c5bc936f	RFQ_소각 및 발전설비 건설공사-보 고-O614-Ver1.hwp
Occb1c52b3de22b49756a26O8cddd2e9	UN 대북제재위원회 전문가 패널 보고 서.hwp
d891219a5Ob17724228f9ae8c7494bbf	UN 대북제재위원회 전문가 패널 보고서」 요약.hwp
cac2d25c8e173c896effOdd85fO9c898	[붙임] 제20대 대통령선거 제1차 정책토 론회 시청 안내문-복사.hwp
ad922c7fO977c4aefcbc2cO89cce8b66	제39기 모집요강 및 입학지원서-재 송.hwp
48153ac26eb1O473b6Oe4O11f5eOO4e9	제8회 전국동시지방선거 제1차 정책토론 회 시청 안내.hwp
Ode54a81O9f54c99d375fcO595649175	논문 자료.hwp
Ode54a81O9f54c99d375fcO595649175	사업 제안.hwp
bf478b6b50Oc53eO5741e395563O182f	오피스 365 + 설치설명서 입니다.hwp
7b29312aOf8d9a7d2354843f7c9c21ea	텅스텐 W 99.hwp
6b8acab4941dcfb1dbeO4bc9477e76O5	다문화 문제 답(12. 5 업데이트).hwp
8591125cOa95f8c1b1e1799O1f685fa3	인터뷰(22. 9. 14).hwp
f1bdO1dc27fe813aeade46fe55bd9e2e	황선국-차예실의 요르단 이야기-34.hwp
	접수증-삼주글로벌 법인세 신고서 접수

5228e631cdd94ec8d8c9d68eO44236f1	위임장.hwp
5bdd6adOc17ee2a1O57bf16acb86f371	확인서.hwp
cO9bedb49199bO9bcb362ba5dadcd22a	함께가는 평화의 봄_과업지시.hwp
a2aeb5298413c2be9338O84O6Odb3428	동남아와 국제정치(기말레포트).hwp
f8f994843851aba5Oca35842b4cca8a3	행사안내.hwp
6deceb3e2adffO481b3Oefe27eO6542e	백산연구원 소방서 제출용.hwp
Ofd7e73e6672adaa1e5cf2dfca82e42e	서식1, 4 감사이력서 및 개인정보동의서_북주협.hwp
e5afbbfa62efd599a1ab2dade7461d62	폴리프라자III, 4월 근무 현황.hwp
2e57c3O259e5c3377994Oce9a9f91378	산업가스용도.hwp
c775aef36bc4b1b9a2b14fae46521cOe	서영석고객님.hwp
aa84bdaf877d7Oc744ce1982395ad37c	자문결과보고서(양식).hwp
19dabc553ee3c3bcd166411365e2dd56	비대면_서비스_보안_취약점_점검_신청서.hwp
6bf6de967ca63241O6aO7OO715a9eO2b	중고맨거래명세서.hwp
ObcdaO5d3f4O54dd5fb571a634afe1Oa	정기총회안내공문_2022.hwp
686O3ba44b58f4586deeb571cf1O3eOc	통일미래최고위과정_입학지원서_양식.hwp
67Of8697d7c46757745beO322dfdd2ab	노원도시농업네트워크.hwp
c47428fe38bec9424b75aa357113d9dc	사단법인 공문 (2022.12호)_2022년도 평화통일교육사업 함께가는 평화의 봄.hwp

Was this post useful?



Yes, very!



Not really

## Explore more Zscaler blogs



A peek into



Technical Analysis



Rise in Tech-



Zscaler uses cookies, pixels, and other tools to collect information you provide to us and to capture and record your interaction with our site. We use this information to enhance site navigation, personalize content, analyze your use of our website, and assist in our marketing efforts and customer service. To deliver the best experience and to assist with our efforts, Zscaler social media, advertising, analytics, and hosting service providers may have access to the information that you provide to us. By clicking "Accept All," you consent to our collection, use, and disclosure of such information and to our [Terms of Service](#). For more information about our data processing practices, please see our [Privacy Policy](#).

Read post

Read post

Read post

O1 / O2



# Get the latest Zscaler blog updates in your inbox

Email Address

Subscribe

By submitting the form, you are agreeing to our [privacy policy](#).

## THE ZSCALER EXPERIENCE

### Learn about:

Your world, secured

Zero Trust

Secure Access Service Edge (SASE)

Security Service Edge (SSE)

Zero Trust Network Access (ZTNA)

Secure Web Gateway (SWG)

Cloud Access Security Broker (CASB)

Cloud Native Application Protection Platform (CNAPP)

Data Security Posture Management (DSPM)

## PRODUCTS & SOLUTIONS

Secure Your Users

Secure Your Workloads

Secure Your IoT and OT

Secure Internet Access (ZIA)

Data Protection (CASB/DLP)

Digital Experience (ZDX)

Industry & Market Solutions

Partner Integrations

Zscaler Client Connector

## PLATFORM

Zero Trust Exchange Platform

Secure Digital Transformation

Network Transformation

Application Transformation

Security Transformation

## RESOURCES

Resource Library

Customer Success Stories

Security Preview

Threat Assessment Tools

ThreatLabz Analytics & Insights

Upcoming Events

Blog

Zscaler Academy

CXO Revolutionaries

Zpedia

Ransomware Protection ROI Calculator

## POPULAR LINKS

Pricing & Plans

About Zscaler

Leadership Team

Career Opportunities

Find or Become a Partner

Customer Success Center

Investor Relations

Press Center

News & Announcements

ESG

Compliance

Contact Zscaler



Zscaler is universally recognized as the leader in zero trust. Leveraging the largest security cloud on the planet, Zscaler anticipates, secures, and simplifies the experience of doing business for the world's most established companies.

English

Please enter your email to subscribe



WCAG 2.1 AA

Sitemap

Privacy

Legal

Security

© 2024 Zscaler, Inc. All rights reserved. Zscaler™ and other trademarks listed at [zscaler.com/legal/trademarks](#) are either (i) registered trademarks or service marks or (ii) trademarks or service marks of Zscaler, Inc. in the United States and/or other countries. Any other trademarks are the properties of their respective owners.



Zscaler uses cookies, pixels, and other tools to collect information you provide to us and to capture and record your interaction with our site. We use this information to enhance site navigation, personalize content, analyze your use of our website, and assist in our marketing efforts and customer service. To deliver the best experience and to assist with our efforts, Zscaler social media, advertising, analytics, and hosting service providers may have access to the information that you provide to us. By clicking "Accept All," you consent to our collection, use, and disclosure of such information and to our [Terms of Service](#). For more information about our data processing practices, please see our [Privacy Policy](#).