

Learn

Discover ∨

Product documentation ∨

Development languages ∨

Sign in

Windows

Release health Windows client V

Application developers ∨

Hardware developers ∨ Windows Server Windows for IoT Windows Insider Program More ∨

Filter by title

Language reacures aren i uispiayeu in winuows

Language packs no longer available

MiracastView package cause sysprep error after upgrading a computer

.NET Framework 4.5.1 (web installer)

Network provider settings are removed during an in-place upgrade

Operations fail if Windows 8 is improperly identified as a WTG installation

Remote Server Admin Tools uninstalled during in-place upgrade

Running Sysprep /generalize returns error

Sysprep and capture task sequence fails

Sysprep fails after you remove or update

Microsoft Store apps

System restore points are disabled after upgrade

Windows optional component setup tool

Windows setup log file locations

Windows SIM can't generate a catalog

Windows 7 Upgrade Advisor tool failed to run

Windows 10 upgrade error codes

Windows 10 upgrade issues troubleshooting

Windows 10 upgrade quick fixes

Windows 10 upgrade resolution procedures

Windows Update blocked because of drive reassignment

WinRE can't be built after deploying an image You can't access an EFI system partition

- > Power management
- > User state migration tool
- > Shell Experience
- > System Management Components
- > UserProfiles and Logon
- > Virtualization
- > Windows 7 End of Support (EoS) FAQ
- > Windows Security
- > Windows Servicing, Updates and Features on
- > Windows Troubleshooters
- > Support Tools

Download PDF

Learn / Troubleshoot / Windows / Windows Client /



Network provider settings are removed during an in-place upgrade to Windows 10

Article • 02/19/2024 • 2 contributors

Feedback

In this article

Symptoms

Cause

Workaround

More information

Data collection

This article provides workarounds to an issue in which network provider settings are removed during an in-place upgrade to Windows 10.

Applies to: Windows 10, version 1809, Windows 10, version 1709, Windows 10, version 1703, Windows

10, version 1607

Original KB number: 4013822

Symptoms

When you perform an in-place upgrade to Windows 10, version 1809, version 1709, version 1703, or version 1607, the third-party network provider settings are removed from the computer.

Cause

This is a known issue in the Windows 10 upgrade process. After the upgrade, the Provider list (HKLM\SYSTEM\CurrentControlSet\Control\NetworkProvider) is reset, and the third-party provider registry settings (under HKLM\System\CurrentControlSet\Services\) are removed.

Workaround

(i) Important

This section, method, or task contains steps that tell you how to modify the registry. However, serious problems might occur if you modify the registry incorrectly. Therefore, make sure that you follow these steps carefully. For added protection, back up the registry before you modify it. Then, you can restore the registry if a problem occurs. For more information about how to back up and restore the registry, go to the following Microsoft Knowledge Base article:

322756

☐ How to back up and restore the registry in Windows

To work around this issue, use one of the following methods.

Method 1

- 1. Before you upgrade, manually back up the contents of the Provider list at HKLM\SYSTEM\CurrentControlSet\Control\NetworkProvider and the respective third-party provider settings (under HKLM\System\CurrentControlSet\Services\).
- 2. Run the upgrade.
- 3. After the upgrade is completed, restore the registry settings that were backed up in step 1.


Method 2

If you are experiencing issues that affect the third-party network provider settings after you upgrade, manually restore the registry keys that were deleted by the installer.

More information

To verify the network providers list, follow these steps:

- 1. Open the Run box. To do this, press the Windows logo key (■)+R.
- 2. Type ncpa.cpl, and then press Enter.
- 3. Press the Alt key to open the menu bar.
- 4. Select Advanced, and then click Advanced Settings.



This third-party network providers list is stored in the following registry location:

 $HKLM \backslash SYSTEM \backslash Current Control \backslash Network Provider \backslash Order \backslash Provider Order \rangle$

Default value: RDPNP,LanmanWorkstation,webclient

 $HKLM \setminus System \setminus Current Control \setminus Network Provider \setminus HwOrder \setminus Provider Order$

Default value: RDPNP,LanmanWorkstation,webclient



Each string value has its own settings under HKLM\System\CurrentControlSet\Services. For example, the following are the default network providers:

- HKLM\System\CurrentControlSet\Services\RDPNP\NetworkProvider
- HKLM\System\CurrentControlSet\Services\LanmanWorkstation\NetworkProvider
- HKLM\System\CurrentControlSet\Services\WebClient\NetworkProvider

The provider name is removed from the list, and all added registry key are removed.

Data collection

If you need assistance from Microsoft support, we recommend you collect the information by following the steps mentioned in Gather information by using TSS for deployment-related issues.

Feedback

Provide product feedback ☑

Additional resources

☎ Training

Learning path

Configure networking on Windows clients - Training

MD-100 Configure networking on Windows clients

Senglish (United States) Your Pri

✓ Your Privacy Choices

☆ Theme ∨

Privacy ☑

Manage cookies Previous Versions

Blog ☑ Contribute

Terms of Use

Trademarks ♂

© Microsoft 2024