

Get started



DFIR on the Mountain

Home Contact

Locked File Access Using ESENTUTL.exe



Mike Cary ☐ Uncategorized ○ December 6, 2018 ☐ 3 Minutes

I'm currently working on a solution to collect files off a live system to be used during some IR processes. I won't go into any great detail but I'm limited to only using builtin Windows utilities. I need access to browser history data and while Chrome and Firefox allow copying of the history files, the WebCacheVo1.dat file that IE and Edge history are stored in is a locked file and cannot be copied using native copy commands/cmdlets like Xcopy, Copy-Item, RoboCopy, etc.

ESE Database Files and ESENTUTL.EXE



Get started

esentutl.exe. I started wondering if I could use this tool to export the database or at least dump the history. Running esentutl.exe from a command prompt, we see two interesting options: /m to dump a file and /y to copy a file.

```
Administrator: Command Prompt
C:\WINDOWS\system32>esentutl.exe /?
Extensible Storage Engine Utilities for Microsoft(R) Windows(R)
Version 10.0
Copyright (C) Microsoft Corporation. All Rights Reserved.
DESCRIPTION: Database utilities for the Extensible Storage Engine for 	ext{Microsoft}(R) 	ext{Windows}(R).
MODES OF OPERATION:
     Defragmentation:
                         /d <database name> [options]
             Recovery:
                         /r <logfile base name> [options]
            Integrity:
                         /g <database name> [options]
                         /k <file name> [options]
             Checksum:
                         /m[mode-modifier] <filename>
            File Dump:
           Copy File:
                        /y <source file> [options]
<<<<< Press a key for more help >>>>>
D=Defragmentation, R=Recovery, G=inteGrity, K=checKsum,
P=rePair, M=file duMp, Y=copY file
COPY FILE:
   DESCRIPTION: Copies a database or log file.
                 /y <source file> [options]
         SYNTAX:
    PARAMETERS: <source file> - name of file to copy
       OPTIONS: zero or more of the following switches, separated by a space:
                  /d<file> - destination file (default: copy source file to
                             current directory)
                  /i
                           - ignore IO read errors
                  /o

    suppress logo

                  /vss
                           - copies a snapshot of the file, does not replay
                             logs.
                  /vssrec <basename> <logpath>
                            - copies a snapshot of a live database, replays
                             logs.
                  /vsssystempath <systempath>

    location of system files (eg. checkpoint file)

                             (default: log file path)
```

Copying the file sounds great to me. Let's try

"esentutl.exe /y WebCacheVo1.dat /d C:\Path\To\Save\WebCacheVo1.dat"



Get started

```
nitiating COPY FILE mode.
Source File: c:\users \appdata\local\Microsoft\Windows\WebCache\WebCache
Destination File: c:\users \Box\webcachev01.dat
                Copy Progress (% complete)
       peration terminated with error -1 (JET_wrnNyi, Function Not Yet Implemented) after 0.15 seconds.
```

Strike 1. That gives us the same "file is being used" error that I received with other copy commands. Ok so taking another look at the copy options, I see the /vss and /vssrec options. A couple of important distinctions here:

- I am running Windows 10, build 1803. The /vss and /vssrec options are only available on Win 10 and Server 2016 or later.
- The /vss and /vssrec options require you to be running as an admin

The /vss option "copies a snapshot of the file, does not replay the logs". We'll talk a little more about the transaction logs later but let's go with the /vss option for now.

```
:\WINDOWS\system32>esentutl.exe /y /vss c:\users\ | appdata\local\Microsoft\Windows\WebCacheV01.dat /d c:\users\ | \Desktop\webcachev01.dat
extensible Storage Engine Utilities for Microsoft(R) Windows(R)
opyright (C) Microsoft Corporation. All Rights Reserved.
nitializing VSS subsystem...
Initiating COPY FILE mode...
Source File: \\?\GLOBA!RCOT\Device\HarddiskVolumeShadowCopy39\Users\ \App
Destination File: c:\users\ \Desktop\webcachev01.dat
                       Copy Progress (% complete)
          0 10 20 30 40 50 60 70 80 90 100
        Total bytes read = 0x9f80000 (167247872) (159 MB)
Total bytes written = 0x9f80000 (167247872) (159 MB)
  ration completed successfully in 10.578 seconds.
```

OK, that's much better. If I open up the WebCacheVo1.dat file in ESEDatabaseView or Browsing History View, I see browsing history leading up to my testing. Initially, I



Get started

Dut that Ish t the case. Esentuti.exe is able to use the volume Shadow Copy service to make a backup of a locked file. This can be done even if VSCs are disabled on the system.

What about the /vssrec option? Data is not written directly to the database file. In simple terms, data is instead written to RAM and then to transaction logs before being flushed into the database file. Microsoft's documentation says: "The data can be written to the database file later; possibly immediately, potentially much later."

I did some testing with this and I'm not sure under what scenarios this doesn't happen right away. I opened up Edge and navigated to a new page, then immediately copied the WebCacheVo1.dat file while Edge was still open and it contained this new entry.

Just keep in mind that when using the /vss option only, we have the potential to miss entries that have not been written to the database. Using the /vssrec option will replay these transaction logs. This is the syntax used:

esentutl.exe /y C:\Path\To\WebCacheVo1.dat /vssrec Vo1 . /d $c: \ | exports | we bcache vo {\tt 1.dat}$

This can be a double-edged sword though because you also have the potential to lose deleted records that have yet to be purged from the database once the logs are flushed. If this is a concern you could go with both options and just save two copies of the file. This article from SANS provides more details on the ins and outs of ESE databases and transaction logs.

https://digital-forensics.sans.org/blog/2015/06/03/ese-databases-are-dirty


Additional Uses of Esentutl.exe



Get started


NTUSER.dat file for the currently logged in account.

I really like this as an option for copying system files when doing investigations or even testing. I'm sure it has value to Red Teams as well as it allows you to grab other hives like the SAM and other ESE databases like NTDS.dit without introducing outside tools or using PowerShell. Blue Teams can detect this type of activity by auditing process



Final Thoughts

I'm still looking for a good way to get IE/Edge browser history on the versions of Windows that do not have the /vss switch so if you've got any ideas there, let me know.



Tagged: DFIR, ESE Database, ESENTUTL.EXE



Get started



View all posts by Mike Cary

December 6, 2018

< Installing Volatility on Windows

RDP Event Log DFIR >

6 thoughts on "Locked File Access **Using ESENTUTL.exe**"

Aky

January 16, 2019 at 10:38 am

Mike this is great work!

I was in your shoes a few months ago and I didn't come upon this solution till reading your blog.

The way I got around this case was to use Raw Copy solution from https://github.com/jschicht/RawCopy.

You need to run it as admin and it shows history till the date when you extracted the file.

Basically, it does the same thing but with an external tool.

I executed it like this:

rawcopy64.exe



Get started

Cheers!



→ Reply

Aky

January 16, 2019 at 10:47 am

By the way the file WebCacheVo1.dat is being locked by taskhost.exe on W7 and taskhostw.exe on W10

X Like

→ Reply

Mike Cary

January 16, 2019 at 4:21 pm

Hey Aky thanks for the comment! I've used RawCopy on some other projects and it works great. In my case I couldn't use any 3rd party tools to extract the file so I couldn't use it this time which is what led me to esentutl.exe. When I was researching things, I came across a post that said you could suspend or kill the taskhost.exe/taskhostw.exe process and it should allow you to copy the webcachvo1.dat file but that didn't work for me.

★ Like

→ Reply



Get started

February 11, 2019 at 11:28 am

Nice post, having the WebCacheVo1.dat file locked is the main reason we built our free tool, Browser History Capturer:

https://www.foxtonforensics.com/browser-history-capturer/

Great to see there is also an option without using 3rd party tools.

- ★ Liked by 1 person
- **→** Reply

curtmcgirt

January 22, 2020 at 6:58 pm

with the /vss switch

VSS Subsystem Init failed, 0x80042316

Operation terminated with error -2403 (JET_errOSSnapshotNotAllowed, OS Shadow copy not allowed (backup or recovery in progress)) after 0.188 seconds.

?



→ Reply

Mike Cary

January 22, 2020 at 8:45 pm



Get started



⇔ Reply

Leave a comment

Follow Us



Recent Posts

RDP Event Log DFIR

Locked File Access Using ESENTUTL.exe

Installing Volatility on Windows

More Automation: Get-ZimmermanTools.ps1

Start-ImageParsing.ps1

Follow Us



Get started

Create a free website or blog at WordPress.com.

Loading...