

About xCyclopedia

Github

Q

Home / Xcyclopedia / Library / more.com | More Utility

more.com

>>> File Path: C:\Windows\system32\more.com

>> Description: More Utility

Hashes

Туре	Hash
MD5	EDB3046610020EE614B5B81B0439895E
SHA1	91028DFE99684C06EA95E35DEDE206BFAF2125D7
SHA256	9AD24FF20594B4DF37BFC87236868D905F51F13BF9C6F1474B1736C8E7BEFD24
SHA384	62FC3A0AB0ED6587DD7E2E7864581EDC5C80752F458225F5E0946F0D6631994CAFE421A1F31A4B93B622DC8475637248
SHA512	E21E83FD1BEBC9F1A5DA12BF232C7D3BF9ECCE113F3413C72449269D0A63600BCD7A6FDFF830C70B0E05A265A896AFC839FAAE2F6F50E654C2FF155578E60A5C
SSDEEP	768:8nSY3YHdMhk+5/06A7pi2xFX2NjNcSxrjAqCZuv:rY3ydEk+5/s7pi2xsNhlgZuv
IMP	0C997052163F246EEDF66BB131BFC0A3
PESHA1	3C0AF4D020C56C870B87E942EBD0CBDA8541D1BF
PE256	0785E6321EF31691984AD9C2AB65F09161EB17518C4D6477DFD862EE889F6590

Runtime Data

Usage (stdout):

```
Displays output one screen at a time.
\label{eq:more_problem} \mbox{MORE [/E [/C] [/P] [/S] [/Tn] [+n]] < [drive:][path]filename}
command-name | MORE [/E [/C] [/P] [/S] [/Tn] [+n]]
MORE /E [/C] [/P] [/S] [/Tn] [+n] [files]
    [drive:][path]filename Specifies a file to display one
                             screen at a time.
    command-name
                             Specifies a command whose output
                             will be displayed.
            Enable extended features
            Clear screen before displaying page
            Expand FormFeed characters
            Squeeze multiple blank lines into {\bf a} single line
    /Tn
            Expand tabs to n spaces (default 8)
            Switches can be present in the MORE environment
            variable.
            Start displaying the first file at line n
    files List of files to be displayed. Files in the list
            are separated by blanks.
    If extended features are enabled, the following commands
    are accepted at the -- More -- prompt:
```

```
P n Display next n lines

S n Skip next n lines

F Display next file

Q Quit

= Show line number

? Show help line

<space> Display next page

<ret> Display next line
```

Usage (stderr):

Cannot access file C:\Users\user\--help

Loaded Modules:

Path C:\Windows\System32\KERNEL32.DLL C:\Windows\System32\KERNELBASE.dll C:\Windows\system32\more.com C:\Windows\SYSTEM32\ntdll.dll

Signature

- >> Status: Signature verified.
- >> Serial: 3300000266BD1580EFA75CD6D30000000000266
- >> Thumbprint: A4341B9FD50FB9964283220A36A1EF6F6FAA7840
- >>> Issuer: CN=Microsoft Windows Production PCA 2011, O=Microsoft Corporation, L=Redmond, S=Washington, C=US
- >>> Subject: CN=Microsoft Windows, O=Microsoft Corporation, L=Redmond, S=Washington, C=US

File Metadata

- >> Original Filename: MORE.COM
- >>> Product Name: Microsoft Windows Operating System
- >> Company Name: Microsoft Corporation
- >>> File Version: 10.0.19041.1 (WinBuild.160101.0800)
- >>> Product Version: 10.0.19041.1
- >> Language: English (United States)
- >> Legal Copyright: Microsoft Corporation. All rights reserved.
- >> Machine Type: 64-bit

File Scan

- >> VirusTotal Detections: 0/76
- >>> VirusTotal Link: https://www.virustotal.com/gui/file/9ad24ff20594b4df37bfc87236868d905f51f13bf9c6f1474b1736c8e7befd24/detection

Additional Info*

*The information below is copied from MicrosoftDocs, which is maintained by Microsoft. Available under CC BY 4.0 license.

more

Displays one screen of output at a time.

[!NOTE] The **more** command, with different parameters, is also available from the Recovery Console.

Syntax

```
<command> | more [/c] [/p] [/s] [/t<n>] [+<n>]
more [[/c] [/p] [/s] [/t<n>] [+<n>]] < [<drive>:][<path>]<filename>
more [/c] [/p] [/s] [/t<n>] [+<n>] [<files>]
```

Parameters

Parameter	Description
<command/>	Specifies a command for which you want to display the output.
/c	Clears the screen before displaying a page.
/p	Expands form-feed characters.
/s	Displays multiple blank lines as a single blank line.
/t <n></n>	Displays tabs as the number of spaces specified by n .
+ <n></n>	Displays the first file, beginning at the line specified by n .
[<drive>:][<path>]<filename></filename></path></drive>	Specifies the location and name of a file to display.
<files></files>	Specifies a list of files to display. Files must be separated using spaces.
/?	Displays help at the command prompt.

Remarks

>>> The following subcommands are accepted at the **more** prompt (-- More --), including:

Key	Action
SPACEBAR	Press the SPACEBAR to display the next screen.
ENTER	Press ENTER to display the file one line at a time.
f	Press F to display the next file listed on the command line.
q	Press Q to quit the more command.
=	Shows the line number.
p <n></n>	Press P to display the next n lines.
s <n></n>	Press S to skip the next n lines.
?	Press ? to show the commands that are available at the more prompt.

- >>> If you use the redirection character (<), you must also specify a file name as the source.
- >>> If you use the pipe (|), you can use such commands as dir, sort, and type.

Examples

To view the first screen of information of a file named Clients.new, type one of the following commands:

```
more < clients.new
type clients.new | more</pre>
```

The **more** command displays the first screen of information from Clients.new, and you can press the SPACEBAR to see the next screen of information.

To clear the screen and remove all extra blank lines before displaying the file *Clients.new*, type one of the following commands:

```
more /c /s < clients.new
type clients.new | more /c /s</pre>
```

To display the current line number at the **more** prompt, type:

```
more =
```

The current line number is added to the **more** prompt, as -- More [Line: 24] --

To display a specific number of lines at the **more** prompt, type:

```
more p
```

The **more** prompt asks you for the number of lines to display, as follows: -- More -- Lines: . Type the number of lines to display, and then press ENTER. The screen changes to show only that number of lines.

To skip a specific number of lines at the **more** prompt, type:

```
more s
```

The **more** prompt asks you for the number of lines to skip, as follows: -- More -- Lines: . Type the number of lines to skip, and then press ENTER. The screen changes to show that those lines are skipped.

Additional References

- >> Command-Line Syntax Key
- >> Windows Recovery Environment (WinRE)

MIT License. Copyright (c) 2020-2021 Strontic.

